



PCT/AU2004/001051

REC'D 02 SEP 2004

WIPO

PCT

Patent Office  
Canberra

I, JULIE BILLINGSLEY, TEAM LEADER EXAMINATION SUPPORT AND SALES hereby certify that annexed is a true copy of the Provisional specification in connection with Application No. 2003904154 for a patent by BIONOMICS LIMITED as filed on 07 August 2003.



WITNESS my hand this  
Seventeenth day of August 2004

*J. Billingsley*

JULIE BILLINGSLEY  
TEAM LEADER EXAMINATION  
SUPPORT AND SALES

**PRIORITY  
DOCUMENT**

SUBMITTED OR TRANSMITTED IN  
COMPLIANCE WITH RULE 17.1(a) OR (b)

AUSTRALIA  
Patents Act 1990

PROVISIONAL SPECIFICATION

**Applicant:**

BIONOMICS LIMITED  
A.C.N. 075 582 740

**Invention Title:**

MUTATIONS IN ION CHANNELS

The invention is described in the following statement:

MUTATIONS IN ION CHANNELS

Technical Field

5 The present invention is concerned with mutations in  
proteins having biological functions as ion channels and,  
more particularly, with such mutations where they are  
associated with diseases such as epilepsy and disorders  
associated with ion channel dysfunction including, but not  
restricted to, hyper- or hypo-kalemic periodic paralysis,  
10 myotonias, malignant hyperthermia, myasthenia, cardiac  
arrhythmias, episodic ataxia, migraine, Alzheimer's  
disease, Parkinson's disease, schizophrenia,  
hyperekplexia, anxiety, depression, phobic obsessive  
symptoms, neuropathic pain, inflammatory pain,  
15 chronic/acute pain, Bartter's syndrome, polycystic kidney  
disease, Dent's disease, hyperinsulinemic hypoglycemia of  
infancy, cystic fibrosis, congenital stationary night  
blindness and total colour-blindness.

20 Background Art

Epilepsies constitute a diverse collection of brain  
disorders that affect about 3% of the population at some  
time in their lives (Annegers, 1996). An epileptic seizure  
can be defined as an episodic change in behaviour caused  
25 by the disordered firing of populations of neurons in the  
central nervous system. This results in varying degrees of  
involuntary muscle contraction and often a loss of  
consciousness. Epilepsy syndromes have been classified  
into more than 40 distinct types based upon characteristic  
30 symptoms, types of seizure, cause, age of onset and EEG  
patterns (Commission on Classification and Terminology of  
the International League Against Epilepsy, 1989). However  
the single feature that is common to all syndromes is the  
persistent increase in neuronal excitability that is both  
35 occasionally and unpredictably expressed as a seizure.

A genetic contribution to the aetiology of epilepsy  
has been estimated to be present in approximately 40% of

affected individuals (Gardiner, 2000). As epileptic seizures may be the end-point of a number of molecular aberrations that ultimately disturb neuronal synchrony, the genetic basis for epilepsy is likely to be heterogeneous. There are over 200 Mendelian diseases which include epilepsy as part of the phenotype. In these diseases, seizures are symptomatic of underlying neurological involvement such as disturbances in brain structure or function. In contrast, there are also a number of "pure" epilepsy syndromes in which epilepsy is the sole manifestation in the affected individuals. These are termed idiopathic and account for over 60% of all epilepsy cases.

Idiopathic epilepsies have been further divided into partial and generalized sub-types. Partial (focal or local) epileptic fits arise from localized cortical discharges, so that only certain groups of muscles are involved and consciousness may be retained. However, in generalized epilepsy, EEG discharge shows no focus such that all subcortical regions of the brain are involved. Although the observation that generalized epilepsies are frequently inherited is understandable, the mechanism by which genetic defects, presumably expressed constitutively in the brain, give rise to partial seizures is less clear.

The molecular genetic era has resulted in spectacular advances in classification, diagnosis and biological understanding of numerous inherited neurological disorders including muscular dystrophies, familial neuropathies and spinocerebellar degenerations. These disorders are all uncommon or rare and have simple Mendelian inheritance. In contrast, common neurological diseases like epilepsy, have complex inheritance where they are determined by multiple genes sometimes interacting with environmental influences. Molecular genetic advances in disorders with complex inheritance have been far more modest to date (Todd, 1999).



Most of the molecular genetic advances have occurred by a sequential three stage process. First a clinically homogeneous disorder is identified and its mode of inheritance determined. Second, linkage analysis is performed on carefully characterized clinical populations with the disorder. Linkage analysis is a process where the chromosomal localization of a particular disorder is narrowed down to approximately 0.5% of the total genome. Knowledge of linkage imparts no intrinsic biological insights other than the important clue as to where to look in the genome for the abnormal gene. Third, strategies such as positional cloning or the positional candidate approach are used to identify the aberrant gene and its specific mutations within the linked region (Collins, 1995).

Linkage studies in disorders with complex inheritance have been bedevilled by negative results and by failure to replicate positive findings. A sense of frustration permeates current literature in the genetics of complex disorders. Carefully performed, large scale studies involving hundreds of sibpairs in disorders including multiple sclerosis and diabetes have been essentially negative (Bell and Lathrop, 1996; Lernmark and Ott, 1998). An emerging view is that such disorders are due to the summation of many genes of small effect and that identification of these genes may only be possible with very large-scale association studies. Such studies on a genome-wide basis are currently impossible due to incomplete marker sets and computational limitations.

The idiopathic generalized epilepsies (IGE) are the most common group of inherited human epilepsy and do not have simple inheritance. Like other complex disorders, linkage studies in IGE have generated controversial and conflicting claims. Previous authors have suggested the possibility of multifactorial, polygenic, oligogenic or two locus models for the disease (Andermann, 1982; Doose

and Baier, 1989; Greenberg et al., 1988a; 1992; Janz et al., 1992).

Two broad groups of IGE are now known - the classical idiopathic generalized epilepsies (Commission on  
5 Classification and Terminology of the International League Against Epilepsy, 1989) and the newly recognized genetic syndrome of generalized epilepsy with febrile seizures plus (GEFS<sup>+</sup>) (Scheffer and Berkovic, 1997; Singh et al., 1999).

10 The classical IGEs are divided into a number of clinically recognizable but overlapping sub-syndromes including childhood absence epilepsy, juvenile absence epilepsy, juvenile myoclonic epilepsy etc (Commission on  
15 Classification and Terminology of the International League Against Epilepsy, 1989; Roger et al., 1992). The sub-syndromes are identified by age of onset and the pattern of seizure types (absence, myoclonus and tonic-clonic). Some patients, particularly those with tonic-clonic seizures alone do not fit a specifically recognized sub-  
20 syndrome. Arguments for regarding these as separate syndromes, yet recognizing that they are part of a neurobiological continuum, have been presented previously (Berkovic et al. 1987; 1994; Reutens and Berkovic, 1995).

GEFS<sup>+</sup> was originally recognized through large multi-  
25 generation families and comprises a variety of sub-syndromes. Febrile seizures plus (FS<sup>+</sup>) is a sub-syndrome where children have febrile seizures occurring outside the age range of 3 months to 6 years, or have associated febrile tonic-clonic seizures. Many family members have a  
30 phenotype indistinguishable from the classical febrile convulsion syndrome and some have FS<sup>+</sup> with additional absence, myoclonic, atonic, or complex partial seizures. The severe end of the GEFS<sup>+</sup> spectrum includes myoclonic-astatic epilepsy.

35 The cumulative incidence for epilepsy by age 30 years (proportion suffering from epilepsy at some time) is 1.5% (Hauser et al., 1993). Accurate estimates for the

cumulative incidence of the IGEs are unavailable. In epidemiological studies where attempts are made to subclassify epilepsies, rather few cases of IGE are diagnosed, and many cases are unclassified. This is  
5 probably because cases are rarely directly examined by epileptologists. In clinic- or office-based series seen by experts, most cases are classifiable and IGEs account for about 25% of cases. This suggests that about 0.3% of the population suffer from IGE at some time.

10 In outbred populations many patients with classical IGE appear to be sporadic as siblings and parents are usually unaffected. Systematic EEG studies on clinically unaffected family members show an increase in age-dependent occurrence of generalized epileptiform  
15 discharges compared to controls. In addition, to the approximate 0.3% of the population with clinical IGE, systematic EEG studies suggest that about 1% of healthy children have generalized epileptiform discharges while awake (Cavazzuti et al., 1980; Okubo et al., 1994).

20 Approximately 5-10% of first degree relatives of classical IGE probands have seizures with affected relatives usually having IGE phenotypes or febrile seizures. While nuclear families with 2-4 affected individuals are well recognized and 3 generation families  
25 or grandparent-grandchild pairs are occasionally observed (Italian League Against Epilepsy Genetic Collaborative Group, 1993), families with multiple affected individuals extending over 4 or more generations are exceptionally rare.

30 For GEFS<sup>+</sup>, however, a number of large multi-generation families showing autosomal dominant inheritance with incomplete penetrance are known. Similar to classical IGE, analysis of sporadic cases and small families with GEFS<sup>+</sup> phenotypes does not suggest simple Mendelian inheritance.  
35 Indeed, bilineal inheritance, where there is a history of epilepsy on maternal and paternal sides, is observed in both GEFS<sup>+</sup> and classical IGE families (Singh et al., 1999;

Italian League Against Epilepsy Genetic Collaborative Group, 1993).

Within single families with classical IGE or GEFS<sup>+</sup>, affected individuals often have different sub-syndromes. The closer an affected relative is to the proband, the more similar are their sub-syndromes, and siblings often have similar sub-syndromes (Italian League Against Epilepsy Genetic Collaborative Group, 1993). Less commonly, families are observed where most, or all, known affected individuals have one classical IGE sub-syndrome such as childhood absence epilepsy or juvenile myoclonic epilepsy (Italian League Against Epilepsy Genetic Collaborative Group, 1993).

Importantly, sub-syndromes are identical in affected monozygous twins with IGE. In contrast, affected dizygous twins, may have the same or different sub-syndromes. Classical IGE and GEFS<sup>+</sup> sub-syndromes tend to segregate separately (Singh et al., 1999).

In some inbred communities, pedigree analysis strongly suggests recessive inheritance for juvenile myoclonic epilepsy and other forms of IGE (Panayiotopoulos and Obeid, 1989; Berkovic et al., 2000). In such families, sub-syndromes are much more similar in affected siblings than in affected sib-pairs from outbred families. Recently, a family with an infantile form of IGE with autosomal recessive inheritance, confirmed by linkage analysis, was described in Italy (Zara et al., 2000).

Most work on the molecular genetics of classical IGEs has been done on the sub-syndrome of juvenile myoclonic epilepsy where a locus in proximity or within the HLA region on chromosome 6p was first reported in 1988 (Greenberg et al., 1988b). This finding was supported by two collaborating laboratories, in separate patient samples, and subsequently three groups provided further evidence for a 6p locus for juvenile myoclonic epilepsy in some, but not all, of their families. However, genetic defects have not been found and the exact locus of the

gene or genes, in relationship to the HLA region, remains controversial. Strong evidence for linkage to chromosome 6 also comes from a study of a single large family with juvenile myoclonic epilepsy, but in this pedigree the  
5 locus is well outside the HLA region. A locus on chromosome 15q has also been suggested for juvenile myoclonic epilepsy, but was not confirmed by two other studies.

In general, the results of studies of the putative  
10 chromosomal 6p locus in the HLA region in patients with absence epilepsies or other forms of idiopathic generalized epilepsies have been negative. The major exception is that study of probands with tonic-clonic seizures on awakening, a sub-syndrome closely related to  
15 juvenile myoclonic epilepsy, suggests linkage to 6p.

Linkage for classical remitting childhood absence epilepsy remains elusive, but in a family with persisting absence evolving into a juvenile myoclonic epilepsy phenotype, linkage to chromosome 1p has been claimed. An  
20 Indian pedigree with persisting absence and tonic-clonic seizures may link to 8q24. Linkage to this region was also suggested by a non-parametric analysis in IGE, irrespective of subsyndrome, but was not confirmed in another study. Other loci for IGEs that have been reported  
25 in single studies include 3p14, 8p, 18 and possibly 5p. The unusual example of recessively inherited infantile onset IGE described in Italy maps to 16p in a single family.

Thus, like most disorders with complex inheritance,  
30 the literature on genetics of classical IGEs is confusing and contradictory. Some, and perhaps much, of this confusion is due to heterogeneity, with the likelihood of a number of loci for IGEs. The studies reviewed above were principally performed on multiple small families, so  
35 heterogeneity within and between samples is probable. Whether all, some, or none of the linkages reported above will be found to harbour relevant genes for IGE remains to



be determined. Most of the studies reviewed above used analysis methods assuming Mendelian inheritance, an assumption that is not correct for outbred communities. Some studies used multiple models (autosomal recessive, autosomal dominant). Although parametric linkage analysis may be reliable in some circumstance of analyzing complex disease, it can lead to spurious findings as highlighted by the literature on linkage in major psychoses (Risch and Botstein, 1996).

10 In so far as GEFS<sup>+</sup> is concerned, linkage analysis on rare multi-generation large families with clinical evidence of a major autosomal dominant gene have demonstrated loci on chromosomes 19q and 2q. Both the 19q and 2q GEFS<sup>+</sup> loci have been confirmed in independently ascertained large families, and genetic defects have been identified. Families linked to 19q are known and a mutation in the gene for the  $\beta 1$  subunit of the neuronal sodium channel (SCN1B) has been identified (Wallace et al., 1998). This mutation results in the loss of a critical disulphide bridge of this regulatory subunit and causes a loss of function in vitro. Families linked to 2q are also known and mutations in the pore-forming  $\alpha$  subunit of the neuronal sodium channel (SCN1A) have been identified (PCT/AU01/01648; Wallace et al., 2001b; Escayg et al., 2000). Studies on the more common small families with GEFS<sup>+</sup> have not revealed these or other mutations to date.

In addition to the SCN1B and SCN1A mutations in GEFS<sup>+</sup>, four other gene defects have been discovered for human idiopathic epilepsies through the study of large families. Mutations in the alpha-4 subunit of the neuronal nicotinic acetylcholine receptor (CHRNA4) occur in the focal epilepsy syndrome of autosomal dominant nocturnal frontal lobe epilepsy (Australian patent AU-B-56247/96; Steinlein et al., 1995). Mutations in the gamma-2 subunit of the GABA<sub>A</sub> receptor (GABRG2) have been identified in childhood absence epilepsy, febrile seizures (including febrile

seizures plus) and myoclonic epilepsy (PCT/AU01/00729; Wallace et al., 2001a). Finally, mutations in two potassium channel genes (KCNQ2 and KCNQ3) were identified in benign familial neonatal convulsions (Singh et al., 1998; Biervert et al., 1998; Charlier et al., 1998). Although initially regarded as a special form of IGE, this unusual syndrome is probably a form of inherited focal epilepsy.

Further to these studies, mutations in other genes have been identified to be causative of epilepsy. These include mutations in the beta-2 subunit (CHRNA2) of the neuronal nicotinic acetylcholine receptor (PCT/AU01/00541; Phillips et al., 2001) and the delta subunit (GABRD) of the GABA<sub>A</sub> receptor (PCT/AU01/00729).

A number of mouse models approximating human IGE are known. These mice mutants have ataxia in addition to generalized spike-and-wave discharges with absences or tonic-clonic seizures. Recessive mutations in calcium channel subunit genes have been found in lethargic (CACNB4), tottering/leaner (CACNA1A), and stargazer (CACNG2) mutants. The slow-wave epilepsy mouse mutant has a mutation in the sodium/hydrogen exchanger gene, which may have important downstream effects on pH-sensitive ion channels.

The human and mouse literature is now suggesting that the idiopathic epilepsies comprise a family of channelopathies with mutations in ion channel subunits of voltage-gated (eg SCN1A, SCN1B, KCNQ2, KCNQ3) or ligand-gated (eg CHRNA4, CHRNA2, GABRG2, GABRD) types. These channels are typically comprised of a number of subunits, specified by genes on different chromosomes. The stoichiometry and conformation of ion channel subunits are not yet well understood, but many have multiple subunits in a variety of combinations.

The involvement of ion channels in other neuro/physiological disorders has also been observed (reviewed in Dworakowska and Dolowy, 2000). Mutations in

voltage-gated sodium, potassium, calcium and chloride channels as well as ligand-gated channels such as the acetylcholine and GABA receptors may lead to physiological disorders such as hyper- and hypo-kalemic periodic paralysis, myotonias, malignant hyperthermia, myasthenia and cardiac arrhythmias. Neurological disorders other than epilepsy that are associated with ion channel mutations include episodic ataxia, migraine, Alzheimer's disease, Parkinson's disease, schizophrenia, hyperekplexia, anxiety, depression, phobic obsessive symptoms, as well as neuropathic pain, inflammatory pain and chronic/acute pain. Some kidney disorders such as Bartter's syndrome, polycystic kidney disease and Dent's disease, secretion disorders such as hyperinsulinemic hypoglycemia of infancy and cystic fibrosis, and vision disorders such as congenital stationary night blindness and total colour-blindness may also be linked to mutations in ion channels.

#### Disclosure of the Invention

In a new genetic model for the idiopathic generalised epilepsies (IGEs) described in PCT/AU01/00872 (the disclosure of which is incorporated herein by reference) it has been postulated that most classical IGE and GEFS<sup>+</sup> cases are due to the combination of two mutations in multi-subunit ion channels. These are typically point mutations resulting in a subtle change of function. The critical postulate is that two mutations, usually, but not exclusively, in different subunit alleles ("digenic model"), are required for clinical expression of IGE. It was further proposed that

- a) A number of different mutated subunit pairs can be responsible for IGE. Combinations of two mutated subunits lead to an IGE genotype with ~30% penetrance.
- b) The total allele frequency of mutated subunits is ~8%. It was calculated that approximately 15% of the population has one or more mutated



subunit genes and 1% have two or more mutated subunits.

- 5 c) Sub-syndromes are principally determined by the specific combination of mutated subunit pairs, although one or more other genes, including ion channel subunits, of smaller effect may modify the phenotype.
- 10 d) Mutated subunit combinations that cause classical IGEs are largely separate from those that cause GEFS<sup>+</sup>, although some subunits may be involved in both syndromes.
- 15 e) Individuals with single 'change of function' mutations would not have IGE, but such mutations may contribute to simple febrile seizures, which are observed with increased frequency in relatives of IGE probands.

The model also proposes that subunit mutations with more severe functional consequences (eg breaking a disulphide bridge in SCN1B or amino acid substitution in the pore forming regions of SCN1A for GEFS<sup>+</sup>) cause autosomal dominant generalized epilepsies with a penetrance of 60-90%. The precise sub-syndromes in GEFS<sup>+</sup> are determined by minor allelic variation or mutations in other ion channel subunits. Such "severe" mutations are rare (allele frequency <0.01%) and are infrequent causes of GEFS<sup>+</sup>. They very rarely, or perhaps never, cause classical IGE.

30 The identification of molecular changes in ion channel subunits is therefore a significant step towards the elucidation of genetic variants that alone or in combination (based on the digenic model) give rise to an epilepsy phenotype, and to other neuro/physiological disorders associated with ion channel dysfunction.

35 The present inventors have identified a number of novel mutations or variants in genes encoding subunits of ion channels in individuals with epilepsy. It will be appreciated that for each molecular defect one can provide

an isolated nucleic acid molecule coding for a protein having a biological function as part of an ion channel in a mammal, wherein a mutation event selected from the group consisting of point mutations, deletions, insertions and rearrangements has occurred so as to affect the functioning of the ion channel. In some instances this single mutation alone will produce a phenotype of epilepsy or other neuro/physiological disorders associated with ion channel dysfunction.

10 In the case where a single mutation alone does not produce, say, an epilepsy phenotype, there would be provided one or more additional isolated nucleic acid molecules coding for proteins having a biological function as part of an ion channel in a mammal, wherein a mutation event selected from the group consisting of point mutations, deletions, insertions and rearrangements has occurred so as to affect the functioning of the ion channel. The cumulative effect of the mutations in each isolated nucleic acid molecule in vivo is to produce a epilepsy or another neuro/physiological disorders in said mammal. The mutations may be in nucleic acid molecules coding for protein subunits belonging to the same ion channel or may be in nucleic acid molecules coding for protein subunits that belong to different ion channels.

25 Typically such mutations are point mutations and the ion channels are voltage-gated channels such as a sodium, potassium, calcium or chloride channels or are ligand-gated channels such as members of the nAChR/GABA super family of receptors, or a functional fragment or homologue thereof.

30 Mutations may include those in non-coding regions of the ion channel subunits (eg mutations in the promoter region which affect the level of expression of the subunit gene, mutations in intronic sequences which affect the correct splicing of the subunit during mRNA processing, or mutations in the 5' or 3' untranslated regions that can affect translation or stability of the mRNA). Mutations

may also and more preferably will be in coding regions of the ion channel subunits (eg nucleotide mutations may give rise to an amino acid change in the encoded protein or nucleotide mutations that do not give rise to an amino acid change but may affect the stability of the mRNA).

Mutation combinations may be selected from, but are not restricted to, those identified in Table 1.

Accordingly in one aspect of the present invention there is provided a method of identifying a subject predisposed to a disorder associated with ion channel dysfunction, comprising ascertaining whether at least one of the genes encoding ion channel subunits in said subject has undergone a mutation event as set forth in one of SEQ ID Numbers: 1-62.

In another aspect of the present invention there is provided an isolated nucleic acid molecule encoding a mutant or variant ion channel subunit wherein a mutation event has occurred as set forth in one of SEQ ID Numbers: 1-62.

The mutation event disrupts the functioning of an ion channel so as to produce a phenotype of epilepsy, and/or one or more other disorders associated with ion channel dysfunction, including but not restricted to, hyper- or hypo-kalemic periodic paralysis, myotonias, malignant hyperthermia, myasthenia, cardiac arrhythmias, episodic ataxia, migraine, Alzheimer's disease, Parkinson's disease, schizophrenia, hyperekplexia, anxiety, depression, phobic obsessive symptoms, neuropathic pain, inflammatory pain, chronic/acute pain, Bartter's syndrome, polycystic kidney disease, Dent's disease, hyperinsulinemic hypoglycemia of infancy, cystic fibrosis, congenital stationary night blindness and total colour-blindness, either alone or in combination with one or more additional mutations or variations in the ion channel subunit genes.

In another aspect of the present invention there is provided an isolated nucleic acid molecule encoding a

mutant KCNQ2 subunit, wherein the mutation event has occurred in the C-terminal domain of the KCNQ2 subunit and leads to a disturbance in the calmodulin binding affinity of the subunit, so as to produce an epilepsy phenotype.

5 In one form of the invention, the mutations are in exon 8 or exon 15 of the KCNQ2 subunit and result in the replacement of an arginine residue with a glycine residue at amino acid position 353, or the replacement of a  
10 leucine residue with an arginine at amino acid position 619. The R353G mutation occurs as a result of a C to G nucleotide substitution at position 1057 of the KCNQ2 coding sequence as shown in SEQ ID NO: 34. The L619R mutation occurs as a result of a T to G nucleotide substitution at position 1856 of the KCNQ2 coding sequence  
15 as shown in SEQ ID NO: 37.

In a further form of the invention, the mutations are in exon 11 or exon 14 of the KCNQ2 subunit and result in the replacement of an arginine residue with a stop codon at amino acid position 430, or the replacement of an  
20 arginine residue with a serine at amino acid position 570. The R430X mutation occurs as a result of a C to T nucleotide substitution at position 1288 of the KCNQ2 coding sequence as shown in SEQ ID NO: 35. The R570S mutation occurs as a result of an A to T nucleotide  
25 substitution at position 1710 of the KCNQ2 coding sequence as shown in SEQ ID NO: 36.

Typically these mutations create a phenotype of benign familial neonatal seizures (BFNS).

In a further aspect of the present invention there is  
30 provided a combination of two or more isolated nucleic acid molecules each having a novel mutation event as laid out in Table 1. The cumulative effect of the mutations in each isolated nucleic acid molecule *in vivo* is to produce an epilepsy or another disorder associated with ion  
35 channel dysfunction as described above in said mammal.

In a particularly preferred embodiment of the present invention, the isolated nucleic acid molecules have a

nucleotide sequence as shown in any one of SEQ ID Numbers: 1-62. The sequences correspond to the novel DNA mutations or variants laid out in Table 1.

5 In another aspect of the present invention there is provided an isolated nucleic acid molecule comprising any one of the nucleotide sequences set forth in SEQ ID Numbers: 1-62.

10 In another aspect of the present invention there is provided an isolated nucleic acid molecule consisting of any one of the nucleotide sequences set forth in SEQ ID Numbers: 1-62.

15 The nucleotide sequences of the present invention can be engineered using methods accepted in the art for a variety of purposes. These include, but are not limited to, modification of the cloning, processing, and/or expression of the gene product. PCR reassembly of gene fragments and the use of synthetic oligonucleotides allow the engineering of the nucleotide sequences of the present invention. For example, oligonucleotide-mediated site-  
20 directed mutagenesis can introduce further mutations that create new restriction sites, alter expression patterns and produce splice variants etc.

As a result of the degeneracy of the genetic code, a number of polynucleotide sequences, some that may have  
25 minimal similarity to the polynucleotide sequences of any known and naturally occurring gene, may be produced. Thus, the invention includes each and every possible variation of a polynucleotide sequence that could be made by selecting combinations based on possible codon choices.  
30 These combinations are made in accordance with the standard triplet genetic code as applied to the polynucleotide sequences of the present invention, and all such variations are to be considered as being specifically disclosed.

35 The nucleic acid molecules of this invention are typically DNA molecules, and include cDNA, genomic DNA, synthetic forms, and mixed polymers, both sense and



antisense strands, and may be chemically or biochemically modified, or may contain non-natural or derivatised nucleotide bases as will be appreciated by those skilled in the art. Such modifications include labels, 5 methylation, intercalators, alkylators and modified linkages. In some instances it may be advantageous to produce nucleotide sequences possessing a substantially different codon usage than that of the polynucleotide sequences of the present invention. For example, codons 10 may be selected to increase the rate of expression of the peptide in a particular prokaryotic or eukaryotic host corresponding with the frequency that particular codons are utilized by the host. Other reasons to alter the nucleotide sequence without altering the encoded amino 15 acid sequences include the production of RNA transcripts having more desirable properties, such as a greater half-life, than transcripts produced from the naturally occurring mutated sequence.

The invention also encompasses production of nucleic 20 acid sequences of the present invention entirely by synthetic chemistry. Synthetic sequences may be inserted into expression vectors and cell systems that contain the necessary elements for transcriptional and translational control of the inserted coding sequence in a suitable 25 host. These elements may include regulatory sequences, promoters, 5' and 3' untranslated regions and specific initiation signals (such as an ATG initiation codon and Kozak consensus sequence) which allow more efficient translation of sequences encoding the polypeptides of the 30 present invention. In cases where the complete coding sequence, including the initiation codon and upstream regulatory sequences, are inserted into the appropriate expression vector, additional control signals may not be needed. However, in cases where only coding sequence, or a 35 fragment thereof, is inserted, exogenous translational control signals as described above should be provided by the vector. Such signals may be of various origins, both

natural and synthetic. The efficiency of expression may be enhanced by the inclusion of enhancers appropriate for the particular host cell system used (Scharf et al., 1994).

5 The invention also includes nucleic acid molecules that are the complements of the sequences described herein.

10 The present invention allows for the preparation of purified polypeptide or protein from the polynucleotides of the present invention, or variants thereof. In order to do this, host cells may be transformed with a novel nucleic acid molecule as described above, or with nucleic acid molecules encoding two or more mutant ion channel subunits. If the mutant subunits form a part of the same ion channel a receptor protein containing two or more  
15 mutant subunits may be isolated. If the mutant subunits are subunits of different ion channels the host cells will express two or more mutant receptor proteins. Typically said host cells are transfected with an expression vector comprising a DNA molecule according to the invention or,  
20 in particular, DNA molecules encoding two or more mutant ion channel subunits. A variety of expression vector/host systems may be utilized to contain and express sequences encoding polypeptides of the invention. These include, but are not limited to, microorganisms such as bacteria  
25 transformed with plasmid or cosmid DNA expression vectors; yeast transformed with yeast expression vectors; insect cell systems infected with viral expression vectors (e.g., baculovirus); or mouse or other animal or human tissue cell systems. Mammalian cells can also be used to express  
30 a protein using a vaccinia virus expression system. The invention is not limited by the host cell or vector employed.

35 The polynucleotide sequences, or variants thereof, of the present invention can be stably expressed in cell lines to allow long term production of recombinant proteins in mammalian systems. Sequences encoding the polypeptides of the present invention can be transformed

into cell lines using expression vectors which may contain viral origins of replication and/or endogenous expression elements and a selectable marker gene on the same or on a separate vector. The selectable marker confers resistance to a selective agent, and its presence allows growth and recovery of cells which successfully express the introduced sequences. Resistant clones of stably transformed cells may be propagated using tissue culture techniques appropriate to the cell type.

The protein produced by a transformed cell may be secreted or retained intracellularly depending on the sequence and/or the vector used. As will be understood by those of skill in the art, expression vectors containing polynucleotides which encode a protein may be designed to contain signal sequences which direct secretion of the protein through a prokaryotic or eukaryotic cell membrane.

In addition, a host cell strain may be chosen for its ability to modulate expression of the inserted sequences or to process the expressed protein in the desired fashion. Such modifications of the polypeptide include, but are not limited to, acetylation, glycosylation, phosphorylation, and acylation. Post-translational cleavage of a "prepro" form of the protein may also be used to specify protein targeting, folding, and/or activity. Different host cells having specific cellular machinery and characteristic mechanisms for post-translational activities (e.g., CHO or HeLa cells), are available from the American Type Culture Collection (ATCC) and may be chosen to ensure the correct modification and processing of the foreign protein.

When large quantities of the protein product of the gene are needed, such as for antibody production, vectors which direct high levels of expression of this protein may be used, such as those containing the T5 or T7 inducible bacteriophage promoter. The present invention also includes the use of the expression systems described above in generating and isolating fusion proteins which contain



important functional domains of the protein. These fusion proteins are used for binding, structural and functional studies as well as for the generation of appropriate antibodies.

5        In order to express and purify the protein as a fusion protein, the appropriate cDNA sequence is inserted into a vector which contains a nucleotide sequence encoding another peptide (for example, glutathione succinyl transferase). The fusion protein is expressed and  
10       recovered from prokaryotic or eukaryotic cells. The fusion protein can then be purified by affinity chromatography based upon the fusion vector sequence. The desired protein is then obtained by enzymatic cleavage of the fusion protein.

15       Fragments of the polypeptides of the present invention may also be produced by direct peptide synthesis using solid-phase techniques. Automated synthesis may be achieved by using the ABI 431A Peptide Synthesizer (Perkin-Elmer). Various fragments of this protein may be  
20       synthesized separately and then combined to produce the full-length molecule.

      The present invention is also concerned with polypeptides having a biological function as an ion channel in a mammal, wherein a mutation event selected  
25       from the group consisting of substitutions, deletions, truncations, insertions and rearrangements has occurred so as to affect the functioning of the ion channel. In some instances this single mutation alone will produce an epilepsy phenotype or other neuro/physiological disorders  
30       associated with ion channel dysfunction.

      In the case where a single mutation alone does not produce, say, an epilepsy phenotype, there would be provided one or more additional isolated mammalian polypeptides having biological functions as part of an ion  
35       channel in a mammal, wherein a mutation event selected from the group consisting of substitutions, deletions, truncations, insertions and rearrangements has occurred so

as to affect the functioning of the ion channel. The cumulative effect of the mutations in each isolated mammalian polypeptide in vivo being to produce epilepsy or another neuro/physiological disorders in said mammal. The  
5 mutations may be in polypeptide subunits belonging to the same ion channel as described above, but may also be in polypeptide subunits that belong to different ion channels.

Typically the mutation is an amino acid substitution  
10 and the ion channel is a voltage-gated channel such as a sodium, potassium, calcium or chloride channel or a ligand-gated channel such as a member of the nAChR/GABA super family of receptors, or a functional fragment or homologue thereof.

15 Mutation combinations may be selected from, but are not restricted to, those represented in Table 1.

Accordingly, in a further aspect of the present invention there is provided an isolated polypeptide, said polypeptide being a mutant or variant ion channel subunit  
20 wherein a mutation event has occurred such that the polypeptide has the amino acid sequence set forth in one of SEQ ID Numbers: 63-76. The mutation event disrupts the functioning of an ion channel so as to produce a phenotype of epilepsy, and/or one or more other disorders associated  
25 with ion channel dysfunction, including but not restricted to, hyper- or hypo-kalemic periodic paralysis, myotonias, malignant hyperthermia, myasthenia, cardiac arrhythmias, episodic ataxia, migraine, Alzheimer's disease, Parkinson's disease, schizophrenia, hyperekplexia,  
30 anxiety, depression, phobic obsessive symptoms, neuropathic pain, inflammatory pain, chronic/acute pain, Bartter's syndrome, polycystic kidney disease, Dent's disease, hyperinsulinemic hypoglycemia of infancy, cystic fibrosis, congenital stationary night blindness and total  
35 colour-blindness.

In a particularly preferred embodiment of the present invention, the isolated polypeptide has an amino acid

sequence as shown in any one of SEQ ID Numbers: 63-76. The sequences correspond to the novel amino acid changes laid out in Table 1 for those instances where the DNA mutation results in an amino acid change.

5       According to still another aspect of the present invention there is provided an isolated polypeptide, said polypeptide being a mutant KCNQ2 subunit, wherein the mutation event has occurred in the C-terminal domain of the KCNQ2 subunit and leads to a disturbance in the  
10       calmodulin binding affinity of the subunit, so as to produce an epilepsy phenotype.

          In one form of the invention the mutations are substitutions in which an arginine residue is replaced with a glycine residue, or a leucine residue is replaced  
15       with an arginine. Preferably the substitutions are R353G and L619R transitions as illustrated by SEQ ID NOS: 73 and 76 respectively.

          In a further form of the invention the mutations result in the replacement of an arginine for a stop codon,  
20       or an arginine is replaced with a serine. Preferably the mutations are R430X and R570S transitions as illustrated by SEQ ID NOS: 74 and 75 respectively.

          In a still further aspect of the present invention there is provided a combination of two or more isolated  
25       polypeptides each having a novel mutation event as laid out in Table 1. The cumulative effect of the mutations in each isolated polypeptide molecule in vivo is to produce an epilepsy or another disorder associated with ion channel dysfunction as described above in said mammal.

30       In a particularly preferred embodiment of the present invention, the isolated polypeptides have an amino acid sequence as shown in any one of SEQ ID Numbers: 63-76. The sequences correspond to the novel amino acid changes laid out in Table 1.

35       According to still another aspect of the present invention there is provided an isolated polypeptide

comprising the amino acid sequence set forth in any one of SEQ ID Numbers: 63-76.

According to still another aspect of the present invention there is provided a polypeptide consisting of  
5 the amino acid sequence set forth in any one of SEQ ID Numbers: 63-76.

According to still another aspect of the present invention there is provided a method of preparing a polypeptide, comprising the steps of:

- 10 (1) culturing host cells transfected with an expression vector comprising a nucleic acid molecule as described above under conditions effective for polypeptide production; and  
(2) harvesting the mutant ion channel subunit.

15 The mutant ion channel subunit may be allowed to assemble with other subunits constituting the channel that are either wild-type or themselves mutant subunits, whereby the assembled ion channel is harvested.

According to still another aspect of the invention  
20 there is provided a polypeptide which is the product of the process described above.

Substantially purified protein or fragments thereof can then be used in further biochemical analyses to establish secondary and tertiary structure. Such  
25 methodology is known in the art and includes, but is not restricted to, X-ray crystallography of crystals of the proteins or of the assembled ion channel incorporating the proteins or by nuclear magnetic resonance (NMR). Determination of structure allows for the rational design  
30 of pharmaceuticals to interact with the ion channel as a whole or through interaction with a specific subunit protein (see drug screening below), alter the overall ion channel protein charge configuration or charge interaction with other proteins, or to alter its function in the cell.

35 It will be appreciated that the mutant ion channel subunits included as part of the present invention will be useful in further applications which include a variety of

hybridisation and immunological assays to screen for and detect the presence of either a normal or mutated gene or gene product. The invention enables therapeutic methods for the treatment of epilepsy as well as other disorders associated with ion channel dysfunction and also enables methods for the diagnosis of epilepsy as well as other disorders associated with ion channel dysfunction.

#### Therapeutic Applications

10 According to still another aspect of the invention there is provided a method of treating epilepsy as well as other disorders associated with ion channel dysfunction, including but not restricted to, hyper- or hypo-kalemic periodic paralysis, myotonias, malignant hyperthermia, 15 myasthenia, cardiac arrhythmias, episodic ataxia, migraine, Alzheimer's disease, Parkinson's disease, schizophrenia, hyperekplexia, anxiety, depression, phobic obsessive symptoms, neuropathic pain, inflammatory pain, chronic/acute pain, Bartter's syndrome, polycystic kidney disease, Dent's disease, hyperinsulinemic hypoglycemia of 20 infancy, cystic fibrosis, congenital stationary night blindness or total colour-blindness, comprising administering a selective antagonist, agonist or modulator of an ion channel or ion channel subunit, when the ion channel contains a mutation in a subunit comprising the 25 channel, as described above, to a subject in need of such treatment. Said mutation event may be causative of the disorder when expressed alone or when expressed in combination with one or more additional mutations in subunits of the same or different ion channels, which are 30 typically those identified in Table 1.

In still another aspect of the invention there is provided the use of a selective antagonist, agonist or modulator of an ion channel or ion channel subunit when 35 the ion channel contains a mutation in a subunit comprising the channel, as described above, said mutation being causative of epilepsy as well as other disorders



associated with ion channel dysfunction, including but not restricted to, hyper- or hypo-kalemic periodic paralysis, myotonias, malignant hyperthermia, myasthenia, cardiac arrhythmias, episodic ataxia, migraine, Alzheimer's disease, Parkinson's disease, schizophrenia, hyperekplexia, anxiety, depression, phobic obsessive symptoms, neuropathic pain, inflammatory pain, chronic/acute pain, Bartter's syndrome, polycystic kidney disease, Dent's disease, hyperinsulinemic hypoglycemia of infancy, cystic fibrosis, congenital stationary night blindness or total colour-blindness, when expressed alone or when expressed in combination with a second mutation in a subunit of the same or different ion channel, as described above, in the manufacture of a medicament for the treatment of the disorder.

In one aspect, a suitable antagonist, agonist or modulator will restore wild-type function to the ion channel or channels containing the mutations of the present invention, or will negate the effects the mutant channel or channels have on cell function.

Using methods well known in the art, a mutant ion channel may be used to produce antibodies specific for the mutant channel that is causative of the disease or to screen libraries of pharmaceutical agents to identify those that bind the mutant ion channel.

In one aspect, an antibody, which specifically binds to a mutant ion channel or mutant ion channel subunit of the invention, may be used directly as an agonist, antagonist or modulator, or indirectly as a targeting or delivery mechanism for bringing a pharmaceutical agent to cells or tissues that express the mutant ion channel.

In a still further aspect of the invention there is provided an antibody which is immunologically reactive with a polypeptide as described above, but not with a wild-type ion channel or ion channel subunit thereof.

In particular, there is provided an antibody to an assembled ion channel containing a mutation in a subunit

comprising the receptor, which is causative of epilepsy or another disorder associated with ion channel dysfunction when expressed alone or when expressed in combination with one or more other mutations in subunits of the same or different ion channels. Such antibodies may include, but  
5 are not limited to, polyclonal, monoclonal, chimeric, and single chain antibodies as would be understood by the person skilled in the art.

For the production of antibodies, various hosts  
10 including rabbits, rats, goats, mice, humans, and others may be immunized by injection with a polypeptide as described above or with any fragment or oligopeptide thereof which has immunogenic properties. Various adjuvants may be used to increase immunological response  
15 and include, but are not limited to, Freund's, mineral gels such as aluminium hydroxide, and surface-active substances such as lysolecithin. Adjuvants used in humans include BCG (bacilli Calmette-Guerin) and Corynebacterium parvum.

20 It is preferred that the oligopeptides, peptides, or fragments used to induce antibodies to the mutant ion channel have an amino acid sequence consisting of at least 5 amino acids, and, more preferably, of at least 10 amino acids. It is also preferable that these oligopeptides,  
25 peptides, or fragments are identical to a portion of the amino acid sequence of the natural protein and contain the entire amino acid sequence of a small, naturally occurring molecule. Short stretches of ion channel amino acids may be fused with those of another protein, such as KLH, and  
30 antibodies to the chimeric molecule may be produced.

Monoclonal antibodies to a mutant ion channel may be prepared using any technique which provides for the production of antibody molecules by continuous cell lines in culture. These include, but are not limited to, the  
35 hybridoma technique, the human B-cell hybridoma technique, and the EBV-hybridoma technique. (For example, see Kohler

et al., 1975; Kozbor et al., 1985; Cote et al., 1983; Cole et al., 1984).

Monoclonal antibodies produced may include, but are not limited to, mouse-derived antibodies, humanised  
5 antibodies and fully human antibodies.

Antibodies may also be produced by inducing in vivo production in the lymphocyte population or by screening immunoglobulin libraries or panels of highly specific binding reagents as disclosed in the literature. (For  
10 example, see Orlandi et al., 1989; Winter and Milstein, 1991).

Antibody fragments which contain specific binding sites for a mutant ion channel may also be generated. For example, such fragments include,  $F(ab')_2$  fragments  
15 produced by pepsin digestion of the antibody molecule and Fab fragments generated by reducing the disulfide bridges of the  $F(ab')_2$  fragments. Alternatively, Fab expression libraries may be constructed to allow rapid and easy identification of monoclonal Fab fragments with the  
20 desired specificity. (For example, see Huse et al., 1989).

Various immunoassays may be used for screening to identify antibodies having the desired specificity. Numerous protocols for competitive binding or immunoradiometric assays using either polyclonal or  
25 monoclonal antibodies with established specificities are well known in the art. Such immunoassays typically involve the measurement of complex formation between an ion channel and its specific antibody. A two-site, monoclonal-based immunoassay utilizing antibodies reactive to two  
30 non-interfering ion channel epitopes is preferred, but a competitive binding assay may also be employed.

In a further aspect of the invention there is provided a method of treating epilepsy as well as other disorders associated with ion channel dysfunction,  
35 including but not restricted to, hyper- or hypo-kalemic periodic paralysis, myotonias, malignant hyperthermia, myasthenia, cardiac arrhythmias, episodic ataxia,



migraine, Alzheimer's disease, Parkinson's disease, schizophrenia, hyperekplexia, anxiety, depression, phobic obsessive symptoms, neuropathic pain, inflammatory pain, chronic/acute pain, Bartter's syndrome, polycystic kidney disease, Dent's disease, hyperinsulinemic hypoglycemia of infancy, cystic fibrosis, congenital stationary night blindness or total colour-blindness, comprising administering an isolated nucleic acid molecule which is the complement (antisense) of any one of the nucleic acid molecules described above and which encodes an RNA molecule that hybridizes with the mRNA encoding a mutant ion channel subunit of the invention, to a subject in need of such treatment.

In a still further aspect of the invention there is provided the use of an isolated nucleic acid molecule which is the complement (antisense) of a nucleic acid molecule of the invention and which encodes an RNA molecule that hybridizes with the mRNA encoding a mutant ion channel subunit of the invention, in the manufacture of a medicament for the treatment of epilepsy as well as other disorders associated with ion channel dysfunction, including but not restricted to, hyper- or hypo-kalemic periodic paralysis, myotonias, malignant hyperthermia, myasthenia, cardiac arrhythmias, episodic ataxia, migraine, Alzheimer's disease, Parkinson's disease, schizophrenia, hyperekplexia, anxiety, depression, phobic obsessive symptoms, neuropathic pain, inflammatory pain, chronic/acute pain, Bartter's syndrome, polycystic kidney disease, Dent's disease, hyperinsulinemic hypoglycemia of infancy, cystic fibrosis, congenital stationary night blindness or total colour-blindness.

Typically, a vector expressing the complement (antisense) of the polynucleotides of the invention may be administered to a subject in need of such treatment. Many methods for introducing vectors into cells or tissues are available and equally suitable for use *in vivo*, *in vitro*, and *ex vivo*. For *ex vivo* therapy, vectors may be

introduced into stem cells taken from the patient and  
clonally propagated for autologous transplant back into  
that same patient. Delivery by transfection, by liposome  
injections, or by polycationic amino polymers may be  
5 achieved using methods which are well known in the art.  
(For example, see Goldman et al., 1997).

Additional antisense or gene-targeted silencing  
strategies may include, but are not limited to, the use of  
antisense oligonucleotides, injection of antisense RNA,  
10 transfection of antisense RNA expression vectors, and the  
use of RNA interference (RNAi) or short interfering RNAs  
(siRNA). Still further, catalytic nucleic acid molecules  
such as DNazymes and ribozymes may be used for gene  
silencing (Breaker and Joyce, 1994; Haseloff and Gerlach,  
15 1988). These molecules function by cleaving their target  
mRNA molecule rather than merely binding to it as in  
traditional antisense approaches.

In a further aspect, a suitable agonist, antagonist  
or modulator may include peptides, phosphopeptides or  
20 small organic or inorganic compounds that can restore  
wild-type activity of ion channels containing mutations in  
the subunits which comprise the channels as described  
above.

Peptides, phosphopeptides or small organic or  
25 inorganic compounds suitable for therapeutic applications  
may be identified using nucleic acids and peptides of the  
invention in drug screening applications as described  
below. Molecules identified from these screens may also be  
of therapeutic application in affected individuals  
30 carrying other ion channel subunit gene mutations if the  
molecule is able to correct the common underlying  
functional deficit imposed by these mutations and those of  
the invention.

There is therefore provided a method of treating  
35 epilepsy as well as other disorders associated with ion  
channel dysfunction comprising administering a compound  
that is a suitable agonist, antagonist or modulator of an

ion channel and that has been identified using the mutant ion channel subunits of the invention.

5 In some instances, an appropriate approach for treatment may be combination therapy. This may involve the administering an antibody or complement (antisense) to a mutant ion channel or ion channel subunit of the invention to inhibit its functional effect, combined with administration of wild-type ion channel subunits which may restore levels of wild-type ion channel formation to normal levels. Wild-type ion channel subunits of the invention can be administered using gene therapy approaches as described above for complement administration.

15 There is therefore provided a method of treating epilepsy as well as other disorders associated with ion channel dysfunction comprising administration of an antibody or complement to a mutant ion channel or ion channel subunit of the invention in combination with administration of wild-type ion channel subunits.

20 In still another aspect of the invention there is provided the use of an antibody or complement to a mutant ion channel or ion channel subunit of the invention in combination with the use of wild-type ion channel subunits, in the manufacture of a medicament for the treatment of epilepsy as well as other disorders associated with ion channel dysfunction.

30 In further embodiments, any of the agonists, antagonists, modulators, antibodies, complementary sequences or vectors of the invention may be administered in combination with other appropriate therapeutic agents. Selection of the appropriate agents may be made by those skilled in the art, according to conventional pharmaceutical principles. The combination of therapeutic agents may act synergistically to effect the treatment or prevention of the various disorders described above. Using this approach, therapeutic efficacy with lower dosages of

each agent may be possible, thus reducing the potential for adverse side effects.

Any of the therapeutic methods described above may be applied to any subject in need of such therapy, including, for example, mammals such as dogs, cats, cows, horses, rabbits, monkeys, and most preferably, humans.

#### Drug Screening

According to still another aspect of the invention, nucleic acid molecules of the invention as well as peptides of the invention, particularly purified mutant ion channel subunit polypeptide and cells expressing these, are useful for the screening of candidate pharmaceutical agents for the treatment of epilepsy as well as other disorders associated with ion channel dysfunction, including but not restricted to, hyper- or hypo-kalemic periodic paralysis, myotonias, malignant hyperthermia, myasthenia, cardiac arrhythmias, episodic ataxia, migraine, Alzheimer's disease, Parkinson's disease, schizophrenia, hyperekplexia, anxiety, depression, phobic obsessive symptoms, neuropathic pain, inflammatory pain, chronic/acute pain, Bartter's syndrome, polycystic kidney disease, Dent's disease, hyperinsulinemic hypoglycemia of infancy, cystic fibrosis, congenital stationary night blindness or total colour-blindness.

Still further, it provides the use of a polypeptide complex for the screening of candidate pharmaceutical compounds.

Still further, it provides the use wherein high throughput screening techniques are employed.

Compounds that can be screened in accordance with the invention include, but are not limited to peptides (such as soluble peptides), phosphopeptides and small organic or inorganic molecules (such as natural product or synthetic chemical libraries and peptidomimetics).

In one embodiment, a screening assay may include a cell-based assay utilising eukaryotic or prokaryotic host cells that are stably transformed with recombinant molecules expressing the polypeptides or fragments of the invention, in competitive binding assays. Binding assays will measure the formation of complexes between a specific mutant ion channel subunit polypeptide or ion channel incorporating a mutant ion channel subunit polypeptide, and the compound being tested, or will measure the degree to which a compound being tested will inhibit or restore the formation of a complex between a specific mutant ion channel subunit polypeptide or ion channel incorporating a mutant ion channel subunit polypeptide, and its interactor or ligand.

The invention is particularly useful for screening compounds by using the polypeptides of the invention in transformed cells, transfected or injected oocytes, or animal models bearing mutated ion channel subunits such as transgenic animals or gene targeted (knock-in) animals (see transformed hosts). Drug candidates can be added to cultured cells that express a single mutant ion channel subunit or combination of mutant ion channel subunits (appropriate wild-type ion channel subunits should also be expressed for receptor assembly), can be added to oocytes transfected or injected with either a mutant ion channel subunit or combination of mutant ion channel subunits (appropriate wild-type ion channel subunits must also be injected for receptor assembly), or can be administered to an animal model containing a mutant ion channel or combination of mutant ion channels. Determining the ability of the test compound to modulate mutant ion channel activity can be accomplished by a number of techniques known in the art. These include for example measuring the effect on the current of the channel (e.g. calcium-, chloride-, sodium-, potassium-ion flux) as compared to the current of a cell or animal containing wild-type ion channels. Current in cells can be measured



by a number of approaches including the patch-clamp technique (methods described in Hamill et al, 1981) or using fluorescence based assays as are known in the art (see Gonzalez et al. 1999). Drug candidates that alter the  
5 current to a more normal level are useful for treating or preventing epilepsy as well as other disorders associated with ion channel dysfunction.

Non cell-based assays may also be used for identifying compounds that can inhibit or restore binding  
10 between the polypeptides of the invention or ion channels incorporating the polypeptides of the invention, and their interactors. Such assays are known in the art and include for example AlphaScreen technology (PerkinElmer Life Sciences, MA, USA). This application relies on the use of  
15 beads such that each interaction partner is bound to a separate bead via an antibody. Interaction of each partner will bring the beads into proximity, such that laser excitation initiates a number of chemical reactions ultimately leading to fluorophores emitting a light  
20 signal. Candidate compounds that inhibit the binding of the mutant ion channel subunit, or ion channel incorporating the mutant subunit, with its interactor will result in loss of light emission, while candidate compounds that restore the binding of the mutant ion  
25 channel subunit, or ion channel incorporating the mutant subunit, with its interactor will result in positive light emission. These assays ultimately enable identification and isolation of the candidate compounds.

High-throughput drug screening techniques may also  
30 employ methods as described in WO84/03564. Small peptide test compounds synthesised on a solid substrate can be assayed for mutant ion channel subunit polypeptide or mutant ion channel binding. Bound mutant ion channel or mutant ion channel subunit polypeptide is then detected by  
35 methods well known in the art. In a variation of this technique, purified polypeptides of the invention can be

coated directly onto plates to identify interacting test compounds.

The invention also contemplates the use of competition drug screening assays in which neutralizing antibodies capable of specifically binding the mutant ion channel compete with a test compound for binding thereto. In this manner, the antibodies can be used to detect the presence of any peptide that shares one or more antigenic determinants of the mutant ion channel.

10 The polypeptides of the present invention may also be used for screening compounds developed as a result of combinatorial library technology. This provides a way to test a large number of different substances for their ability to modulate activity of a polypeptide. A substance  
15 identified as a modulator of polypeptide function may be peptide or non-peptide in nature. Non-peptide "small molecules" are often preferred for many in vivo pharmaceutical applications. In addition, a mimic or mimetic of the substance may be designed for  
20 pharmaceutical use. The design of mimetics based on a known pharmaceutically active compound ("lead" compound) is a common approach to the development of novel pharmaceuticals. This is often desirable where the original active compound is difficult or expensive to  
25 synthesise or where it provides an unsuitable method of administration. In the design of a mimetic, particular parts of the original active compound that are important in determining the target property are identified. These parts or residues constituting the active region of the  
30 compound are known as its pharmacophore. Once found, the pharmacophore structure is modelled according to its physical properties using data from a range of sources including x-ray diffraction data and NMR. A template molecule is then selected onto which chemical groups which  
35 mimic the pharmacophore can be added. The selection can be made such that the mimetic is easy to synthesise, is likely to be pharmacologically acceptable, does not

degrade *in vivo* and retains the biological activity of the lead compound. Further optimisation or modification can be carried out to select one or more final mimetics useful for *in vivo* or clinical testing.

5        It is also possible to isolate a target-specific antibody and then solve its crystal structure. In principle, this approach yields a pharmacophore upon which subsequent drug design can be based as described above. It may be possible to avoid protein crystallography  
10 altogether by generating anti-idiotypic antibodies (anti-ids) to a functional, pharmacologically active antibody. As a mirror image of a mirror image, the binding site of the anti-ids would be expected to be an analogue of the original receptor. The anti-id could then be used to  
15 isolate peptides from chemically or biologically produced peptide banks.

Another alternative method for drug screening relies on structure-based rational drug design. Determination of the three dimensional structure of the polypeptides of the  
20 invention, or the three dimensional structure of the ion channels which incorporate these polypeptides allows for structure-based drug design to identify biologically active lead compounds.

Three dimensional structural models can be generated  
25 by a number of applications, some of which include experimental models such as x-ray crystallography and NMR and/or from *in silico* studies of structural databases such as the Protein Databank (PDB). In addition, three dimensional structural models can be determined using a  
30 number of known protein structure prediction techniques based on the primary sequences of the polypeptides (e.g. SYBYL - Tripos Associated, St. Louis, MO), *de novo* protein structure design programs (e.g. MODELER - MSI Inc., San Diego, CA, or MOE - Chemical Computing Group, Montreal,  
35 Canada) or *ab initio* methods (e.g. see US Patent Numbers 5331573 and 5579250).



Once the three dimensional structure of a polypeptide or polypeptide complex has been determined, structure-based drug discovery techniques can be employed to design biologically-active compounds based on these three dimensional structures. Such techniques are known in the art and include examples such as DOCK (University of California, San Francisco) or AUTODOCK (Scripps Research Institute, La Jolla, California). A computational docking protocol will identify the active site or sites that are deemed important for protein activity based on a predicted protein model. Molecular databases, such as the Available Chemicals Directory (ACD) are then screened for molecules that complement the protein model.

Using methods such as these, potential clinical drug candidates can be identified and computationally ranked in order to reduce the time and expense associated with typical 'wet lab' drug screening methodologies.

Compounds identified through screening procedures as described above, and which are based on the use of the mutant nucleic acid and polypeptides of the invention, can also be tested for their effect on correcting the functional deficit imposed by other gene mutations in affected individuals including other ion channel subunit mutations.

Such compounds form a part of the present invention, as do pharmaceutical compositions containing these and a pharmaceutically acceptable carrier.

#### Pharmaceutical Preparations

Compounds identified from screening assays and shown to restore ion channel wild-type activity can be administered to a patient at a therapeutically effective dose to treat or ameliorate epilepsy as well as other disorders associated with ion channel dysfunction, as described above. A therapeutically effective dose refers to that amount of the compound sufficient to result in amelioration of symptoms of the disorder.

Toxicity and therapeutic efficacy of such compounds can be determined by standard pharmaceutical procedures in cell cultures or experimental animals. The data obtained from these studies can then be used in the formulation of  
5 a range of dosages for use in humans.

Pharmaceutical compositions for use in accordance with the present invention can be formulated in a conventional manner using one or more physiological acceptable carriers, excipients or stabilisers which are  
10 well known. Acceptable carriers, excipients or stabilizers are non-toxic at the dosages and concentrations employed, and include buffers such as phosphate, citrate, and other organic acids; antioxidants including ascorbic acid; low molecular weight (less than about 10 residues)  
15 polypeptides; proteins, such as serum albumin, gelatin, or immunoglobulins; binding agents including hydrophilic polymers such as polyvinylpyrrolidone; amino acids such as glycine, glutamine, asparagine, arginine or lysine; monosaccharides, disaccharides, and other carbohydrates  
20 including glucose, mannose, or dextrans; chelating agents such as EDTA; sugar alcohols such as mannitol or sorbitol; salt-forming counterions such as sodium; and/or non-ionic surfactants such as Tween, Pluronic or polyethylene glycol (PEG).

25 The formulation of pharmaceutical compositions for use in accordance with the present invention will be based on the proposed route of administration. Routes of administration may include, but are not limited to, inhalation, insufflation (either through the mouth or  
30 nose), oral, buccal, rectal or parental administration.

#### Diagnostic Applications

Polynucleotide sequences encoding an ion channel subunit may be used for the diagnosis of epilepsy, as well  
35 as other as other disorders associated with ion channel dysfunction, including but not restricted to, hyper- or hypo-kalemic periodic paralysis, myotonias, malignant

hyperthermia, myasthenia, cardiac arrhythmias, episodic ataxia, migraine, Alzheimer's disease, Parkinson's disease, schizophrenia, hyperekplexia, anxiety, depression, phobic obsessive symptoms, neuropathic pain, inflammatory pain, chronic/acute pain, Bartter's syndrome, polycystic kidney disease, Dent's disease, hyperinsulinemic hypoglycemia of infancy, cystic fibrosis, congenital stationary night blindness or total colour-blindness, and the use of the nucleic acid molecules incorporated as part of the invention in diagnosis of these disorders, or a predisposition to these disorders, is therefore contemplated. The nucleic acid molecules incorporating the novel mutation events laid out in Table 1 may be used for this purpose.

The polynucleotides that may be used for diagnostic purposes include oligonucleotide sequences, genomic DNA and complementary RNA and DNA molecules. The polynucleotides may be used to detect and quantitate gene expression in biological samples. Genomic DNA used for the diagnosis may be obtained from body cells, such as those present in the blood, tissue biopsy, surgical specimen, or autopsy material. The DNA may be isolated and used directly for detection of a specific sequence or may be amplified by the polymerase chain reaction (PCR) prior to analysis. Similarly, RNA or cDNA may also be used, with or without PCR amplification. To detect a specific nucleic acid sequence, hybridisation using specific oligonucleotides, restriction enzyme digest and mapping, PCR mapping, RNase protection, and various other methods may be employed. Oligonucleotides specific to particular sequences can be chemically synthesized and labelled radioactively or nonradioactively and hybridised to individual samples immobilized on membranes or other solid-supports or in solution. The presence, absence or excess expression of any one of the mutant ion channel genes of the invention may then be visualized using

methods such as autoradiography, fluorometry, or colorimetry.

5 In a further diagnostic approach, the nucleotide sequences of the invention may be useful in assays that detect the presence of associated disorders, particularly those mentioned previously. The nucleotide sequences may be labelled by standard methods and added to a fluid or tissue sample from a patient under conditions suitable for the formation of hybridisation complexes. After a suitable incubation period, the sample is washed and the signal is quantitated and compared with a standard value. If the amount of signal in the patient sample is significantly altered in comparison to a control sample then the presence of altered levels of nucleotide sequences in the sample indicates the presence of the associated disorder. Such assays may also be used to evaluate the efficacy of a particular therapeutic treatment regimen in animal studies, in clinical trials, or to monitor the treatment of an individual patient.

20 In order to provide a basis for the diagnosis or prognosis of epilepsy and other disorders as described above, which are associated with the ion channel subunit mutations or variants of the invention, the nucleotide sequence of each gene can be compared between normal tissue and diseased tissue in order to establish whether the patient expresses a mutant gene.

30 In order to provide a basis for the diagnosis of a disorder associated with abnormal expression of an ion channel subunit gene of the invention, a normal or standard profile for expression is established. This may be accomplished by combining body fluids or cell extracts taken from normal subjects, either animal or human, with a sequence, or a fragment thereof, encoding the relevant ion channel subunit gene, under conditions suitable for hybridisation or amplification. Standard hybridisation may be quantified by comparing the values obtained from normal subjects with values from an experiment in which a known

amount of a substantially purified polynucleotide is used. Another method to identify a normal or standard profile for expression of an ion channel subunit gene is through quantitative RT-PCR studies. RNA isolated from body cells  
5 of a normal individual is reverse transcribed and real-time PCR using oligonucleotides specific for the relevant gene is conducted to establish a normal level of expression of the gene. Standard values obtained in both these examples may be compared with values obtained from  
10 samples from patients who are symptomatic for a disorder. Deviation from standard values is used to establish the presence of a disorder.

Once the presence of a disorder is established and a treatment protocol is initiated, hybridisation assays or  
15 quantitative RT-PCR studies may be repeated on a regular basis to determine if the level of expression in the patient begins to approximate that which is observed in the normal subject. The results obtained from successive assays may be used to show the efficacy of treatment over  
20 a period ranging from several days to months.

According to a further aspect of the invention there is provided the use of a polypeptide as described above in the diagnosis of epilepsy as well as other disorders associated with ion channel dysfunction, including but not  
25 restricted to, hyper- or hypo-kalemic periodic paralysis, myotonias, malignant hyperthermia, myasthenia, cardiac arrhythmias, episodic ataxia, migraine, Alzheimer's disease, Parkinson's disease, schizophrenia, hyperekplexia, anxiety, depression, phobic obsessive  
30 symptoms, neuropathic pain, inflammatory pain, chronic/acute pain, Bartter's syndrome, polycystic kidney disease, Dent's disease, hyperinsulinemic hypoglycemia of infancy, cystic fibrosis, congenital stationary night blindness or total colour-blindness.

35 When a diagnostic assay is to be based upon proteins constituting an ion channel, a variety of approaches are possible. For example, diagnosis can be achieved by



monitoring differences in the electrophoretic mobility of normal and mutant proteins that form the ion channel. Such an approach will be particularly useful in identifying mutants in which charge substitutions are present, or in  
5 which insertions, deletions or substitutions have resulted in a significant change in the electrophoretic migration of the resultant protein. Alternatively, diagnosis may be based upon differences in the proteolytic cleavage patterns of normal and mutant proteins, differences in  
10 molar ratios of the various amino acid residues, or by functional assays demonstrating altered function of the gene products.

In another aspect, antibodies that specifically bind mutant ion channels may be used for the diagnosis of a  
15 disorder, or in assays to monitor patients being treated with a complete ion channel or agonists, antagonists, modulators or inhibitors of an ion channel. Antibodies useful for diagnostic purposes may be prepared in the same manner as described above for therapeutics. Diagnostic  
20 assays for ion channels include methods that utilize the antibody and a label to detect a mutant ion channel in human body fluids or in extracts of cells or tissues. The antibodies may be used with or without modification, and may be labelled by covalent or non-covalent attachment of  
25 a reporter molecule.

A variety of protocols for measuring the presence of mutant ion channels, including but not restricted to, ELISAs, RIAs, and FACS, are known in the art and provide a basis for diagnosing a disorder. The expression of a  
30 mutant ion channel or combination of mutant ion channels is established by combining body fluids or cell extracts taken from test mammalian subjects, preferably human, with antibody to the ion channel or channels under conditions suitable for complex formation. The amount of complex  
35 formation may be quantitated by various methods, preferably by photometric means. Antibodies specific for the mutant ion channels will only bind to individuals



expressing the said mutant ion channels and not to individuals expressing only wild-type channels (ie normal individuals). This establishes the basis for diagnosing the disorder.

5       Once an individual has been diagnosed with a disorder, effective treatments can be initiated as described above. Treatments can be directed to amend the combination of ion channel subunit mutations or may be directed to one mutation.

10

#### Microarray

15       In further embodiments, complete cDNAs, oligonucleotides or longer fragments derived from any of the polynucleotide sequences described herein may be used as probes in a microarray. The microarray can be used to diagnose epilepsy, as well as other disorders associated with ion channel dysfunction, through the identification of genetic variants, mutations, and polymorphisms in the ion channel subunits that form part of the invention, to  
20       understand the genetic basis of a disorder, or can be used to develop and monitor the activities of therapeutic agents.

25       According to a further aspect of the present invention, tissue material obtained from animal models generated as a result of the identification of specific ion channel subunit human mutations (see below), particularly those disclosed in the present invention, can be used in microarray experiments. These experiments can be conducted to identify the level of expression of  
30       specific ion channel subunits, or any cDNA clones from whole-tissue libraries, in diseased tissue as opposed to normal control tissue. Variations in the expression level of genes, including ion channel subunits, between the two tissues indicates their possible involvement in the  
35       disease process either as a cause or consequence of the original ion channel subunit mutation present in the animal model. These experiments may be used to determine

gene function, to understand the genetic basis of a disorder, to diagnose a disorder, and to develop and monitor the activities of therapeutic agents. Microarrays may be prepared, used, and analyzed using methods known in the art. (For example, see Schena et al., 1996; Heller et al., 1997).

#### Transformed Hosts

The present invention also provides for the production of genetically modified (knock-out, knock-in and transgenic), non-human animal models transformed with nucleic acid molecules containing the novel ion channel mutations or variants as laid out in Table 1. These animals are useful for the study of the function of ion channels, to study the mechanisms by which combinations of mutations in ion channel subunits interact to give rise to disease and the effects of these mutations on tissue development, for the screening of candidate pharmaceutical compounds, for the creation of explanted mammalian cell cultures which express mutant ion channels or combinations of mutant ion channels, and for the evaluation of potential therapeutic interventions.

Animal species which are suitable for use in the animal models of the present invention include, but are not limited to, rats, mice, hamsters, guinea pigs, rabbits, dogs, cats, goats, sheep, pigs, and non-human primates such as monkeys and chimpanzees. For initial studies, genetically modified mice and rats are highly desirable due to the relative ease in generating knock-in, knock-out or transgenics of these animals, their ease of maintenance and their shorter life spans. For certain studies, transgenic yeast or invertebrates may be suitable and preferred because they allow for rapid screening and provide for much easier handling. For longer term studies, non-human primates may be desired due to their similarity with humans.

To create an animal model for a mutated ion channel, or an animal model incorporating a combination of mutations, several methods can be employed. These include, but are not limited to, generation of a specific mutation in a homologous animal gene, insertion of a wild type human gene and/or a humanized animal gene by homologous recombination, insertion of a mutant (single or multiple) human gene as genomic or minigene cDNA constructs using wild type or mutant or artificial promoter elements, or insertion of artificially modified fragments of the endogenous gene by homologous recombination. The modifications include insertion of mutant stop codons, the deletion of DNA sequences, or the inclusion of recombination elements (lox p sites) recognized by enzymes such as Cre recombinase.

To create transgenic mice in order to study gain of gene function in vivo, any mutant ion channel subunit gene of the invention can be inserted into a mouse germ line using standard techniques such as oocyte microinjection. Gain of gene function can mean the over-expression of a gene and its protein product, or the genetic complementation of a mutation of the gene under investigation. For oocyte injection, one or more copies of the mutant gene can be inserted into the pronucleus of a just-fertilized mouse oocyte. This oocyte is then reimplanted into a pseudo-pregnant foster mother. The live-born mice can then be screened for integrants using analysis of tail DNA for the presence of the relevant human ion channel subunit gene sequence. The transgene can be either a complete genomic sequence injected as a YAC, BAC, PAC or other chromosome DNA fragment, a cDNA with either the natural promoter or a heterologous promoter, or a minigene containing all of the coding region and other elements found to be necessary for optimum expression.

To generate knock-out mice or knock-in mice, gene targeting through homologous recombination in mouse embryonic stem (ES) cells may be applied. Knock-out mice

are generated to study loss of gene function in vivo while knock-in mice (which are preferred) allow the study of gain of function or to study the effect of specific gene mutations. Knock-in mice are similar to transgenic mice  
5 however the integration site and copy number are defined in the former.

For knock-out mouse generation, gene targeting vectors can be designed such that they delete (knock-out) the protein coding sequence of the relevant ion channel  
10 subunit gene in the mouse genome. In contrast, knock-in mice can be produced whereby a gene targeting vector containing the relevant ion channel subunit gene can integrate into a defined genetic locus in the mouse genome. For both applications, homologous recombination is  
15 catalysed by specific DNA repair enzymes that recognise homologous DNA sequences and exchange them via double crossover.

Gene targeting vectors are usually introduced into ES cells using electroporation. ES cell integrants are then  
20 isolated via an antibiotic resistance gene present on the targeting vector and are subsequently genotyped to identify those ES cell clones in which the gene under investigation has integrated into the locus of interest. The appropriate ES cells are then transmitted through the  
25 germline to produce a novel mouse strain.

In instances where gene ablation results in early embryonic lethality, conditional gene targeting may be employed. This allows genes to be deleted in a temporally and spatially controlled fashion. As above, appropriate ES  
30 cells are transmitted through the germline to produce a novel mouse strain, however the actual deletion of the gene is performed in the adult mouse in a tissue specific or time controlled manner. Conditional gene targeting is most commonly achieved by use of the cre/lox system. The  
35 enzyme cre is able to recognise the 34 base pair loxP sequence such that loxP flanked (or floxed) DNA is recognised and excised by cre. Tissue specific cre

expression in transgenic mice enables the generation of tissue specific knock-out mice by mating gene targeted floxed mice with cre transgenic mice. Knock-out can be conducted in every tissue (Schwenk et al., 1995) using the  
5 'deleter' mouse or using transgenic mice with an inducible cre gene (such as those with tetracycline inducible cre genes), or knock-out can be tissue specific for example through the use of the CD19-cre mouse (Rickert et al., 1997).

10 Once knock-in animals have been produced which contain a specific mutation in a particular ion channel subunit, mating combinations may be initiated between such animals so as to produce progeny containing combinations of two or more ion channel mutations. These animals  
15 effectively mimic combinations of mutations that are proposed to cause human IGE cases. These animal models can subsequently be used to study the extent and mechanisms of disease as related to the mutated ion channel combinations, as well as for the screening of candidate  
20 therapeutic compounds.

According to still another aspect of the invention there is provided the use of genetically modified non-human animals as described above for the screening of candidate pharmaceutical compounds (see drug screening  
25 above). These animals are also useful for the evaluation (eg therapeutic efficacy, toxicity, metabolism) of candidate pharmaceutical compounds, including those identified from the invention as described above, for the treatment of epilepsy as well as other disorders  
30 associated with ion channel dysfunction as described above.

It will be clearly understood that, although a number of prior art publications are referred to herein, this reference does not constitute an admission that any of  
35 these documents forms part of the common general knowledge in the art, in Australia or in any other country.

Throughout this specification and the claims, the

words "comprise", "comprises" and "comprising" are used in a non-exclusive sense, except where the context requires otherwise.

5 It will be apparent to the person skilled in the art that while the invention has been described in some detail for the purposes of clarity and understanding, various modifications and alterations to the embodiments and methods described herein may be made without departing from the scope of the inventive concept disclosed in this  
10 specification.

#### Brief Description of the Drawings

Preferred forms of the invention will now be described, by way of example only, with reference to the  
15 following examples and the accompanying drawings, in which:

Figure 1 provides an example of ion channel subunit stoichiometry and the effect of multiple versus single ion channel subunit mutations. Figure 1A: A typical channel  
20 may have five subunits of three different types. Figure 1B: In outbred populations complex diseases such as idiopathic generalized epilepsies may be due to mutations in two (or more) different subunit genes. Because only one allele of each subunit gene is abnormal, half the  
25 expressed subunits will have the mutation. Figure 1C: In inbred populations, both alleles of a single subunit gene will be affected, so all expressed subunits will be mutated. Figure 1D: Autosomal dominant disorders can be attributed to single ion channel subunit mutations that  
30 give rise to severe functional consequences.

Figure 2 represents the location of mutations identified in the KCNQ2 ion channel subunit constituting the potassium channel. M: Missense mutation; T: Truncation mutation; F: Frameshift mutation; S: Splice site mutation.

35 Figure 3 provides examples of epilepsy pedigrees where mutation profiles of ion channel subunits for individuals constituting the pedigree have begun to be



determined. These examples have been used to illustrate how the identification of novel ion channel subunit mutations and variations in IGE individuals can combine to give rise to the disorder.

5        Figure 4 shows the results of yeast two-hybrid analysis of R353G and L619R KCNQ2 mutants. Yeast were transformed with the empty DB (BAIT) plasmid (DBLeu), DB-Q2C wt, DB-Q2C R353G mutant or the DB-Q2 L619R mutant as indicated in A and the AD-CaM (TARGET) vector was  
10 introduced by gap-repair. Yeast control strains (Invitrogen™) were included on all plates for comparison. Control 1 has no interaction. Control 2 has a weak interaction. Control 3 has a moderately strong interaction. Control 4 has a strong interaction and  
15 control 5 has a very strong interaction. B. Growth of transformed yeast and controls on -leu -tryp selection. Yeast can grow on -leu if they contain the DB plasmid, and -tryp if they have AD plasmid. C. Growth of transformed yeast and controls on -leu -tryp -his +40mM 3AT after  
20 48hrs. Yeast can grow on -his+3AT if the his reporter gene is activated by interaction between the BAIT and TARGET plasmids. D-F. LacZ Filter assay for interaction between BAIT and TARGET plasmids, photos taken after 2hrs (D), 7hrs (E) and 24hrs (F). Activation of the  $\beta$ -galactosidase  
25 reporter gene by interaction of the BAIT and TARGET plasmids leads to the dark appearance of colonies.

Figure 5 shows the results of CaM affinity experiments with the R353G and L619R KCNQ2 mutants. The chart below shows the values from the CPRG assay for  $\beta$ -  
30 galactosidase activity as a measure of KCNQ2C-CaM binding efficiency. The area of each bar in the chart equates to the CaM binding efficiency of the BAIT. Broken lines indicate statistical comparison by Student's t test \*  $P < 0.01$ , \*\*  $P < 0.001$ .

35

Modes for Performing the Invention

Potassium channels are the most diverse class of ion channel. The *C. elegans* genome encodes about 80 different potassium channel genes and there are probably more in mammals. About ten potassium channel genes are known to be mutated in human disease and include four members of the KCNQ gene sub-family of potassium channels. KCNQ proteins have six transmembrane domains, a single P-loop that forms the selectivity filter of the pore, a positively charged fourth transmembrane domain that probably acts as a voltage sensor, and intracellular amino and carboxy termini. The C-terminus is long and contains a conserved "A domain" followed by a short stretch thought to be involved in subunit assembly.

Four KCNQ subunits are thought to combine to form a functional potassium channel. All five known KCNQ proteins can form homomeric channels *in vitro* and the formation of heteromers appears to be restricted to certain combinations. For instance KCNQ2 and KCNQ3, which are predominantly expressed in the central nervous system, form a heteromultimeric channel that mediates the neuronal muscarinic-regulated current (M-current), also known as the M-channel (or M-type  $K^+$  channel). The M-current is a slowly activating, non-inactivating potassium conductance known to regulate neuronal excitability by determining the firing properties of neurons and their responsiveness to synaptic input (Wang et al., 1998). Because it is the only current active at voltages near the threshold for action potential initiation, the M-current has a major impact on neuronal excitability.

Sodium (the alpha subunit) and calcium channels are thought to have evolved from the potassium channel subunit, and they each consist of four domains covalently linked as the one molecule, each domain being equivalent to one of the subunits that associate to form the potassium channel. Each of the four domains of the sodium and calcium channels are comprised of six transmembrane

segments.

Voltage-gated sodium channels are required to generate the electrical excitation in neurones, heart and skeletal muscle fibres, which express tissue specific isoforms. Sodium channels are heteromers of a pore forming alpha subunit and a modulatory beta-1 subunit, with an additional beta-2 subunit in neuronal channels. Ten genes encoding sodium channel alpha subunits and 3 genes encoding different beta subunits have so far been identified. The beta subunits of the sodium channels do not associate with the alpha subunits to form any part of the pore, they do however affect the way the alpha pore forming subunit functions.

As with sodium channels, calcium channels consist of a single pore forming alpha subunit, of which at least six types have been identified to date, and several accessory subunits including four beta, one gamma and one alpha2-delta gene. Many of these subunits also encode multiple splice variants adding to the diversity of receptor subunits of this family of ion channels.

The ion channels in the nAChR/GABA super family show a theoretical pentameric channel. Gamma-Aminobutyric acid (GABA) is the most abundant inhibitory neurotransmitter in the central nervous system. GABA-ergic inhibition is mediated by two major classes of receptors, type A (GABA-A) and type B (GABA-B). GABA-B receptors are members of the class of receptors coupled to G-proteins and mediate a variety of inhibitory effects via secondary messenger cascades. GABA-A receptors are ligand-gated chloride channels that mediate rapid inhibition.

The GABA-A channel has 16 separate, but related, genes encoding subunits. These are grouped on the basis of sequence identity into alpha, beta, gamma, delta, epsilon, theta and pi subunits. There are six alpha subunits ( $\alpha 1$ - $\alpha 6$ ), three beta subunits ( $\beta 1$ - $\beta 3$ ) and three gamma subunits ( $\gamma 1$ - $\gamma 3$ ). Each GABA-A receptor comprises five subunits which may, at least in theory, be selected from any of these

subunits.

Neuronal nicotinic acetylcholine receptors (nAChRs) consist of heterologous pentamers comprising various combinations of alpha subunits or alpha and beta subunits (α2-α9; β2-β4). The alpha subunits are characterised by adjacent cysteine residues at amino acid positions 192 and 193, and the beta subunits by the lack of these cysteine residues. They are ligand-gated ion channels differentially expressed throughout the brain to form physiologically and pharmacologically distinct receptors hypothesised to mediate fast, excitatory transmission between neurons of the central nervous system or to modulate neurotransmission from their presynaptic position.

In chicken and rat, the predominant nAChR subtype is composed of alpha-4 and beta-2 subunits. The transmembrane 2 (M2) segments of the subunits are arranged as alpha helices and contribute to the walls of the neurotransmitter-gated ion channel. The alpha helices appear to be kinked and orientated in such a way that the side chains of the highly conserved M2-leucine residues project inwards when the channel is closed. ACh is thought to cause a conformational change by altering the association of the amino acid residues of M2. The opening of the channel seems to be due to rotations of the gate forming side chains of the amino acid residues; the conserved polar serines and threonines may form the critical gate in the open channel.

#### Example 1: Identification of mutations in ion channels

Previous studies by reference (Wallace et al., 1998; PCT/AU01/00581; Wallace et al., 2001b; Australian patent AU-B-56247/96; Steinlein et al., 1995; PCT/AU01/00541; Phillips et al., 2001; PCT/AU01/00729; PCT/AU01/01648; PCT/AU02/00910; Wallace et al., 2001a, the disclosures of which are incorporated herein by reference) have identified mutations in a number of ion channel subunits

associated with epilepsy. These include ion channel subunits of voltage-gated (eg SCN1A, SCN1B, KCNQ2, KCNQ3) or ligand-gated (eg CHRNA4, CHRNB2, GABRG2, GABRD) types. To identify further mutations in ion channel genes, subunits which comprise the ion channels were screened for molecular defects in epilepsy patients.

Human genomic sequence available from the Human Genome Project was used to characterize the genomic organisation for each subunit gene. Each gene was subsequently screened for sequence changes using single strand conformation polymorphism (SSCP) analysis in a large sample of epileptics with common sporadic IGE subtypes eg juvenile myoclonic epilepsy (JME), childhood absence epilepsy (CAE), juvenile absence epilepsy (JAE) and epilepsy with generalized tonic-clonic seizures (TCS). Clinical observations can then be compared to the molecular defects characterized in order to establish the combinations of mutant subunits involved in the various disease states, and therefore to provide validated drug targets for each of these disease states. This will provide a basis for novel drug treatments directed at the genetic defects present in each patient.

The coding sequence for each of the ion channel subunits was aligned with human genomic sequence present in available databases at the National Centre for Biotechnology Information (NCBI). The BLASTN algorithm was typically used for sequence alignment and resulted in the genomic organisation (intron-exon structure) of each gene being determined. Where genomic sequence for an ion channel subunit was not available, BACs or PACs containing the relevant ion channel subunit were identified through screening of high density filters containing these clones and were subsequently sequenced.

Availability of entire genomic sequence for each ion channel subunit facilitated the design of intronic primers spanning each exon. These primers were used for both high throughput SSCP screening and direct DNA sequencing.

Example 2: Sample preparation for SSCP screening

A large collection of individuals affected with epilepsy have undergone careful clinical phenotyping and additional data regarding their family history has been collated. Informed consent was obtained from each individual for blood collection and its use in subsequent experimental procedures. Clinical phenotypes incorporated classical IGE cases as well as GEFS+ and febrile seizure cases.

DNA was extracted from collected blood using the QIAamp DNA Blood Maxi kit (Qiagen) according to manufacturers specifications or through procedures adapted from Wyman and White (1980). Stock DNA samples were kept at a concentration of 1 ug/ul.

In preparation for SSCP analysis, samples to be screened were formatted into 96-well plates at a concentration of 30 ng/ul. These master plates were subsequently used to prepare exon specific PCR reactions in the 96-well format.

Example 3: Identification of sequence alterations in ion channel genes

SSCP analysis of specific ion channel exons followed by sequencing of SSCP bandshifts was performed on individuals constituting the 96-well plates to identify sequence alterations.

Primers used for SSCP were labelled at their 5' end with HEX and typical PCR reactions were performed in a total volume of 10 µl. All PCR reactions contained 67 mM Tris-HCl (pH 8.8); 16.5 mM (NH<sub>4</sub>)<sub>2</sub>SO<sub>4</sub>; 6.5 µM EDTA; 1.5 mM MgCl<sub>2</sub>; 200 µM each dNTP; 10% DMSO; 0.17 mg/ml BSA; 10 mM β-mercaptoethanol; 5 µg/ml each primer and 100 U/ml Taq DNA polymerase. PCR reactions were performed using 10 cycles of 94°C for 30 seconds, 60°C for 30 seconds, and 72°C for 30 seconds followed by 25 cycles of 94°C for 30 seconds, 55°C for 30 seconds, and 72°C for 30 seconds. A final



extension reaction for 10 minutes at 72°C followed.

Twenty  $\mu$ l of loading dye comprising 50% (v/v) formamide, 12.5 mM EDTA and 0.02% (w/v) bromophenol blue were added to completed reactions which were subsequently  
5 run on non-denaturing 4% polyacrylamide gels with a cross-linking ratio of 35:1 (acrylamide:bis-acrylamide) and containing 2% glycerol. Gel thickness was 100 $\mu$ m, width 168mm and length 160mm. Gels were run at 1200 volts and approximately 20mA, at 22°C and analysed on the GelScan  
10 2000 system (Corbett Research, Australia) according to manufacturers specifications.

PCR products showing a conformational change were subsequently sequenced. This first involved re-amplification of the amplicon from the relevant individual  
15 (primers used in this instance did not contain 5' HEX labels) followed by purification of the PCR amplified templates for sequencing using QiaQuick PCR preps (Qiagen) based on manufacturers procedures. The primers used to sequence the purified amplicons were identical to those  
20 used for the initial amplification step. For each sequencing reaction, 25 ng of primer and 100 ng of purified PCR template were used. The BigDye sequencing kit (ABI) was used for all sequencing reactions according to the manufacturers specifications. The products were run on  
25 an ABI 377 Sequencer and analysed using the EditView program.

Table 1 shows the novel sequence changes identified in the ion channel subunits screened.

#### 30 Example 4: Digenic model examples

In some instances a single mutation in an ion channel alone is insufficient to give rise to an epilepsy phenotype. However combinations of mutations each conferring a subtle change of function to an ion channel,  
35 as proposed by the digenic model (PCT/AU01/00872), may be sufficient to produce an epilepsy phenotype.

Using the mutations and variations in ion channel

subunits that form part of this invention, the digenic model may be validated through a parametric analysis of large families in which two abnormal alleles co-segregate by chance to identify mutations which act co-operatively to give an epilepsy phenotype. It is envisaged that the strategy of careful clinical phenotyping in these large families, together with a linkage analysis based on the digenic hypothesis will allow identification of the mutations in ion channels associated with IGEs. If molecular genetic studies in IGE are successful using the digenic hypothesis, such an approach might serve as a model for other disorders with complex inheritance.

The digenic hypothesis predicts that the closer the genetic relationship between affected individuals, the more similar the sub-syndromes, consistent with published data (Italian League Against Epilepsy Genetic Collaborative Group, 1993). This is because more distant relatives are less likely to share the same combinations of mutated subunits.

Identical twins have the same pair of mutated subunits and the same minor alleles so the sub-syndromes are identical. Affected sib-pairs, including dizygous twins, with the same sub-syndrome would also have the same pair of mutated subunits, but differences in minor alleles would lead to less similarity than with monozygous twins. Some sib-pairs and dizygous twins, have quite different sub-syndromes; this would be due to different combinations of mutated subunits, when the parents have more than two mutated alleles between them.

A special situation exists in inbred communities that parallels observations on autosomal recessive mouse models. Here the two mutated alleles of the digenic model are the same and thus result in a true autosomal recessive disorder. Because all affected individuals have the same pair of mutated alleles, and a similar genetic background, the phenotypes are very similar.

In outbred communities approximately 1% of the

population would have IGE genotypes (2 mutated alleles) and 0.3% would clinically express IGE. Most of these would have mutations in two different channel subunits. In such communities most cases would appear "sporadic" as the risk to first degree relatives would be less than 10%.

For example, let there be three IGE loci (A,B,C) and let the frequency of abnormal alleles ( $a^*, b^*, c^*$ ) at each locus be .027 and of normal alleles ( $a, b, c$ ) be .973. Then, the distribution of genotypes  $aa^*, a^*a, a^*a^*$  and  $aa$  at locus A will be .0263 (.027 x .973), .0263, .0007 and .9467 respectively, and similarly for loci B and C. In this population .8485 will have no mutated alleles ( $.9467^3$ ), .1413 will have one mutated allele ( $a^*$  or  $b^*$  or  $c^*$ ;  $.0263 \times .9467^2 \times 6$ ), .0098 will have two abnormal alleles (.0020 two same abnormal alleles, .0078, two different abnormal alleles) and 0.00037 will have more than two abnormal alleles. Thus in this population .01, or 1%, will have two or more abnormal alleles (IGE genotype), and the total abnormal allele frequency will be .08 ( $3 \times .027$ ).

To determine the familial risks and allele patterns in affected pairs, the frequency distribution of population matings and the percentage of children with 2 or more abnormal alleles must be determined. The frequency of matings with no abnormal alleles ( $0 \times 0$ ) is .72 ( $.8485^2$ ), for  $1 \times 0$  and  $0 \times 1$  matings .24 ( $2 \times .8485 \times .1413$ ), for a  $1 \times 1$  mating .020, and for  $2 \times 0$  and  $0 \times 2$  matings .0166 etc. From this distribution of matings the frequency of children with 2 or more abnormal alleles can be shown to be .01. For example, the  $0 \times 2$  and  $2 \times 0$  matings contribute .0033 of this .01 frequency ( $.0166$  [mating frequency] x .2 [chance of that mating producing a child with 2 or more abnormal alleles]).

To determine parental risk it can be shown that of children with 2 abnormal alleles (IGE genotype), .49 derive from  $1 \times 1$  matings where no parent is affected, .33 derive from a  $2 \times 0$  and  $0 \times 2$  matings etc. For the  $2 \times 0$

and 0 x 2 matings, half the parents have IGE genotypes and contribute .16 ( $.33/2$ ) to the parental risk with the total parental risk of an IGE genotype being .258. The other matings that contribute to affected parent-child pairs are  
5 2 x 1, 1 x 2, 3 x 0, 0 x 3 etc.

The sibling risk of an IGE genotype is .305. For example 2 x 0 and 0 x 2 matings contributed .08 to the sibling risk ( $.33[\text{fraction of children with 2 abnormal alleles}] \times .25[\text{the chance of that mating producing a child with 2 or more abnormal alleles}]$ ). Similarly the offspring risk was determined to be .248 by mating individuals with 2 abnormal alleles with the general population. Thus at 30% penetrance the risk for IGE phenotype for parents of a proband is .077, for siblings .091, and for offspring  
10 .074.  
15

It can be shown that affected sib pairs share the same abnormal allele pair in 85% of cases. This is because of all affected sib pairs 44% derive from 1 x 1 matings and 23% from 0 x 2 and 2 x 0 matings where all affected  
20 siblings have the same genotype. In contrast, 24% derive from 1 x 2 matings and 9% from 3 x 1 and 2 x 2 matings etc where affected sibling genotypes sometimes differ.

For affected parent-child pairs, genotypes are identical in only 58%. Of affected parent child pairs, 43%  
25 derive from 0 x 2 matings where genotypes are identical, whereas 38% derive from 0 x 3 and 17% from 1 x 2 where the majority of crosses yield different affected genotypes.

Based on the digenic model it has been postulated that most classical IGE and GEFS<sup>+</sup> cases are due to the  
30 combination of two mutations in multi-subunit ion channels. These are typically point mutations resulting in a subtle change of function. The critical postulate is that two mutations, usually, but not exclusively, in different subunit alleles ("digenic model"), are required  
35 for clinical expression of IGE.

The hypothesis that similar phenotypes can be caused by the combination of mutations in two (or more) different

subunits (outbred communities), or by the same mutation in two (or more) alleles of the same subunit (inbred communities), may seem implausible. However, applying the digenic hypothesis to the theoretical pentameric channel shown in Figure 1, in outbred communities IGE will be due to subunit combinations such as  $\alpha^*\alpha\beta\beta\Delta$ ,  $\alpha^*\alpha\beta\beta\Delta^*$  or  $\alpha\alpha\beta^*\beta\Delta^*$  (mutated subunits indicated by \*). In inbred communities  $\alpha^*\alpha^*\beta\beta\Delta$  or  $\alpha\alpha\beta^*\beta^*\Delta$  combinations might cause IGE phenotypes. We assume that the mutations will not cause reduced expression of the alleles and that the altered ion channel excitability, and consequent IGE phenotype, caused by mutations in two different alleles is similar to that caused by the same mutation in both alleles of one subunit. Finally, subunit mutations with more severe functional consequences (eg breaking a disulphide bridge in SCN1B or amino acid substitution in the pore forming regions of SCN1A for GEFS<sup>+</sup>) cause autosomal dominant generalized epilepsies with a penetrance of 60-90%. Such "severe" mutations are rare (allele frequency <0.01%) and are infrequent causes of GEFS<sup>+</sup>. They very rarely, or perhaps never, cause classical IGE.

The relative separate segregation of classical IGE and GEFS<sup>+</sup> phenotypes is an anecdotal clinical observation of ours (Singh et al., 1999), although the separation is not absolute. The separation is supported by previous family and EEG studies of Doose and colleagues who described "type A" and "type B" liabilities which we may approximate the GEFS<sup>+</sup> and classical IGE groupings respectively (Doose and Baier, 1987).

The digenic model predicts that affected sib pairs will share the same genes in 85% of cases whereas they will have at least one different allele in the remaining 15%. In contrast, only 58% of parent-child pairs share the same alleles in a 3 locus model. Thus there should be greater similarity of syndromes between sibling pairs than parent-child pairs. This would be most objectively measured by age of onset and seizure types.



Estimates for the risk of febrile seizures or IGE in relatives vary. The estimates range from 5%-10% for siblings, 4%-6% for offspring, 3%-6% for parents, and 2-3% for grandparents. Underestimation may occur because IGE  
5 manifest in youth, and parents and particularly grandparents may be unaware of seizures in themselves in younger years. This is particularly true where there was stigma associated with epilepsy and where the epilepsy may have been mild and unrecognized. Underestimation of  
10 sibling and offspring risks occurs when unaffected young children are counted, some of whom will develop IGE in adolescence. Overestimation may occur with misdiagnosis of seizures or inclusion of seizures unrelated to IGE (e.g. due to trauma or tumors)

15 In autosomal dominant models the risk to affected relatives reduces proportionally (50% for first degree relatives, 25% for second degree etc). For all oligogenic or polygenic models the risk decreases more quickly. For a digenic model with three loci, the risks are 9.1% for  
20 siblings, 7.4% for offspring, 7.7% for parents. Rigorous measurement of the familial recurrence rates, with careful phenotyping and age-corrected risk estimates could be compared with the predictions from the digenic model, and it is proposed to do this.

25 There is a small amount of information on IGE families regarding haplotype distribution. For example, there is some evidence for a locus on 8q as determined by parametric linkage in a single family (Fong et al., 1998) and by non-parametric analysis in multiple small families  
30 (Zara et al., 1995). Interestingly, in the latter study the 8q haplotype not infrequently came from the unaffected parent. This would be quite compatible with the digenic model and evaluation of other data sets in this manner could be used to test the hypothesis, and it is proposed  
35 to do this.

Following the analysis of one large family with epilepsy where the two main phenotypes were childhood



absence epilepsy (CAE) and febrile seizures (FS), the inheritance of FS was found to be autosomal dominant and the penetrance 75%. However the inheritance of CAE in this family was not simple Mendelian, but suggestive of complex inheritance with the involvement of more than one gene. The power of this large family was used to explore the complex genetics of CAE further.

Linkage analysis on this family in which individuals with CAE, FS and FS+ were deemed affected led to the detection of linkage on chromosome 5q and identification of a mutation in the GABRG2 gene (R43Q) which is localised to this region (Wallace et al., 2001a; PCT/AU01/00729). All 10 tested individuals with FS alone in this family had this mutation and 7 CAE affected individuals in this family also had the mutation. To test the digenic model of IGEs in the CAE affected individuals, the whole genome screen of this family was reanalysed with only individuals with CAE considered affected. Linkage analysis was performed using FASTLINK v4.0, two-point lod scores were calculated assuming 50% penetrance and a 2% phenocopy rate and individuals with FS or FS+ were coded as unknown. Markers producing a lod score greater than 1 were reanalysed without a phenocopy rate and at the observed penetrance for CAE in this family (30%). Results from the analysis revealed significant linkage to chromosome 14q22-q23 (lod 3.4). This provides strong evidence for a second locus segregating with CAE affected individuals in this family. While the GABRG2 mutation is sufficient to cause FS, the CAE phenotype is thought to be due to both the GABRG2 mutation and a mutation occurring in a gene mapping to the 14q locus, as proposed by the digenic model.

For the application of the digenic model to sporadic cases of IGE and affected individuals belonging to smaller families in which genotyping and linkage analysis is not a feasible approach to disease gene identification, direct mutation analysis of ion channel genes in these individuals has been carried out as described above. In

Table 1 there is provided an indication of novel genetic alterations so far identified through mutation analysis screening of these individuals. Figure 2 provides an example to indicate where some of these mutations have occurred with respect to the potassium channel KCNQ2 gene.

The identification of novel mutations and variations in ion channel subunits in IGE individuals provides resources to further test the digenic hypothesis and mutation profiles are starting to accumulate for a number of subunit changes that are observed in the same individuals. Figure 3 provides results from some of these profiles.

Figure 3A shows a 3 generation family in which individual III-1 has myoclonic astatic epilepsy and contains a N43del mutation in the SCN3A gene as well as an A1067T mutation in the SCN1A gene. Individual I-1 also has the SCN3A mutation but alone this mutation is not sufficient to cause epilepsy in this individual. The SCN3A mutation has likely been inherited from the grandfather through the mother, while the SCN1A mutation is likely to arise from the father. Both parents are unaffected but have yet to be screened for the presence of the mutations in these subunits. Individual II-1 is likely to contain an as yet unidentified ion channel subunit mutation acting in co-operation with the SCN3A mutation already identified in this individual.

Figure 3B is another 3 generation family in which individual III-1 has myoclonic astatic epilepsy due to a combination of the same SCN3A and SCN1A mutations as above. However, in this family both parents have febrile seizures most likely due to the presence of just one of the mutations in each parent, as proposed by the model. This is in contrast to individuals II-2 and II-3 in Figure 4A who also contain one of the mutations in these genes each. These individuals are phenotypically normal most likely due to incomplete penetrance of these mutations in each case.

Figure 3C shows a larger multi-generation family in which individual IV-5 has a mutation in both the SCN3A and GABRG2 subunits. In combination, these give rise to severe myoclonic epilepsy of infancy but alone either cause  
5 febrile seizures (GABRG2 mutation in III-3 and IV-4) or are without an effect (SCN3A mutation in III-2) as proposed by the model.

These examples therefore illustrate the digenic model as determined from mutation analysis studies of ion  
10 channel subunits in affected individuals and highlight the need to identify genetic alterations in the genes encoding ion channel subunits.

Example 5: Analysis of ion channels and ion channel  
15 subunits

The structure and function of the mutant ion channels and mutant ion channel subunits of the present invention can be determined using a variety of molecular biological studies. These studies may provide clues as to the  
20 mechanisms by which mutations in ion channel subunits effect the functioning of the ion channel. For instance the identification of proteins that interact with mutant ion channels (or whose interaction is impeded by a mutation in an ion channel subunit) may help determine the  
25 molecular mechanisms that are disrupted as a result of a mutation. Procedures such as the yeast two-hybrid system can be used to discover and identify such interacting proteins.

The principle behind the yeast two-hybrid procedure  
30 is that many eukaryotic transcriptional activators, including those in yeast, consist of two discrete modular domains. The first is a DNA-binding domain that binds to a specific promoter sequence and the second is an activation domain that directs the RNA polymerase II complex to  
35 transcribe the gene downstream of the DNA binding site. Both domains are required for transcriptional activation as neither domain can activate transcription on its own.

In the yeast two-hybrid procedure, the gene of interest or parts thereof (BAIT), is cloned in such a way that it is expressed as a fusion to a peptide that has a DNA binding domain. A second gene, or number of genes, such as those  
5 from a cDNA library (TARGET), is cloned so that it is expressed as a fusion to an activation domain. Interaction of the protein of interest with its binding partner brings the DNA-binding peptide together with the activation domain and initiates transcription of the reporter genes.  
10 The first reporter gene will select for yeast cells that contain interacting proteins (this reporter is usually a nutritional gene required for growth on selective media). The second reporter is used for confirmation and while being expressed in response to interacting proteins it is  
15 usually not required for growth.

#### KCNQ2 interactors

Despite the identification of a number of KCNQ2 mutations responsible for epilepsy, including those of the  
20 present study, the underlying biological mechanisms responsible for the epilepsy remains largely uncharacterized. Towards identifying these mechanisms, the large intracellular C-terminal region of KCNQ2 was screened for interactions with other proteins using the  
25 yeast-two hybrid procedure. The C-terminus accounts for 63% of the KCNQ2 protein and, in common with other KCNQ subunits, contains a conserved 'A domain' (Jentsch, 2000; Schwake et al., 2000) thought to be involved in subunit interactions as well as another distal short conserved  
30 region that has been associated with subunit assembly, at least in KCNQ1 (Jentsch, 2000; Schmitt et al., 2000).

#### A) Yeast-two hybrid analysis

A yeast two-hybrid screen was carried out using the  
35 ProQuest™ Two-Hybrid System with Gateway™ Technology (Invitrogen™) according to manufacturer's directions. A KCNQ2 C-terminal entry (BAIT) clone was generated using

the pENTR Directional TOPO<sup>®</sup> Cloning Kit (Invitrogen<sup>™</sup>). The following primers were designed to amplify the intracellular C-terminal region of KCNQ2 based on the sequence of human KCNQ2 (Genbank accession number NM\_172107): KCNQ2F: 5'-CACCAAGGTTTCAGGAGCAGCACAGG-3' and KCNQ2R: 5'-TCACTTCCTGGGCCCCGGCCAGCC-3'. The 1611 base pair cloned fragment included exon 10a (found in all our amplified clones), corresponding to amino acid 373-382 of the KCNQ2 protein. The extra 30 base pairs (10 amino acids) were included in our numbering. The PCR-product was cloned into the pENTR/D-TOPO<sup>®</sup> vector (Invitrogen<sup>™</sup>) via the TOPO<sup>®</sup> Cloning reaction according to the manufacturer's instructions. Following sequence verification, the KCNQ2 cDNA fragment was then subcloned into pDEST<sup>™</sup>32, the DNA Binding domain (DB) Gateway<sup>™</sup> Destination Vector (Invitrogen<sup>™</sup>).

The ProQuest<sup>™</sup> Two-Hybrid human brain cDNA Library (TARGET) with Gateway<sup>™</sup> technology (ResGen<sup>™</sup>, Invitrogen<sup>™</sup> Corporation) was amplified according to the manufacturer's instructions. Plasmid DNA was purified from the cell pellet using the HiSpeed Plasmid Maxi Kit (Qiagen) according to the manufacturer's instructions.

Both the DBLeu (empty bait vector) and DB-KCNQ2 wild-type (wt) C-term BAITs were transformed into the yeast strain Mav203 and plated onto minimal selective media lacking leucine. A duplicate was carried out where the empty library TARGET (pAD) vector was co-transformed in addition to each BAIT and plated onto minimal selective media lacking leucine (-leu) and tryptophan (-tryp). Yeast control strains (Invitrogen<sup>™</sup>) were included on all plates. Control 1, used as a negative control, contained empty plasmids pPC97 and pPC86. Control 2 had pPC97-RB and pPC86-E2F1, which express a relatively weak interaction. Control 3 contained plasmids encoding the *Drosophila* DP (pPC97) and E2F (pPC86) domains that have a moderately strong interaction, and provide a control for plasmid shuffling. Control 4 contained pPC97-Fos and pPC86-Jun



which express a relatively strong interaction, and control 5 had a pCL1 plasmid encoding full-length GAL4p and empty pPC86 and was used as a positive control.

5 The constructs were tested for self-activation of the *his* and  $\beta$ -gal reporter genes according to Invitrogen™ instructions.

For the yeast-two hybrid screen, competent yeast cells were prepared for each BAIT (DB-KCNQ2 wt C-term construct) to be screened, transformed with 31μg of ProQuest™ Two-Hybrid human brain AD (activation domain)-  
10 cDNA Library and plated onto minimal selective media lacking leucine (-leu), tryptophan (-tryp) and histidine (-his) and containing 3-aminotriazole (+3AT). Positive colonies from each screen were PCR-amplified and re-  
15 introduced into fresh yeast cells containing the BAIT to re-test for two-hybrid interaction phenotypes. Those giving rise to more than one PCR product or that failed to re-test positively were systematically eliminated. Positives that re-tested were sequenced using the ABI  
20 PRISM® BigDye™ Terminators v3.0 technology. Once identified, the sequence of the potential interactor was checked to verify it was in the same translational frame as the Gal4p-AD encoding sequence of the prey construct.

Approximately  $3 \times 10^6$  clones from the ProQuest™ Two-  
25 Hybrid human brain cDNA Library were screened for interaction with the DB-Q2C wt bait. Among 1039 positive AD-cDNAs recovered, re-tested and subsequently sequenced all were identified as the CALM2 gene, encoding the ubiquitous,  $\text{Ca}^{2+}$ -binding protein, Calmodulin (CaM).

30 The interaction between the C-terminal region of KCNQ2 and CaM has also been reported by other studies (Wen and Levitan, 2002; Yus-Najera et al., 2002; Gamper and Shapiro, 2003). In mammals, the CaM protein is coded by a multigene family consisting of three bona fide members,  
35 CALM1, CALM2 and CALM3. Within the non-coding regions of the CaM transcripts, no striking homology is observed, and codon usage is maximally divergent amongst the three CaM



mRNAs that encode an identical protein. It has been hypothesised that the existence of a multigene family provides a tight and complex level of regulatory control at the level of gene expression (Palfi et al., 2002). CaM genes are differentially expressed in the CNS during development and differential regulation of the CaM genes appears necessary to maintain the temporal and spatial fidelity of the CaM protein levels in all subcellular domains. Besides the fundamental housekeeping functions associated with CaM, it is also involved in specialized neuronal functions, such as the synthesis and release of neurotransmitters, neurite extension, long-term potentiation and axonal transport (Palfi et al., 2002).

15 B) Effect of epilepsy-associated KCNQ2 mutations on the CaM-KCNQ2 interaction

To assess the effect that the C-terminus mutations of the present invention had on CaM binding, two of the identified mutations (R353G and L619R) were introduced into the DB-Q2C construct by mutagenesis and were re-analysed for an interaction with CaM using the yeast two-hybrid procedure.

The following primers were used to incorporate the c1057C→G (R353G) and c1856T→G (L619R) changes into the pDEST<sup>TM</sup>32- KCNQ2 C-terminal bait construct.

R353G F 5'-CGCCACCAACCTCTCGGGCACAGACCTGCACTC-3'  
R353G R 5'-GAGTGCAGGTCTGTGCCCCGAGAGGTTGGTGGCG-3'  
L619R F 5'-CTTGTCCATGGAGAAGAAGCGGGACTTCCTGGTGAATATC-3'  
30 L619R R 5'-GATATTCACCAGGAAGTCCCGCTTCTTCTCCATGGACAAG-3'

Overlapping PCR products were generated using the TOPO<sup>®</sup> cloning compatible KCNQ2F primer from the initial cloning and the mutagenesis reverse primers, and the KCNQ2R primer from the initial cloning with the mutagenesis forward primers. Products were gel extracted and purified before a second round of PCR using the

initial KCNQ2 F&R primers. These products were also gel extracted before cloning into the pDEST™32 bait vector via the TOPO® system (as described above). Mutant baits were sequence verified.

5       The interaction between each DB-Q2C mutant and CaM was then tested by the yeast two-hybrid assay and compared to the interaction with DB-Q2 wt. Three different PCR-amplified CaM positive clones from the initial screen were re-introduced by gap-repair<sup>20</sup> into the prey vector (pPC86)  
10       in the yeast strain expressing either DB-Q2C wt, DB-Q2C mutants or the empty DBLeu vector, used as negative control.

      CaM interaction with the DB-Q2C wt and mutants was then assessed by expression of the *HIS3* and *LacZ* reporter  
15       genes.

      The Q2C R353G mutant did not interact with CaM, as seen by no growth on *HIS3* selective plate (Figure 4C) and no blue readout in the *LacZ* filter assay (Figure 4D-F). On the other hand, the DB-Q2C L619R mutant was shown to still  
20       interact with CaM, as seen by growth on *HIS3* selective plate (Figure 4C) and the blue readout in the *LacZ* filter assay. Interestingly, the DB-Q2C L619R mutant showed an even greater growth level on *HIS3* selective plate than the DB-Q2C wt and also appeared to stain faster and more  
25       intensely blue in the *LacZ* filter assay, suggesting a stronger interaction between CaM and this mutant.

      In order to better quantify  $\beta$ -gal activity, a second assay was carried out using the high sensitivity substrate Chlorophenol Red- $\beta$ -D-Galactopyranoside (CPRG) in liquid  
30       culture. The affinity of the DB-Q2C/AD-CaM interaction was measured in terms of units of  $\beta$ -gal activity, with a zero value indicating no expression of the *LacZ* reporter gene, and hence no interaction.

      In the CPRG assay, a value of 0.05 units  $\beta$ -gal  
35       activity (Figure 5) was significantly different from the empty bait vector replicate ( $P < 0.01$ , Student's *t* test), confirming the interaction of the DB-Q2C wt with CaM.

As observed in the LacZ filter assay, the CPRG assay showed a significant difference in the interaction between the Q2C R353G mutant and CaM as compared to the wt replicate ( $P < 0.01$ , Student's *t* test, Figure 4).

5        These results suggest that the R353G mutation alters the structural conformation of the KCNQ2 C-terminal domain such that it is no longer able to bind to CaM and that this single point mutation is sufficient to abolish the interaction. By abolishing CaM binding, the R353G mutation  
10        could lead to an impairment of M-current *in vivo* due to decreased opening of the channel.

In contrast, the CPRG assay for the L619R Q2C mutant showed a significantly higher level of  $\beta$ -gal activity units (0.26 units) than the wt replicate ( $P < 0.001$ , Student's *t*  
15        test, Figure 5). This finding indicates that the L619R mutation alters the conformation of the protein in a manner that increases CaM binding affinity for the KCNQ2 C-terminal domain by approximately 5-fold. The increased affinity for CaM may affect the ability of the complex to  
20        change conformation normally in response to calcium signalling. Alternatively, the marked increase in binding of CaM to the KCNQ2 L619R mutant channel may be detrimental to the M-channel function via disruption of the normal neuronal inhibitory/excitatory balance,  
25        therefore causing the seizures associated with epilepsy, particularly BFNS. CaM is known to be involved in both the excitatory and inhibitory neurotransmission pathways (Ohya and Botstein, 1994) and it has been proposed that the temporal and spatial restrictions on CaM itself could  
30        enable the tight control of these opposing reactions (Toutenhoofd and Strehler, 2000). Hence, the KCNQ2 L619R mutation could lead to a disruption of the local CaM pool consequently disturbing the finely balanced excitatory and inhibitory neurotransmission systems.

35        These results implicate CaM in the pathogenesis of epilepsy and specifically in the BFNS syndrome. Whilst further work will be required to fully elucidate the

involvement of the KCNQ2-CaM interaction in neuronal excitability and its correlation with idiopathic epilepsy, these data suggest that dysfunction of this interaction leads to aberrant neuronal excitability in some BFNS patients.

The calmodulin gene (and other ion channel interacting genes) may therefore be a target for mutation in epilepsy as well as other disorders associated with ion channel dysfunction. A mutation in an ion channel interacting gene when expressed alone, or when expressed in combination with one or more other ion channel mutations or ion channel interacting gene mutations (based on the digenic model), may give rise to the disorder. The nature of the ion channel interacting genes and proteins can be studied such that these partners can also be targets for drug discovery.

Industrial Applicability

The mutant ion channel receptor subunits of the invention are useful in the diagnosis and treatment of diseases such as epilepsy and disorders associated with ion channel dysfunction including, but not limited to, hyper- or hypo-kalemic periodic paralysis, myotonias, malignant hyperthermia, myasthenia, cardiac arrhythmias, episodic ataxia, migraine, Alzheimer's disease, Parkinson's disease, schizophrenia, hyperekplexia, anxiety, depression, phobic obsessive symptoms, neuropathic pain, inflammatory pain, chronic/acute pain, Bartter's syndrome, polycystic kidney disease, Dent's disease, hyperinsulinemic hypoglycemia of infancy, cystic fibrosis, congenital stationary night blindness and total colour-blindness.

TABLE 1

Examples of mutations and variations identified in ion channel subunit genes

Subunit Gene	Exon/Intron	DNA Mutation	Amino Acid Change	SEQ ID NOS
<b>Sodium Channel Subunits</b>				
Coding exonic variants - amino acid change				
SCN1B <sup>r</sup>	Exon 3	c254G→A	R85H	1, 63
SCN2A <sup>r</sup>	Exon 6A	c668G→A	R223Q	2, 64
SCN2A <sup>r</sup>	Exon 16	c2674G→A	V892I	3, 65
SCN2A <sup>r</sup>	Exon 17	c3007C→A	L1003I	4, 66
SCN2A <sup>r</sup>	Exon 19	c3598A→G	T1200A	5, 67
SCN2A <sup>r</sup>	Exon 20	c3956G→A	R1319Q	6, 68
Coding exonic variants - no amino acid change				
SCN2A <sup>c</sup>	Exon 12	c1785T→C	-	7
SCN2A <sup>c</sup>	Exon 27	c4919T→A	-	8
Non-coding variants				
SCN1A <sup>c</sup>	Intron 23	IVS23+33G→A	-	9
SCN2A <sup>r</sup>	Intron 7	IVS7+61T→A	-	10
SCN2A <sup>r</sup>	Intron 19	IVS19-55A→G	-	11
SCN2A <sup>r</sup>	Intron 22	IVS22-31A→G	-	12
SCN2A <sup>c</sup>	Intron 2	IVS2-28G→A	-	13
SCN2A <sup>c</sup>	Intron 8	IVS8-3T→C	-	14
SCN2A <sup>c</sup>	Intron 11	IVS11+49A→G	-	15
SCN2A <sup>c</sup>	Intron 11	IVS11-16C→T	-	16
SCN2A <sup>c</sup>	Intron 17	IVS17-71C→T	-	17
SCN2A <sup>c</sup>	Intron 17	IVS17-74delG	-	18
SCN2A <sup>c</sup>	Intron 17	IVS17-74insG	-	19
<b>Nicotinic Acetylcholine Receptor Subunits</b>				
Coding exonic variants - amino acid change				
CHRNA5 <sup>r</sup>	Exon 4	c400G→A	V134I	20, 69
CHRNA2 <sup>c</sup>	Exon 4	c373G→A	A125T	21, 70
CHRNA3 <sup>c</sup>	Exon 2	c110G→A	R37H	22, 71
Coding variants - no amino acid change				
CHRNA2 <sup>c</sup>	Exon 4	c351C→T	-	23
CHRNA2 <sup>c</sup>	Exon 5	c771C→T	-	24
CHRNA3 <sup>c</sup>	Exon 2	c159A→G	-	25
CHRNA3 <sup>c</sup>	Exon 4	c291G→A	-	26
CHRNA3 <sup>c</sup>	Exon 4	c345G→A	-	27
Non-coding variants				
CHRNA2 <sup>c</sup>	Intron 3	IVS3-16C→T	-	28
CHRNA3 <sup>c</sup>	Intron 3	IVS3-5T→C	-	29
CHRNA3 <sup>c</sup>	Intron 4	IVS4+8G→C	-	30



### Potassium Channel Subunits

#### Coding exonic variants - amino acid change

KCNQ2 <sup>r</sup>	Exon 1	c204-c205insC	K69fsX119	31, 72
KCNQ2 <sup>r</sup>	Exon 1	c1A→G	M1V	32
KCNQ2 <sup>r</sup>	Exon 1	c2T→C	M1T	33
KCNQ2 <sup>r</sup>	Exon 8	c1057C→G	R353G	34, 73
KCNQ2 <sup>r</sup>	Exon 11	c1288C→T	R430X	35, 74
KCNQ2 <sup>r</sup>	Exon 14	c1710A→T	R570S	36, 75
KCNQ2 <sup>r</sup>	Exon 15	c1856T→G	L619R	37, 76

#### Non-coding variants

KCNQ2 <sup>r</sup>	Intron 9	IVS9+(46-48)delCCT	-	38
KCNQ3 <sup>r</sup>	Intron 11	IVS11+43G→A	-	39
KCNQ3 <sup>c</sup>	Intron 12	IVS12+29G→A	-	40

### GABA Receptor Subunits

#### Coding exonic variants - no amino acid change

GABRB1 <sup>r</sup>	Exon 5	c508C→T	-	41
GABRB1 <sup>r</sup>	Exon 9	c1329G→A	-	42
GABRB1 <sup>c</sup>	Exon 8	c975C→T	-	43
GABRG3 <sup>c</sup>	Exon 8	c995T→C	-	44

#### Non-coding variants

GABRA1 <sup>c</sup>	5' UTR	c-142A→G	-	45
GABRA1 <sup>c</sup>	5' UTR	c-31C→T	-	46
GABRA2 <sup>c</sup>	3' UTR	c1615G→A	-	47
GABRA5 <sup>c</sup>	5' UTR	c-271G→C	-	48
GABRA5 <sup>c</sup>	5' UTR	c-228A→G	-	49
GABRA5 <sup>c</sup>	5' UTR	c-149G→C	-	50
GABRB2 <sup>b</sup>	5' UTR	c-159C→T	-	51
GABRB2 <sup>c</sup>	3' UTR	c1749C→T	-	52
GABRPi <sup>c</sup>	5' UTR	c-101C→T	-	53
GABRB1 <sup>c</sup>	Intron 1	IVS1+24T→G	-	54
GABRB1 <sup>c</sup>	Intron 5	IVS6+72T→G	-	55
GABRB1 <sup>c</sup>	Intron 7	IVS7-34A→G	-	56
GABRB3 <sup>r</sup>	Intron 1	IVS1-14C→T	-	57
GABRB3 <sup>r</sup>	Intron 7	IVS7+58delAA	-	58
GABRD <sup>r</sup>	Intron 6	IVS6+132insC	-	59
GABRD <sup>r</sup>	Intron 6	IVS6+130insC	-	60
GABRD <sup>r</sup>	Intron 6	IVS6+73del	-	61
		CGCGCCCCACCGCCCCCTTCCGCG		
GABRG3 <sup>c</sup>	Intron 8	IVS8-102C→T	-	62

Note: <sup>r</sup> Mutations or variations only occurring in individuals with epilepsy; <sup>b</sup> Variant seen only in normal control samples; <sup>c</sup> Mutations or variants seen in individuals with epilepsy as well as normal control samples. The KCNQ2 numbering is based on the large isoform (inclusion of exon 10a). The numbering of Exons and introns for SCN2A is based on the publication of Kasai et al., 2001.

### References

References cited herein are listed on the following pages, and are incorporated herein by this reference.

- 5 Andermann, E. (1982). In: *Genetic basis of the epilepsies*. Anderson, VE. Hauser, WA. Penry, JK. and Singh, CF. (Editors). New York, Raven Press. 355-374.
- Annegers, JF. (1996). *The treatment of epilepsy: Principles and practice*. Second Edition. (Wyllie E (Ed) Williams and Wilkins).
- 10 Bell, JI. and Lathrop, M. (1996). *Nature Genet.* 13: 377-378.
- Berkovic, SF. Andermann, F. Andermann, E. and Gloor, P. (1987). *Neurology* 37: 993-1000.
- 15 Berkovic, SF. Reutens, DC. Andermann, E. and Andermann, F. (1994). In: *Epileptic seizures and syndromes*. Wolf, P. (Editor). London: John Libbey. 25-37.
- Berkovic, SF. Mazarib, A. Neufeld, M. et al. (2000). *Neurology (Supplement 3)*. 54: A356.
- 20 Biervert, C. Schroeder, BC. Kubisch, C. Berkovic, SF. Propping, P. Jentsch, TJ. and Steinlein, OK. (1998). *Science* 279: 403-406.
- Breaker, RR. and Joyce, GF. (1995). *Chem. Biol.* 2: 655-600.
- 25 Cavazzuti, GB. Capella, L. and Nalin, A. (1980). *Epilepsia* 21: 43-55.
- Charlier, C. Singh, NA. Ryan, SG. Lewis, TB. Reus, BE. Leach, RJ. and Leppert, M. (1998). *Nature Genet.* 18: 53-55.
- 30 Cole, SP. Campling, BG. Atlaw, T. Kozbor, D. and Roder, JC. (1984). *Mol. Cell Biochem.* 62: 109-120.
- Collins, FS. (1995). *Nature Genet.* 9: 347-350.
- Commission on Classification and Terminology of the International League against Epilepsy. (1989). *Epilepsia* 30: 389-399.
- 35

- Cote, RJ. Morrissey, DM. Houghton, AN. Beattie, EJ Jr.  
Oettgen, HF. and Old, LJ. (1983). *Proc. Natl. Acad. Sci. USA* 80: 2026-2030.
- 5 Doose, H. and Baier, WK. (1987). *Neuropediatrics* 18  
(Supplement 1): 1-64.
- Doose, H. and Baier, W. (1989). *Clev. Clin. J. Med.* 56  
(Supplement): s105-s110.
- Dworakowska, B. and Dolowy, K. (2000). *Acta Biochim. Pol.*  
47: 685-703.
- 10 Escayg, A. MacDonald, BT. Meisler, MH. Baulac, S.  
Huberfeld, G. An-Gourfinkel, I. Brice, A. LeGuern, E.  
Moulard, B. Chaigne, D. Buresi, C. and Malafosse, A.  
(2000). *Nature Genet.* 24: 343-345.
- 15 Fong, GC. Shah, PU. Gee, MN. Serratos, JM. Castroviejo,  
IP. Khan, S. Ravat, SH. Mani, J. Huang, Y. Zhao, HZ.  
Medina, MT. Treiman, LJ. Pineda, G. and Delgado-  
Escueta, AV. (1998). *Am. J. Hum. Genet.* 63: 1117-1129.
- Gamper, N. and Shapiro, MS. (2003). *J. Gen. Physiol.* 122:  
17-31.
- 20 Gardiner, M. (2000). *J Neurol.* 247: 327-334.
- Goldman, CK. Soroceanu, L. Smith, N. Gillespie, GY. Shaw,  
W. Burgess, S. Bilbao, G. and Curiel, DT. (1997). *Nature*  
*Biotechnology* 15: 462-466.
- Gonzalez, JE. et al. (1999). *Drug Discov. Today* 4: 431-  
25 439.
- Greenberg, DA. Delgado-Escueta, AV. Maldonado, HM. and  
Widellitz, H. (1988a). *Genet Epidemiol.* 5: 81-94.
- Greenberg, DA. Delgado-Escueta, AV. Widellitz, H. Sparkes,  
RS. Treiman, L. Maldonado, HM. Park, MS. and Terasaki,  
30 PI. (1988b). *Am. J. Med. Genet.* 31: 185-192.
- Greenberg, DA. Durner, M. and Delgado-Escueta, AV. (1992).  
*Neurology* 42 (Suppl 5): 56-62.
- Hamill, OP. et al. (1981). *Pflugers Arch.* 391: 85-100.
- Haseloff, J. and Gerlach, WL. (1988). *Nature* 334: 585-591.
- 35 Hauser, WA. Annegers, JF. and Kurland, LT. (1993).  
*Epilepsia* 34: 453-468.

- Heller, RA. Schena, M. Chai, A. Shalon, D. Bedilion, T. Gilmore, J. Woolley, DE. and Davis RW. (1997). *Proc. Natl. Acad. Sci. USA* 94: 2150-2155.
- 5 Huse, WD. Sastry, L. Iverson, SA. Kang, AS. Alting-Mees, M. Burton, DR. Benkovic, SJ. and Lerner, RA. (1989). *Science* 246: 1275-1281.
- Italian League Against Epilepsy Genetic Collaborative Group. (1993). *Epilepsia* 34: 819-26.
- Janz, D. Beck-Mannagetta, G. and Sander, T. (1992).  
10 *Neurology* 42 (Suppl 5): 48-55.
- Jentsch, TJ. (2000). *Nature Rev. Neurosci.* 1: 21-29.
- Kasai, N. Fukushima, K. Ueki, Y. Prasad, S. Nosakowski, J. Sugata, K. Sugata, A. Nishizaki, K. Meyer, NC. and Smith, RJ. (2001). *Gene* 264: 113-122.
- 15 Kohler, G. and Milstein, C. (1975). *Nature* 256: 495-497.
- Kozbor, D. Abramow-Newerly, W. Tripputi, P. Cole, SP. Weibel, J. Roder, JC. and Croce, CM. (1985). *J. Immunol. Methods* 81:31-42.
- Lernmark, A. and Ott, J. (1998). *Nature Genet.* 19: 213-  
20 214.
- Ohya, Y. and Botstein, D. (1994). *Science* 263: 963-966.
- Okubo, Y. Matsuura, M. Asai, T. Asai, K. Kato, M. Kojima, T. and Toru, M. (1994). *Epilepsia* 35: 832-841.
- Orlandi, R. Gussow, DH. Jones, PT. and Winter, G. (1989).  
25 *Proc. Natl. Acad. Sci. USA* 86: 3833-3837.
- Palfi, A. Kortvely, E. Fekete, E. Kovacs, B. Varszegi, S. and Gulya, K. (2002). *Life Sciences* 70: 2829-2855.
- Panayiotopoulos, CP. and Obeid, T. (1989). *Ann. Neurol.* 25: 440-443.
- 30 Phillips, HA. Favre, I. Kirkpatrick, M. Zuberi, SM. Goudie, D. Heron, SE. Scheffer, IE. Sutherland, GR. Berkovic, SF. Bertrand, D. and Mulley, JC. (2001). *Am. J. Hum. Genet.* 68: 225-231.
- Reutens, DC. and Berkovic, SF. (1995). *Neurology* 45: 1469-  
35 1476.
- Rickert, RC. Roes, J. and Rajewsky, K. (1997). *Nucleic Acids Res.* 25: 1317-1318.

- Risch, N. and Botstein, D. (1996). *Nature Genet.* 12: 351-353.
- 5 Roger, J. Bureau, M. Dravet, C. Dreifuss, FE. Perret, A. and Wolf, P. (1992). *Epileptic syndromes in infancy, childhood and adolescence.* 2nd Edition. London, John Libbey.
- Scharf, KD. Materna, T. Treuter, E. and Nover, L. (1994). *Results Probl. Cell Differ.* 20: 125-162.
- Scheffer, IE. and Berkovic, SF. (1997). *Brain* 120: 479-90.
- 10 Schena, M. Shalon, D. Heller, R. Chai, A. Brown, PO. and Davis, RW. (1996). *Proc. Natl. Acad. Sci. USA* 93: 10614-10619.
- Schmitt, N. Schwarz, M. Peretz, A. Abitbol, I. Attali, B. and Pongs, O. (2000). *Embo J.* 19: 332-340.
- 15 Schwake, M. Pusch, M. Kharkovets, T. and Jentsch, TJ. (2000). *J. Biol. Chem.* 275: 13343-13348.
- Schwenk, F. Baron, U. and Rajewsky, K. (1995). *Nucleic Acids Res.* 23: 5080-5081.
- Singh, NA. Charlie, C. Stauffer, D. DuPont, BR. Leach, RJ. Melis, R. Ronen, GM. Bjerre, I. Quattlebaum, T. Murphy, JV. McHarg, ML. Gagnon, D. Rosales, TO. Peiffer, A. Anderson, VE. and Leppert, M. (1998). *Nature Genet.* 18: 25-29.
- 20 Singh, R. Scheffer, IE. Crossland, K. and Berkovic, SF. (1999). *Ann. Neurol.* 45: 75-81.
- 25 Steinlein, OK. Mulley, JC. Propping, P. Wallace, RH. Phillips, HA. Sutherland, GR. Scheffer, IE. and Berkovic, SF. (1995). *Nature Genet.* 11: 201-203.
- Todd, JA. (1999). *Lancet* 354 (Supplement 1): 15-16.
- 30 Toutenhoofd, SL. and Strehler, EE. (2000). *Cell Calcium* 28: 83-96.
- Wallace, RH. Marini, C. Petrou, S. Harkin, LA. Bowser, DN. Panchal, RG. Williams, DA. Sutherland, GR. Mulley, JC. Scheffer, IE. and Berkovic, SF. (2001a). *Nature Genet.* 28: 49-52.
- 35 Wallace, RH. Scheffer, IE. Barnett, S. Richards, M. Dibbens, L. Desai, RR. Lerman-Sagie, T. Lev, D.

- Mazarib, A. Brand, N. Ben-Zeev, B. Goikhman, I. Singh,  
R. Kremmidiotis, G. Gardner, A. Sutherland, GR.  
George, AL Jr. Mulley, JC. and Berkovic, SF. (2001b).  
*Am. J. Hum. Genet.* 68: 859-865.
- 5 Wallace, RH. Wang, DW. Singh, R. Scheffer, I. George, A.  
Phillips, H. Saar, K. Reis, A. Johnson, E. Sutherland,  
G. Berkovic, S. and Mulley, J. (1998). *Nature Genet.*  
19: 366-370.
- 10 Wen, H. and Levitan, IB. (2002). *J. Neurosci.* 22: 7991-  
8001.
- Winter, G. and Milstein, C. (1991). *Nature* 349: 293-299.
- Wyman, AR. and White, R. (1980). *Proc. Natl. Acad. Sci.*  
77: 6754-6758.
- 15 Yus-Najera, E. Santana-Castro, I. and Villarroel, A.  
(2002). *J. Biol. Chem.* 277: 28545-28553.
- Zara, F. Bianchi, A. Avanzini, G. Di Donato, S.  
Castellotti, B. Patel, PI. and Pandolfo, M. (1995).  
*Hum. Mol. Genet.* 4: 1201-1207.
- 20 Zara, F. Gennaro, E. Stabile, M. Carbone, I. Malacarne, M.  
Majello, L. Santangelo, R. de Falco, FA. and  
Bricarelli, FD. (2000). *Am. J. Hum. Genet.* 66: 1552-  
1557.

25 Dated this 7th day of August 2003  
BIONOMICS LIMITED  
By their Patent Attorneys  
GRIFFITH HACK  
Fellows Institute of Patent and  
30 Trade Mark Attorneys of Australia




Abstract


A method of identifying a subject predisposed to a disorder associated with ion channel dysfunction, comprising ascertaining whether at least one of the genes  
5 encoding ion channel subunits in said subject has undergone a mutation event as set forth in one of SEQ ID Numbers: 1-62.

Figure 1


A



B



C



D




Figure 2





Figure 3












- |   |                                      |   |              |
|---|--------------------------------------|---|--------------|
|  | Febrile Seizures                     |  | A1067T SCN1A |
|  | Febrile Seizures Plus                |  | N43del SCN3A |
|  | Myoclonic Astatic Epilepsy           |  | G1050S SCN8A |
|  | Absences                             |  | Q351X GABRG2 |
|  | Severe Myoclonic Epilepsy of Infancy |   |              |

Figure 4





Figure 5





SequencesSSCPre-file7August03.ST25.txt  
SEQUENCE LISTING

<110> Bionomics Limited

<120> P10

<130> SSCP Prov Update 2003

<160> 76

<170> PatentIn version 3.2

<210> 1

<211> 1414

<212> DNA

<213> Homo sapiens

<400> 1

gctcccgggg acattetaac cgccgccagg tcccgccgcc tctcgccccg ctattaatac  
60

cggcggcccc ggaggggggc gcagcacgcg ccgcgcagcc atggggaggc tgctggcctt  
120

agtggtcggc gcggcactgg tgcctcagc ctgcgggggc tgcgtggagg tggactcgga  
180

gaccgaggcc gtgtatggga tgacctcaa aattctttgc atctcctgca agcgccgcag  
240

cgagaccaac gctgagacct tcaccgagtg gaccttcgc cagaagggca ctgaggagtt  
300

tgtcaagatc ctgcgctatg agaatgaggt gttgcagctg gaggaggatg agcacttcga  
360

gggccgcgtg gtgtggaatg gcagccgggg caccaaagac ctgcaggatc tgtctatctt  
420

catcaccaat gtcacctaca accactcggg cgactacgag tgccacgtct accgcctgct  
480

cttcttcgaa aactacgagc acaacaccag cgtcgtcaag aagatccaca ttgaggtagt  
540

ggacaaagcc aacagagaca tggcatccat cgtgtctgag atcatgatgt atgtgctcat  
600

tgtggtgttg accatatggc tcgtggcaga gatgatttac tgctacaaga agatcgctgc  
660

cgccacggag actgctgcac aggagaatgc ctcggaatac ctggccatca cctctgaaag  
720

caaagagaac tgcacgggcg tccaggtggc cgaatagccc tggccctggg ccccgccctca

SequencesSSCPre-file7August03.ST25.txt

780

aggaagagcc agccgtaatg gggactctcc aggcaccgcc tgccccccagc gtggggggtgg  
840

ccactcctgg gccccagaaa gcctcagagt cctgccgacg gagccactgg ggtgggaggg  
900

ggcagggggc ttggctcgca cccccacttt cgctcctcc agtcctgcc ccgcccggcg  
960

cgacccgcca tgcattgatg gtaaagcaat actgccgctg cccccaccct gcttctgctg  
1020

cctgtttggg gagggggggc gtgaggtggg ggcagcggcc ccgcaccct cctccttget  
1080

gatttgcaca cattggccgc ttcagacacg cacttctggg gccagccct ccccgctcc  
1140

tcctgcctg gcggcagggg tcgcgatgat gggctggagc agtttggggc aggggggtct  
1200

gggaccact ccgactcccc ctccccggca tcatttcccc tcccgttcc tccggttga  
1260

cctgggggtcc ccctccctg taatgcactc ctgccccggc ccaacctgc cctctctac  
1320

cagccttgaa ctgtggccac ctagaaaggg gccattcag cctcgtctct ttaçagaagt  
1380

agttttgttc atgaaataaa gactcttgga cttg  
1414

<210> 2  
<211> 6328  
<212> DNA  
<213> Homo sapiens

<400> 2  
ttcttggtgc cagcttatca atcccaaact ctgggtgtaa aagattctac agggcacttt  
60

cttatgcaag gagctaaaca gtgattaaag gagcaggatg aaaagatggc acagtcagtg  
120

ctggtaccgc caggacctga cagcttccgc ttctttacca gggaatccct tgctgctatt  
180

gaacaacgca ttgcagaaga gaaagctaag agacccaaac aggaacgcaa ggatgaggat  
240

gatgaaaatg gcccaaagcc aaacagtgac ttggaagcag gaaaatctct tccatttatt

SequencesSSCPre-file7August03.ST25.txt

300

tatggagaca ttcctccaga gatggtgtca gtgcccctgg aggatctgga cccctactat  
360

atcaataaga aaacgtttat agtattgaat aaagggaaag caatctctcg attcagtgcc  
420

accctgccc ttacatttt aactcccttc aaccctatta gaaaattagc tattaagatt  
480

ttggtacatt ctttattcaa tatgctcatt atgtgcacga ttcttaccaa ctgtgtattt  
540

atgaccatga gtaaccctcc agactggaca aagaatgtgg agtatacctt tacaggaatt  
600

tatacttttg aatcacttat taaaatactt gcaaggggct tttgtttaga agatttcaca  
660

tttttacggg atccatggaa ttggttggat ttcacagtca ttacttttgc atatgtgaca  
720

gagtttgtgg acctgggcaa tgtctcagcg ttgagaacat tcagagttct ccaagcattg  
780

aaaacaattt cagtcattcc aggcctgaag accattgtgg gggccctgat ccagtcagtg  
840

aagaagcttt ctgatgtcat gatcttgact gtgttctgtc taagcgtgtt tgcgctaata  
900

ggattgcagt tgttcatggg caacctacga aataaatggt tgcaatggcc tccagataat  
960

tcttcctttg aaataaatat cacttccttc ttaacaatt cattggatgg gaatggtact  
1020

actttcaata ggacagtgag catatttaac tgggatgaat atattgagga taaaagtcac  
1080

ttttattttt tagaggggca aatgatgct ctgctttgtg gcaacagctc agatgcaggc  
1140

cagtgtcctg aaggatacat ctgtgtgaag gctggtagaa accccaacta tggctacag  
1200

agctttgaca cctttagttg ggcctttttg tccttatttc gtctcatgac tcaagacttc  
1260

tgggaaaacc ttatcaact gacactacgt gctgctggga aaacgtacat gatatttttt  
1320

gtgctggtea ttttcttggg ctcattctat ctaataaatt tgatcttgge tgtggtggcc  
1380

SequencesSSCPre-file7August03.ST25.txt

atggcctatg aggaacagaa tcaggccaca ttggaagagg ctgaacagaa ggaagctgaa  
1440

tttcagcaga tgctcgaaca gttgaaaaag caacaagaag aagctcaggc ggcagctgca  
1500

gccgcatctg ctgaatcaag agacttcagt ggtgctgggt ggataggagt tttttcagag  
1560

agttcttcag tagcatctaa gttgagctcc aaaagtgaaa aagagctgaa aaacagaaga  
1620

aagaaaaaga aacagaaaga acagtctgga gaagaagaga aaaatgacag agtcctaaaa  
1680

tcggaatctg aagacagcat aagaagaaaa ggtttccgtt tttccttgga aggaagtagg  
1740

ctgacatatg aaaagagatt ttcttctcca caccagtcct tactgagcat ccgtggctcc  
1800

cttttctctc caagacgcaa cagtagggcg agccttttca gcttcagagg tcgagcaaag  
1860

gacattggct ctgagaatga ctttgctgat gatgagcaca gcacctttga ggacaatgac  
1920

agccgaagag actctctgtt cgtgccgcac agacatggag aacggcgcca cagcaatgtc  
1980

agccaggcca gccgtgcctc cagggtgctc cccatcctgc ccatgaatgg gaagatgcat  
2040

agcgctgtgg actgcaatgg tgtggtctcc ctggtcgggg gcccttctac cctcacatct  
2100

gctgggcagc tcctaccaga gggcacaact actgaaacag aaataagaaa gagacggctc  
2160

agttcttate atgtttccat ggatttattg gaagatccta catcaaggca aagagcaatg  
2220

agtatagcca gtattttgac caacaccatg gaagaacttg aagaatccag acagaaatgc  
2280

ccaccatgct ggtataaatt tgctaatatg tgtttgattt gggactgttg taaaccatgg  
2340

ttaaagggtga aacaccttgt caacctgggt gtaatggacc catttggtga cctggccatc  
2400

accatctgca ttgtcttaaa tacactcttc atggctatgg agcactatcc catgacggag  
2460

SequencesSSCPre-file7August03.ST25.txt

cagttcagca gtgtactgtc tgttggaac ctggtcttca cagggatctt cacagcagaa  
2520

atgtttctca agataattgc catggatcca tattattact ttcaagaagg ctggaatatt  
2580

tttgatggtt ttattgtgag ccttagttta atggaacttg gtttggaaca tgtggaagga  
2640

ttgtcagttc tccgatcatt ccggctgctc cgagttttca agttggcaaa atcttgcca  
2700

actctaaata tgctaattaa gatcattggc aattctgtgg gggctctagg aaacctcacc  
2760

ttggtattgg ccatcatcgt cttcattttt gctgtggctg gcatgcagct ctttggttaag  
2820

agctacaaag aatgtgtctg caagatttcc aatgattgtg aactcccacg ctggcacatg  
2880

catgactttt tccactcctt cctgatcgtg ttccgctgct tgtgtggaga gtggatagag  
2940

accatgtggg actgtatgga ggtcgtggc caaaccatgt gccttactgt cttcatgatg  
3000

gtcatggtga ttggaatct agtggttctg aacctcttct tggccttgct tttgagttcc  
3060

ttcagttctg acaatcttgc tgccactgat gatgataacg aatgaataa tctccagatt  
3120

gctgtgggaa ggatgcagaa aggaatcgat tttgttaaaa gaaaaatagc tgaatttatt  
3180

cagaaagcct ttgttaggaa gcagaaagct ttagatgaaa ttaaaccgct tgaagatcta  
3240

aataataaaa aagacagctg tatttccaac cataccacca tagaaatagg caaagacctc  
3300

aattatctca aagacggaaa tggaactact agtggcatag gcagcagtgt agaaaaatat  
3360

gtcgtggatg aaagtgatta catgtcattt ataaacaacc ctagcctcac tgtgacagta  
3420

ccaattgctg ttggagaatc tgactttgaa aatttaaata ctgaagaatt cagcagcgag  
3480

tcagatatgg aggaaagcaa agagaagcta aatgcaacta gtatcatctga aggcagcacg  
3540

gttgatattg gagctcccgc cgaggagaa cagcctgagg ttgaacctga ggaatccctt

SequencesSSCPre-file7August03.ST25.txt

3600

gaacctgaag cctgttttac agaagactgt gtacggaagt tcaagtgttg tcagataagc  
3660

atagaagaag gcaaagggaa actctgggtg aatttgagga aaacatgcta taagatagtg  
3720

gagcacaatt ggttcgaaac cttcattgtc ttcattgattc tgctgagcag tggggctctg  
3780

gcctttgaag atatatacat tgagcagcga aaaaccatta agaccatggt agaatatgct  
3840

gacaagggtt tcacttacat attcattctg gaaatgctgc taaagtgggt tgcatatggt  
3900

tttcaagtgt attttaccaa tgcttgggtc tggctagact tcttgattgt tgatgtctca  
3960

ctggttagct taactgcaaa tgcttgggt tactcagaac ttggtgccat caaatccctc  
4020

agaacactaa gagctctgag gccactgaga gctttgtccc ggtttgaagg aatgaggggt  
4080

gttgtaaagt ctcttttagg agccattcca tctatcatga atgtacttct ggtttgtctg  
4140

atcttttggc taatattcag tatcatggga gtgaatctct ttgctggcaa gttttaccat  
4200

tgtattaatt acaccactgg agagatgttt gatgtaagcg tggtaacaa ctacagtga  
4260

tgcaaagctc tcattgagag caatcaaact gccagggtga aaaatgtgaa agtaaacttt  
4320

gataacgtag gacttggata tctgtctcta cttcaagtag ccacgtttta gggatggatg  
4380

gatattatgt atgcagctgt tgattcacga aatgtagaat tacaacccaa gtatgaagac  
4440

aacctgtaca tgtatcttta ttttgtcatc tttattattt ttggttcatt ctttaccttg  
4500

aatcttttca ttggtgtcat catagataac ttcaaccaac agaaaaagaa gtttggaggt  
4560

caagacattt ttatgacaga agaacagaag aaatactaca atgcaatgaa aaaactgggt  
4620

tcaaagaaac cacaaaaacc catacctcga cctgctaaca aattccaagg aatggtcttt  
4680



SequencesSSCPre-file7August03.ST25.txt

gattttgtaa ccaaacaagt ctttgatata agcatcatga tcctcatctg ccttaacatg  
4740

gtcaccatga tgggtggaac cgatgaccag agtcaagaaa tgacaaacat tctgtactgg  
4800

attaatctgg tgtttattgt tctgttcact ggagaatgtg tgctgaaact gatctctctt  
4860

cgttactact atttcactat tggatggaat atttttgatt ttgtgggtggc cattctctcc  
4920

attgtaggaa tgtttctggc tgaactgata gaaaagtatt ttgtgtcccc taccctgttc  
4980

cgagtgatec gtcttgccag gattggccga atcctacgtc tgatcaaagg agcaaagggg  
5040

atccgcacgc tgctctttgc tttgatgatg tcctttcctg cgttgtttta catcggcctc  
5100

cttcttttcc tgggtcatgtt catctacgcc atctttggga tgtccaattt tgcctatgtt  
5160

aagaggggaag ttgggatcga tgacatgttc aactttgaga cctttggcaa cagcatgate  
5220

tgcctgttcc aaattacaac ctctgctggc tgggatggat tgctagcacc tattcttaat  
5280

agtggacctc cagactgtga ccttgacaaa gatcaccctg gaagctcagt taaaggagac  
5340

tgtgggaacc catctgttgg gattttcttt tttgtcagtt acatcatcat atccttcctg  
5400

gttgtgctga acatgtacat cgcggtcac cttggagaact tcagtgttgc tactgaagaa  
5460

agtgcagagc ctctgagtga ggatgacttt gagatgttct atgaggtttg ggagaagttt  
5520

gatcccgatg cgaccagtt tatagagttt gccaaacttt ctgattttgc agatgcctg  
5580

gatcctctc ttctcatagc aaaacccaac aaagtccagc tcattgccat ggatctgccc  
5640

atgggtgagtg gtgaccggat ccactgtctt gacatcttat ttgcttttac aaagcgtgtt  
5700

ttgggtgaga gtggagagat ggatgccctt cgaatacaga tggaagagcg attcatggca  
5760

SequencesSSCPre-file7August03.ST25.txt

tcaaaccctt ccaaagtctt ttatgagccc attacgacca cggttgaaacg caaacaagag  
5820

gaggtgtctg ctattattat ccagagggct tacagacgct acctcttgaa gcaaaaagtt  
5880

aaaaaggtat caagtatata caagaaagac aaaggcaaag aatgtgatgg aacacccatc  
5940

aaagaagata ctctcattga taaactgaat gagaattcaa ctccagagaa aaccgatatg  
6000

acgccttcca ccacgtctcc accctcgtat gatagtgtga ccaaaccaga aaaagaaaaa  
6060

tttgaaaaag acaaatcaga aaaggaagac aaagggaag atatcaggga aagtaaaaag  
6120

taaaaagaaa ccaagaattt tccattttgt gatcaattgt ttacagcccg tgatgggtgat  
6180

gtgtttgtgt caacaggact cccacaggag gtctatgcca aactgactgt ttttaciaat  
6240

gtatacttaa ggtcagtgcc tataacaaga cagagacctc tggtcagcaa actggaactc  
6300

agtaaaactgg agaaatagta tcgatggg  
6328

<210> 3  
<211> 6328  
<212> DNA  
<213> Homo sapiens

<400> 3  
ttcttggtgc cagcttatca atcccaaact ctgggtgtaa aagattctac agggcacttt  
60

cttatgcaag gagctaaaca gtgattaaag gagcaggatg aaaagatggc acagtcagtg  
120

ctgggtaccgc caggacctga cagcttccgc ttctttacca ggaatccct tgctgctatt  
180

gaacaacgca ttgcagaaga gaaagctaag agacccaaac aggaacgcaa ggatgaggat  
240

gatgaaaatg gcccaaagcc aaacagtgac ttggaagcag gaaaatctct tccatttatt  
300

tatggagaca ttctccaga gatgggtgtca gtgcccctgg aggatctgga ccctactat  
360

SequencesSSCPre-file7August03.ST25.txt

atcaataaga aaacgtttat agtattgaat aaagggaaag caatctctcg attcagtgcc  
420

accctgccc ttacatttt aactcccttc aaccctatta gaaaattagc tattaagatt  
480

ttggtacatt ctttattcaa tatgctcatt atgtgcacga ttcttaccaa ctgtgtattt  
540

atgaccatga gtaaccctcc agactggaca aagaatgtgg agtatacctt tacaggaatt  
600

tatacttttg aatcacttat taaaatactt gcaaggggct ttgttttaga agatttcaca  
660

tttttacggg atccatggaa ttggttgga ttacacagtca ttacttttgc atatgtgaca  
720

gagtttgtgg acctgggcaa tgtctcagcg ttgagaacat tcagagttct ccgagcattg  
780

aaaacaattt cagtcattcc aggcctgaag accattgtgg gggccctgat ccagtcagtg  
840

aagaagcttt ctgatgtcat gatcttgact gtgttctgtc taagcgtggt tgcgctaata  
900

ggattgcagt tgttcatggg caacctacga aataaatggt tgcaatggcc tccagataat  
960

tcttcctttg aaataaatat cacttccttc ttaacaatt cattggatgg gaatggtact  
1020

actttcaata ggacagtgag catatttaac tgggatgaat atattgagga taaaagtcac  
1080

ttttattttt tagaggggca aaatgatgct ctgctttgtg gcaacagctc agatgcaggc  
1140

cagtgtcctg aaggatacat ctgtgtgaag gctggtagaa accccaacta tggctacacg  
1200

agctttgaca cctttagtgt ggcctttttg tccttatctc gtctcatgac tcaagacttc  
1260

tgggaaaacc ttatcaact gacactacgt gctgctggga aaacgtacat gatatttttt  
1320

gtgctggtea ttttcttggg ctcattctat ctaataaatt tgatcttggc tgtggtggcc  
1380

atggcctatg aggaacagaa tcaggccaca ttggaagagg ctgaacagaa ggaagctgaa  
1440

tttcagcaga tgctcgaaca gttgaaaaag caacaagaag aagctcaggc ggcagctgca

SequencesSSCPre-file7August03.ST25.txt

1500

gccgcatctg ctgaatcaag agacttcagt ggtgctggtg ggataggagt tttttcagag  
1560

agttcttcag tagcatctaa gttgagctcc aaaagtgaag aagagctgaa aaacagaaga  
1620

aagaaaaaga aacagaaaga acagtctgga gaagaagaga aaaatgacag agtcctaaaa  
1680

tccgaatctg aagacagcat aagaagaaaa ggtttccgtt tttccttgga aggaagtagg  
1740

ctgacatatg aaaagagatt ttctttctcca caccagtcct tactgagcat ccgtggctcc  
1800

cttttctctc caagacgcaa cagtagggcg agccttttca gcttcagagg tcgagcaaag  
1860

gacattggct ctgagaatga ctttgctgat gatgagcaca gcacctttga ggacaatgac  
1920

agccgaagag actctctggt cgtgccgcac agacatggag aacggcgcca cagcaatgtc  
1980

agccaggcca gccgtgctc cagggtgctc cccatcctgc ccatgaatgg gaagatgcat  
2040

agcgctgtgg actgcaatgg tgtggctctc ctggctgggg gcccttctac cctcacatct  
2100

gctgggcagc tcttaccaga gggcacaact actgaaacag aaataagaaa gagacgggtcc  
2160

agttcttctc atgtttccat ggatttattg gaagatccta catcaaggca aagagcaatg  
2220

agtatagcca gtattttgac caacaccatg gaagaacttg aagaatccag acagaaatgc  
2280

ccaccatgct ggtataaatt tgctaatatg tgtttgattt gggactgttg taaaccatgg  
2340

ttaaagggtga aacaccttgt caacctgggt gtaatggacc catttggtga cctggccatc  
2400

accatctgca ttgtcttaaa tacactcttc atggctatgg agcactatcc catgacggag  
2460

cagttcagca gtgtactgtc tgttggaac ctggtcttca cagggatctt cacagcagaa  
2520

atgtttctca agataattgc catggatcca tattattact ttcaagaagg ctggaatatt  
2580

SequencesSSCPre-file7August03.ST25.txt

tttgatgggtt ttattgtgag ccttagttta atggaacttg gtttggcaaa tgtggaagga  
2640

ttgtcagttc tccgatcatt ccggctgctc cgagttttca agttggcaaa atcttggcca  
2700

actctaaata tgctaattaa gatcattggc aattctgtgg gggctctagg aaacctcacc  
2760

ttgggtattgg ccatcatcat cttcattttt gctgtgggtcg gcatgcagct ctttggtaag  
2820

agctacaaag aatgtgtctg caagatttcc aatgattgtg aactcccacg ctggcacatg  
2880

catgactttt tccactcctt cctgatcgtg ttccgcgtgc tgtgtggaga gtggatagag  
2940

accatgtggg actgtatgga ggtcgctggc caaacatgt gccttactgt cttcatgatg  
3000

gtcatgggtga ttggaaatct agtggttctg aacctcttct tggccttgct tttgagttcc  
3060

ttcagttctg acaatcttgc tgccactgat gatgataacg aatgaataa tctccagatt  
3120

gctgtgggaa ggatgcagaa aggaatcgat tttgttaaaa gaaaaatacg tgaatttatt  
3180

cagaaagcct ttgttaggaa gcagaaagct ttagatgaaa ttaaaccgct tgaagatcta  
3240

aataataaaa aagacagctg tattttccaac cataccacca tagaaatagg caaagacctc  
3300

aattatctca aagacggaaa tggaactact agtggcatag gcagcagtgt agaaaaatat  
3360

gtcgtggatg aaagtgatta catgtcattt ataaacaacc ctagcctcac tgtgacagta  
3420

ccaattgctg ttggagaatc tgactttgaa aatttaaata ctgaagaatt cagcagcgag  
3480

tcagatatgg aggaaagcaa agagaagcta aatgcaacta gttcatctga aggcagcacg  
3540

gttgatattg gagctcccgc cgaggagaaa cagcctgagg ttgaacctga ggaatccctt  
3600

gaacctgaag cctgtttttac agaagactgt gtacggaagt tcaagtgttg tcagataagc  
3660

SequencesSSCPre-file7August03.ST25.txt

atagaagaag gcaaagggaa actctggtgg aatttgagga aaacatgcta taagatagtg  
3720

gagcacaatt ggttcgaaac cttcattgtc ttcattgattc tgctgagcag tggggctctg  
3780

gcctttgaag atatatacat tgagcagcga aaaaccatta agaccatggt agaatatgct  
3840

gacaaggttt tcacttacat attcattctg gaaatgctgc taaagtgggt tgcataatggt  
3900

tttcaagtgt attttaccaa tgccctggtgc tggctagact tcttgattgt tgatgtctca  
3960

ctggtttagct taactgcaaa tgccttgggt tactcagaac ttggtgccat caaatccctc  
4020

agaacactaa gagctctgag gccactgaga gctttgtccc ggtttgaagg aatgaggggt  
4080

gttgtaaagt ctcttttagg agccattcca tctatcatga atgtacttct ggtttgtctg  
4140

atcttttggc taatattcag tatcatggga gtgaatctct ttgctggcaa gttttaccat  
4200

tgtattaatt acaccactgg agagatgttt gatgtaagcg tggtaacaa ctacagtga  
4260

tgcaaagctc tcattgagag caatcaaact gccagggtgga aaaatgtgaa agtaaacttt  
4320

gataacgtag gacttggata tctgtctcta cttcaagtag ccacgtttta gggatggatg  
4380

gatattatgt atgcagctgt tgattcacga aatgtagaat tacaacccaa gtatgaagac  
4440

aacctgtaca tgtatcttta ttttgtcatc tttattattt ttgggttcatt ctttaccttg  
4500

aatcttttca ttgggtgtcat catagataac ttcaaccaac agaaaaagaa gtttggaggt  
4560

caagacattt ttatgacaga agaacagaag aaatactaca atgcaatgaa aaaactgggt  
4620

tcaaagaaac cacaaaaacc catacctcga cctgctaaca aattccaagg aatgggtctt  
4680

gattttgtaa ccaaacaagt ctttgatata agcatcatga tctcatctg ccttaacatg  
4740

gtcaccatga tgggtggaaac cgatgaccag agtcaagaaa tgacaaacat tctgtactgg



SequencesSSCPre-file7August03.ST25.txt

4800

attaatctgg tgtttattgt tctgttcact ggagaatgtg tgctgaaact gatctctctt  
4860

cgttactact atttcactat tggatggaat atttttgatt ttgtggtggt cattctctcc  
4920

attgtaggaa tgtttctggc tgaactgata gaaaagtatt ttgtgtcccc taccctgttc  
4980

cgagtgatcc gtcttgccag gattggccga atcctacgtc tgatcaaagg agcaaagggg  
5040

atccgcacgc tgctctttgc tttgatgatg tcccttctcg cgttgtttta catcggcctc  
5100

cttcttttcc tgggtcatgtt catctacgcc atctttggga tgccaattt tgcctatgtt  
5160

aagaggggaag ttgggatcga tgacatgttc aactttgaga cctttggcaa cagcatgatc  
5220

tgcctgttcc aaattacaac ctctgctggc tgggatggat tgctagcacc tattcttaat  
5280

agtggacctc cagactgtga ccctgacaaa gatcacctcg gaagctcagt taaaggagac  
5340

tgtgggaacc catctgttgg gattttcttt tttgtcagtt acatcatcat atccttctcg  
5400

gttgtgctga acatgtacat cgcggtcatc ctggagaact tcagtgttgc tactgaagaa  
5460

agtgcagagc ctctgagtga ggatgacttt gagatgttct atgaggtttg ggagaagttt  
5520

gatcccgatg cgaccagtt tatagagttt gccaaacttt ctgattttgc agatgcctcg  
5580

gacctcctc ttctcatagc aaaacccaac aaagtccagc tcattgccat ggatctgccc  
5640

atggtgagtg gtgaccggat ccactgtctt gacatcttat ttgcttttac aaagcgtgtt  
5700

ttgggtgaga gtggagagat ggatgccctt cgaatacaga tggaagagcg attcatggca  
5760

tcaaaccctt ccaaagtctc ttatgagccc attacgacca cgttgaaacg caacaagag  
5820

gaggtgtctg ctattattat ccagagggct tacagacgct acctcttgaa gcaaaaagtt  
5880

SequencesSSCPre-file7August03.ST25.txt

aaaaaggtat caagtatata caagaaagac aaaggcaaag aatgtgatgg aacacccatc  
5940

aaagaagata ctctcattga taaactgaat gagaattcaa ctccagagaa aaccgatatg  
6000

acgccttcca ccacgtctcc accctcgtat gatagtgtga ccaaaccaga aaaagaaaaa  
6060

tttgaaaaag acaaatacaga aaaggaagac aaagggaag atatcaggga aagtaaaaag  
6120

taaaaagaaa ccaagaattt tccattttgt gatcaattgt ttacagcccg tgatggtgat  
6180

gtgttttgt caacaggact cccacaggag gtctatgcca aactgactgt ttttacaat  
6240

gtataactta ggtagtgcc tataacaaga cagagacctc tggtagcaa actggaactc  
6300

agtaaaactgg agaaatagta tcgatggg  
6328

<210> 4  
<211> 6328  
<212> DNA  
<213> Homo sapiens

<400> 4  
ttcttggtgc cagcttatca atcccaaact ctgggtgtaa aagattctac agggcacttt  
60

cttatgcaag gagctaaaca gtgattaaag gagcaggatg aaaagatggc acagtcagtg  
120

ctggtaccgc caggacctga cagcttccgc ttctttacca ggaatccct tgctgctatt  
180

gaacaacgca ttgcagaaga gaaagctaag agacccaaac aggaacgcaa ggatgaggat  
240

gatgaaaatg gcccaaagcc aaacagtgac ttggaagcag gaaaatctct tccatttatt  
300

tatggagaca ttctccaga gatgggtgtca gtgcccttgaggatctgga cccctactat  
360

atcaataaga aaacgtttat agtattgaat aaagggaag caatctctcg attcagtgcc  
420

accctgccc tttacatttt aactcccttc aaccctatta gaaaattagc tattaagatt  
480

SequencesSSCPre-file7August03.ST25.txt

ttggtacatt ctttattcaa tatgctcatt atgtgcacga ttcttaccaa ctgtgtattt  
540  
atgaccatga gtaaccctcc agactggaca aagaatgtgg agtatacctt tacaggaatt  
600  
tatacttttg aatcacttat taaaatactt gcaaggggct tttgtttaga agatttcaca  
660  
tttttacggg atccatggaa ttgggttgat ttcacagtca ttacttttgc atatgtgaca  
720  
gagtttgtgg acctgggcaa tgtctcagcg ttgagaacat tcagagttct ccgagcattg  
780  
aaaacaattt cagtcattcc aggcctgaag accattgtgg gggccctgat ccagtcagtg  
840  
aagaagcttt ctgatgtcat gatcttgact gtgttctgtc taagcgtggt tgcgctaata  
900  
ggattgcagt tgttcatggg caacctacga aataaatggt tgcaatggcc tccagataat  
960  
tcttcctttg aaataaatat cacttccttc tttacaatt cattggatgg gaatggtact  
1020  
actttcaata ggacagtgag catatttaac tgggatgaat atattgagga taaaagtcac  
1080  
ttttattttt tagaggggca aaatgatgct ctgctttgtg gcaacagctc agatgcaggc  
1140  
cagtgtcctg aaggatacat ctgtgtgaag gctggtagaa accccaacta tggctacacg  
1200  
agctttgaca cctttagttg ggcctttttg tccttatttc gtctcatgac tcaagacttc  
1260  
tgggaaaacc tttatcaact gacactacgt gctgctggga aaacgtacat gatatttttt  
1320  
gtgctgggtca ttttcttggg ctcattctat ctaataaatt tgatcttggc tgtggtggcc  
1380  
atggcctatg aggaacagaa tcaggccaca ttggaagagg ctgaacagaa ggaagctgaa  
1440  
tttcagcaga tgctcgaaca gttgaaaaag caacaagaag aagctcaggc ggcagctgca  
1500  
gccgcactct ctgaatcaag agacttcagt ggtgctggtg ggataggagt tttttcagag  
1560

SequencesSSCPre-file7August03.ST25.txt

agttcttcag tagcatctaa gttgagctcc aaaagtgaaa aagagctgaa aaacagaaga  
1620

aagaaaaaga aacagaaaga acagtctgga gaagaagaga aaaatgacag agtcctaaaa  
1680

tcggaatctg aagacagcat aagaagaaaa ggtttccggtt tttccttgga aggaagtagg  
1740

ctgacatatg aaaagagatt ttcttctcca caccagtcct tactgagcat ccgtggctcc  
1800

cttttctctc caagacgcaa cagtagggcg agccttttca gcttcagagg tcgagcaaag  
1860

gacattggct ctgagaatga ctttgctgat gatgagcaca gcacctttga ggacaatgac  
1920

agccgaagag actctctgtt cgtgccgcac agacatggag aacggcgcca cagcaatgtc  
1980

agccaggcca gccgtgcctc cagggtgctc cccatcctgc ccatgaatgg gaagatgcat  
2040

agcgctgtgg actgcaatgg tgtgggtctcc ctggtcgggg gcccttctac cctcacatct  
2100

gctgggcagc tctaccaga gggcacaact actgaaacag aaataagaaa gagacggctc  
2160

agttcttata atgtttccat ggatttattg gaagatccta catcaaggca aagagcaatg  
2220

agtatagcca gtattttgac caacaccatg gaagaacttg aagaatccag acagaaatgc  
2280

ccaccatgct ggtataaatt tgctaatatg tgtttgattt gggactgttg taaaccatgg  
2340

ttaaagggtga aacaccttgt caacctgggt gtaatggacc catttggtga cctggccatc  
2400

accatctgca ttgtcttaaa tacactcttc atggctatgg agcactatcc catgacggag  
2460

cagttcagca gtgtactgtc tgttggaaac ctggctctca cagggatctt cacagcagaa  
2520

atgtttctca agataattgc catggatcca tattattact ttcaagaagg ctggaatatt  
2580

tttgatgggt ttattgtgag ccttagttta atggaacttg gtttggcaaa tgtggaagga  
2640

ttgtcagttc tccgatcatt ccggctgctc cgagttttca agttggcaaa atcttggcca

SequencesSSCPre-file7August03.ST25.txt

2700

actctaaata tgctaattaa gatcattggc aattctgtgg gggctctagg aaacctcacc  
2760

ttggtattgg ccatcatcgt cttcattttt gctgtggtcg gcatgcagct ctttggttaag  
2820

agctacaaag aatgtgtctg caagatttcc aatgattgtg aactcccacg ctggcacatg  
2880

catgactttt tccactcctt cctgatcgtg ttccgcgtgc tgtgtggaga gtggatagag  
2940

accatgtggg actgtatgga ggctcgtggc caaacatgt gccttactgt cttcatgatg  
3000

gtcatggtga ttggaaatct agtggttctg aacctcttct tggccttgct tttgagttcc  
3060

ttcagttctg acaatcttgc tgccactgat gatgataacg aaatgaataa tatccagatt  
3120

gctgtgggaa ggatgcagaa aggaatcgat tttgttaaaa gaaaaatagc tgaatttatt  
3180

cagaaagcct ttgttaggaa gcagaaagct ttagatgaaa ttaaaccgct tgaagatcta  
3240

aataataaaa aagacagctg tatttccaac cataccacca tagaaatagg caaagacctc  
3300

aattatctca aagacggaaa tggaactact agtggcatag gcagcagtgt agaaaaatat  
3360

gtcgtggatg aaagtgatta catgtcattt ataaacaacc ctagcctcac tgtgacagta  
3420

ccaattgctg ttggagaatc tgactttgaa aattttaata ctgaagaatt cagcagcgag  
3480

tcagatatgg aggaaagcaa agagaagcta aatgcaacta gttcatctga aggcagcacg  
3540

gttgatattg gagctcccgc cgaggagaa cagcctgagg ttgaacctga ggaatccctt  
3600

gaacctgaag cctgtttttac agaagactgt gtacggaagt tcaagtgttg tcagataagc  
3660

atagaagaag gcaaaggga actctggtgg aatttgagga aaacatgcta taagatagtg  
3720

gagcacaatt ggttcgaaac cttcattgtc ttcattgatc tgctgagcag tggggctctg  
3780

SequencesSSCPre-file7August03.ST25.txt

gcctttgaag atatatacat tgagcagcga aaaaccatta agaccatggt agaatatgct  
3840

gacaagggtt tcacttacat attcattctg gaaatgctgc taaagtgggt tgcatatggt  
3900

tttcaagtgt atttttaccaa tgccctgggtgc tggctagact tectgattgt tgatgtctca  
3960

ctggtttagct taactgcaaa tgccttgggt tactcagaac ttgggtgccat caaatccctc  
4020

agaacactaa gagctctgag gccactgaga gctttgtccc ggtttgaagg aatgaggggt  
4080

gttgtaaagt ctcttttagg agccattcca tctatcatga atgtacttct ggtttgtctg  
4140

atcttttggc taatattcag tatcatggga gtgaatctct ttgctggcaa gttttaccat  
4200

tgtattaatt acaccactgg agagatgttt gatgtaagcg tggtaacaa ctacagtga  
4260

tgcaaagctc tcattgagag caatcaaact gccaggtgga aaaatgtgaa agtaaacttt  
4320

gataacgtag gacttggata tctgtctcta cttcaagtag ccacgtttaa gggatggatg  
4380

gatattatgt atgcagctgt tgattcacga aatgtagaat tacaacccaa gtatgaagac  
4440

aacctgtaca tgtatcttta ttttgtcatc tttattattt ttgggttcatt ctttaccttg  
4500

aatcttttca ttgggtgtcat catagataac ttcaaccaac agaaaaagaa gtttggaggt  
4560

caagacattt ttatgacaga agaacagaag aaatactaca atgcaatgaa aaaactgggt  
4620

tcaaagaaac cacaaaaacc catacctcga cctgctaaca aattccaagg aatggctctt  
4680

gattttgtaa ccaaacaagt ctttgatata agcatcatga tectcatctg ccttaacatg  
4740

gtcaccatga tgggtggaac cgatgaccag agtcaagaaa tgacaaacat tctgtactgg  
4800

attaatctgg tgtttattgt tctgttcact ggagaatgtg tgctgaaact gatctctctt  
4860



SequencesSSCPre-file7August03.ST25.txt

cgttactact atttcactat tggatggaat atttttgatt ttgtggtggt cattctctcc  
4920

attgtaggaa tgtttctggc tgaactgata gaaaagtatt ttgtgtcccc taccctgttc  
4980

cgagtgatcc gtcttgccag gattggccga atcctacgtc tgatcaaagg agcaaagggg  
5040

atccgcacgc tgctctttgc tttgatgatg tcccttcctg cgttggttaa catcggcctc  
5100

cttcttttcc tggtcagtgt catctacgcc atctttggga tgtccaattt tgcctatgtt  
5160

aagaggggaag ttgggatcga tgacatgttc aactttgaga cctttggcaa cagcatgatc  
5220

tgctgttcc aaattacaac ctctgctggc tgggatggat tgctagcacc tattcttaat  
5280

agtggacctc cagactgtga ccctgacaaa gatcaccttg gaagctcagt taaaggagac  
5340

tgtgggaacc catctgttgg gattttcttt tttgtcagtt acatcatcat atccttcctg  
5400

gttgtgctga acatgtacat cgcggtcatc ctggagaact tcagtgttgc tactgaagaa  
5460

agtgcagagc ctctgagtga ggatgacttt gagatgttct atgaggtttg ggagaagttt  
5520

gatcccgatg cgacccagtt tatagagttt gccaaacttt ctgattttgc agatgccctg  
5580

gatcctctc ttctcatagc aaaacccaac aaagtcacgc tcattgccat ggatctgccc  
5640

atggtgagtg gtgaccggat ccactgtctt gacatcttat ttgcttttac aaagcgtgtt  
5700

ttgggtgaga gtggagagat ggatgccctt cgaatacaga tggaagagcg attcatggca  
5760

tcaaaccctt ccaaagtctc ttatgagccc attacgacca cgttgaaacg caaacaagag  
5820

gaggtgtctg ctattattat ccagagggct tacagacgct acctcttgaa gcaaaaagtt  
5880

aaaaaggtat caagtatata caagaaagac aaaggcaaag aatgtgatgg aacacccatc  
5940

aaagaagata ctctcattga taaactgaat gagaattcaa ctccagagaa aaccgatatg

SequencesSSCPre-file7August03.ST25.txt

6000

acgccttcca ccacgtctcc accctcgat gatagtgtga ccaaaccaga aaaagaaaaa  
6060

tttgaaaaag acaaatcaga aaaggaagac aaagggaaag atatcagga aagtaaaaag  
6120

taaaaagaaa ccaagaattt tccattttgt gatcaattgt ttacagcccg tgatggtgat  
6180

gtgtttgtgt caacaggact cccacaggag gtctatgcca aactgactgt ttttacaat  
6240

gtatacttaa ggtcagtgcc tataacaaga cagagacctc tggtcagcaa actggaactc  
6300

agtaaactgg agaaatagta tcgatggg  
6328

<210> 5

<211> 6328

<212> DNA

<213> Homo sapiens

<400> 5

ttcttggtgc cagcttatca atcccaaact ctgggtgtaa aagattctac agggcacttt  
60

cttatgcaag gagctaaaca gtgattaaag gagcaggatg aaaagatggc acagtcagtg  
120

ctggtaccgc caggacctga cagcttccgc ttctttacca ggaatccct tgctgctatt  
180

gaacaacgca ttgcagaaga gaaagctaag agacccaaac aggaacgcaa ggatgaggat  
240

gatgaaaatg gcccaaagcc aaacagtgac ttggaagcag gaaaatctct tccatttatt  
300

tatggagaca ttctccaga gatgggtgtca gtgcccctgg aggatctgga ccctactat  
360

atcaataaga aaacgtttat agtattgaat aaagggaaag caatctctcg attcagtgcc  
420

accctgccc tttacatttt aactcccttc aacctatta gaaaattagc tattaagatt  
480

ttggtacatt ctttattcaa tatgctcatt atgtgcacga ttcttaccaa ctgtgtattt  
540

atgaccatga gtaaccctcc agactggaca aagaatgtgg agtatacctt tacaggaatt

SequencesSSCPre-file7August03.ST25.txt

600

tatacttttg aatcacttat taaaatactt gcaaggggct tttgtttaga agatttcaca  
660

tttttacggg atccatggaa ttgggtggat ttcacagtca ttacttttgc atatgtgaca  
720

gagtttgtgg acctgggcaa tgtctcagcg ttgagaacat tcagagttct ccgagcattg  
780

aaaacaattt cagtcattcc aggccctgaag accattgtgg gggccctgat ccagtcagtg  
840

aagaagcttt ctgatgtcat gatcttgact gtgttctgtc taagcgtggt tgcgctaata  
900

ggattgcagt tgttcatggg caacctacga aataaatggt tgcaatggcc tccagataat  
960

tcttcctttg aaataaatat cacttccttc tttacaatt cattggatgg gaatggtact  
1020

actttcaata ggacagtggag catatttaac tgggatgaat atattgagga taaaagtcac  
1080

ttttattttt tagaggggca aaatgatgct ctgctttgtg gcaacagctc agatgcaggc  
1140

cagtgtcctg aaggatacat ctgtgtgaag gctggtagaa accccaacta tggctacacg  
1200

agctttgaca ccttttagttg ggcctttttg tccttatttc gtctcatgac tcaagacttc  
1260

tgggaaaacc tttatcaact gacactacgt gctgctggga aaacgtacat gatatttttt  
1320

gtgctggtea ttttcttggg ctcatcttat ctaataaatt tgatcttggc tgtggtggcc  
1380

atggcctatg aggaacagaa tcaggccaca ttggaagagg ctgaacagaa ggaagctgaa  
1440

tttcagcaga tgctcgaaca gttgaaaaag caacaagaag aagctcaggc ggcagctgca  
1500

gccgcactctg ctgaatcaag agacttcagt ggtgctggtg ggataggagt tttttcagag  
1560

agttcttcag tagcatctaa gttgagctcc aaaagtgaag aagagctgaa aaacagaaga  
1620

aagaaaaaga aacagaaaga acagtctgga gaagaagaga aaaatgacag agtcctaaaa  
1680

SequencesSSCPre-file7August03.ST25.txt

tcggaatctg aagacagcat aagaagaaaa ggtttccggt tttccttgga aggaagtagg  
1740

ctgacatatg aaaagagatt ttcttctcca caccagtcct tactgagcat ccgtggctcc  
1800

cttttctctc caagacgcaa cagtagggcg agccttttca gcttcagagg tcgagcaaag  
1860

gacattggct ctgagaatga ctttgctgat gatgagcaca gcacctttga ggacaatgac  
1920

agccgaagag actctctggt cgtgccgcac agacatggag aacggcgcca cagcaatgtc  
1980

agccaggcca gccgtgcctc cagggtgctc cccatcctgc ccatgaatgg gaagatgcat  
2040

agcgctgtgg actgcaatgg tgtggctctc ctggtcgggg gcccttctac cctcacatct  
2100

gctgggcagc tcctaccaga gggcacaact actgaaacag aaataagaaa gagacggctc  
2160

agttcttata atgtttccat ggatttattg gaagatccta catcaaggca aagagcaatg  
2220

agtatagcca gtattttgac caacaccatg gaagaacttg aagaatccag acagaaatgc  
2280

ccaccatgct ggtataaatt tgctaatatg tgtttgattt gggactgttg taaaccatgg  
2340

ttaaagggtga aacaccttgt caacctgggt gtaatggacc catttggtga cctggccatc  
2400

accatctgca ttgtcttaaa tacactcttc atggctatgg agcactatcc catgacggag  
2460

cagttcagca gtgtactgtc tgttggaaac ctgggtcttca cagggatctt cacagcagaa  
2520

atgtttctca agataattgc catggatcca tattattact ttcaagaagg ctggaatatt  
2580

tttgatgggt ttattgtgag ccttagttta atggaaacttg gtttggcaaa tgtggaagga  
2640

ttgtcagttc tccgatcatt ccggctgctc cgagttttca agttggcaaa atcttggcca  
2700

actctaaata tgctaattaa gatcattggc aattctgtgg gggctctagg aaacctcacc  
2760

SequencesSSCPre-file7August03.ST25.txt

ttggtattgg ccatcatcgt cttcattttt gctgtgggtcg gcatgcagct ctttggttaag  
2820

agctacaaag aatgtgtctg caagatttcc aatgattgtg aactcccacg ctggcacatg  
2880

catgactttt tccactcett cctgatecgtg ttccgcgtgc tgtgtggaga gtggatagag  
2940

accatgtggg actgtatgga ggtcgtggc caaaccatgt gccttactgt cttcatgatg  
3000

gtcatgggtga ttggaaatct agtggttctg aacctcttct tggccttgct tttgagttcc  
3060

ttcagttctg acaatcttgc tgccactgat gatgataacg aatgaataa tctccagatt  
3120

gctgtgggaa ggatgcagaa aggaatcgat ttgtttaaaa gaaaaatacg tgaatttatt  
3180

cagaaagcct ttgttaggaa gcagaaagct ttagatgaaa ttaaaccgct tgaagatcta  
3240

aataataaaa aagacagctg tatttccaac cataccacca tagaaatagg caaagacctc  
3300

aattatctca aagacggaaa tggaactact agtggcatag gcagcagtgt agaaaaatat  
3360

gtcgtggatg aaagtgatta catgtcattt ataaacaacc ctagcctcac tgtgacagta  
3420

ccaattgctg ttggagaatc tgactttgaa aattttaata ctgaagaatt cagcagcgag  
3480

tcagatatgg aggaaagcaa agagaagcta aatgcaacta gttcatctga aggcagcacg  
3540

gttgatattg gagctcccgc cgagggagaa cagcctgagg ttgaacctga ggaatccctt  
3600

gaacctgaag cctgtttttac agaagactgt gtacggaagt tcaagtgttg tcagataagc  
3660

atagaagaag gcaaagggaa actctgggtg aatttgagga aagcatgcta taagatagt  
3720

gagcacaatt ggttcgaaac cttcattgtc ttcattgatc tgctgagcag tggggctctg  
3780

gcctttgaag atatatacat tgagcagcga aaaaccatta agaccatggt agaatatgct  
3840

gacaagggtt tcacttacat attcattctg gaaatgctgc taaagtgggt tgcatatggt

SequencesSSCPre-file7August03.ST25.txt

3900

tttcaagtgt attttaccaa tgcctggtgc tggctagact tectgattgt tgatgtctca  
3960

ctggtttagct taactgcaaa tgccttgggt tactcagaac ttggtgccat caaatccctc  
4020

agaacactaa gagctctgag gccactgaga gctttgtccc ggtttgaagg aatgaggggt  
4080

gttgtaaagt ctcttttagg agccattcca tctatcatga atgtacttct ggtttgtctg  
4140

atcttttggc taatattcag tatcatggga gtgaatctct ttgctggcaa gttttaccat  
4200

tgtattaatt acaccactgg agagatgttt gatgtaagcg tggtaacaa ctacagttag  
4260

tgcaaagctc tcattgagag caatcaaact gccaggtgga aaaatgtgaa agtaaacttt  
4320

gataacgtag gacttggata tctgtctcta cttcaagtag ccacgtttaa gggatggatg  
4380

gatattatgt atgcagctgt tgattcacga aatgtagaat tacaacccaa gtatgaagac  
4440

aacctgtaca tgtatcttta ttttgtcatc tttattattt ttggttcatt ctttaccttg  
4500

aatcttttca ttggtgtcat catagataac ttcaaccaac agaaaaagaa gtttggaggt  
4560

caagacattt ttatgacaga agaacagaag aaatactaca atgcaatgaa aaaactgggt  
4620

tcaaagaaac cacaaaaacc catacctcga cctgctaaca aattccaagg aatggtcttt  
4680

gattttgtaa ccaaacaagt ctttgatata agcatcatga tectcatctg ccttaacatg  
4740

gtcaccatga tgggtggaaac cgatgaccag agtcaagaaa tgacaaacat tctgtactgg  
4800

attaatctgg tgtttattgt tctgttcact ggagaatgtg tgctgaaact gatctctctt  
4860

cgttactact atttcactat tggatggaat atttttgatt ttgtggtgggt cattctctcc  
4920

attgtaggaa tgtttctggc tgaactgata gaaaagtatt ttgtgtcccc taccctgttc  
4980



SequencesSSCPre-file7August03.ST25.txt

cgagtgatcc gtcttgccag gattggccga atcctacgtc tgatcaaagg agcaaagggg  
5040

atccgcacgc tgctctttgc tttgatgatg tcccttcctg cgttgtttaa catcggcctc  
5100

cttcttttcc tggatcatgtt catctacgcc atctttggga tgtccaattt tgcctatgtt  
5160

aagaggggaag ttgggatcga tgacatgttc aactttgaga cctttggcaa cagcatgatc  
5220

tgcctgttcc aaattacaac ctctgctggc tgggatggat tgctagcacc tattcttaat  
5280

agtggacctc cagactgtga ccctgacaaa gatcacctg gaagctcagt taaaggagac  
5340

tgtgggaacc catctgttgg gattttcttt tttgtcagtt acatcatcat atccttcctg  
5400

gttgtgctga acatgtacat cgcggtcac ctggagaact tcagtgttgc tactgaagaa  
5460

agtgcagagc ctctgagtga ggatgacttt gagatgttct atgaggtttg ggagaagtgt  
5520

gatcccgatg cgaccagtt tatagagttt gccaaacttt ctgattttgc agatgccctg  
5580

gatcctctc ttctcatagc aaaacccaac aaagtccagc tcattgccat ggatctgccc  
5640

atggtgagtg gtgaccggat ccaactgtctt gacatcttat ttgcttttac aaagcgtgtt  
5700

ttgggtgaga gtggagagat ggatgccctt cgaatacaga tggaagagcg attcatggca  
5760

tcaaaccctt ccaaagtctc ttatgagccc attacgacca cgttgaaacg caaacaagag  
5820

gaggtgtctg ctattattat ccagagggct tacagacgct acctcttgaa gcaaaaagtt  
5880

aaaaaggtat caagtatata caagaaagac aaaggcaaag aatgtgatgg aacacccatc  
5940

aaagaagata ctctcattga taaactgaat gagaattcaa ctccagagaa aaccgatatg  
6000

acgccttcca ccacgtctcc acctcgtat gatagtgtga ccaaaccaga aaaagaaaaa  
6060

SequencesSSCPre-file7August03.ST25.txt

tttgaaaaag acaaatcaga aaaggaagac aaagggaaag atatcaggga aagtaaaaag  
6120

taaaaagaaa ccaagaattt tccattttgt gatcaattgt ttacagcccg tgatggtgat  
6180

gtgtttgtgt caacaggact cccacaggag gtctatgcca aactgactgt ttttacaat  
6240

gtatacttaa ggtcagtgcc tataacaaga cagagacctc tggtcagcaa actggaactc  
6300

agtaaactgg agaaatagta tcgatggg  
6328

<210> 6  
<211> 6328  
<212> DNA  
<213> Homo sapiens

<400> 6  
ttcttggtgc cagcttatca atcccaaact ctgggtgtaa aagattctac agggcacttt  
60

cttatgcaag gagctaaaca gtgattaaag gagcaggatg aaaagatggc acagtcagtg  
120

ctggtaccgc caggacctga cagcttccgc ttctttacca gggaatccct tgctgctatt  
180

gaacaacgca ttgcagaaga gaaagctaag agacccaaac aggaacgcaa ggatgaggat  
240

gatgaaaatg gccc aaagcc aacagtgac ttggaagcag gaaaatctct tccatttatt  
300

tatggagaca ttctccaga gatggtgtca gtgcccttg aggatctgga ccctactat  
360

atcaataaga aaacgtttat agtattgaat aaagggaaag caatctctcg attcagtgcc  
420

accctgccc ttacatttt aactcccttc aaccctatta gaaaattagc tattaagatt  
480

ttggtacatt ctttattcaa tatgctcatt atgtgcacga ttcttacc aa ctgtgtattt  
540

atgaccatga gtaaccctcc agactggaca aagaatgtgg agtatacctt tacaggaatt  
600

tatacttttg aatcacttat taaaatactt gcaaggggct tttgtttaga agatttcaca  
660

SequencesSSCPre-file7August03.ST25.txt

tttttacggg atccatggaa ttgggttgat ttcacagtca ttacttttgc atatgtgaca  
720

gagtttgtgg acctgggcaa tgtctcagcg ttgagaacat tcagagttct ccgagcattg  
780

aaaacaattt cagtcattcc aggctgaag accattgtgg gggccctgat ccagtcagtg  
840

aagaagcttt ctgatgtcat gatcttgact gtgttctgtc taagcgtgtt tgcgctaata  
900

ggattgcagt tgttcatggg caacctacga aataaatgtt tgcaatggcc tccagataat  
960

tcttcctttg aaataaatat cacttccttc tttacaatt cattggatgg gaatggtact  
1020

actttcaata ggacagtga catatttaac tgggatgaat atattgagga taaaagtcac  
1080

ttttattttt tagaggggca aaatgatgct ctgctttgtg gcaacagctc agatgcaggc  
1140

cagtgtcctg aaggatacat ctgtgtgaag gctggtagaa accccaacta tggctacacg  
1200

agctttgaca cttttagttg ggcctttttg tccttatttc gtctcatgac tcaagacttc  
1260

tgggaaaacc tttatcaact gacactacgt gctgctggga aaacgtacat gatatttttt  
1320

gtgctggtca ttttcttggg ctcatctat ctaataaatt tgatcttggc tgtggtggcc  
1380

atggcctatg aggaacagaa tcaggccaca ttggaagagg ctgaacagaa ggaagctgaa  
1440

tttcagcaga tgctogaaca gttgaaaaag caacaagaag aagctcaggc ggcagctgca  
1500

gccgcactctg ctgaatcaag agacttcagt ggtgctggtg ggataggagt tttttcagag  
1560

agttcttcag tagcatctaa gttgagctcc aaaagtgaag aagagctgaa aacagaaga  
1620

aagaaaaaga aacagaaga acagtctgga gaagaagaga aaaatgacag agtcctaaaa  
1680

tgggaatctg aagacagcat aagaagaaaa ggtttccgtt tttccttggga aggaagtagg  
1740

ctgacatatg aaaagagatt ttctttctcca caccagtcct tactgagcat ccgtggctcc

SequencesSSCPre-file7August03.ST25.txt

1800

cttttctctc caagacgcaa cagtagggcg agccttttca gcttcagagg tgcagcaaag  
1860

gacattggct ctgagaatga ctttgctgat gatgagcaca gcacctttga ggacaatgac  
1920

agccgaagag actctctgtt cgtgccgcac agacatggag aacggcgcca cagcaatgtc  
1980

agccaggcca gccgtgcctc caggggtgctc cccatcctgc ccatgaatgg gaagatgcat  
2040

agcgctgtgg actgcaatgg tgtggctctc ctggtcgggg gcccttctac cctcacatct  
2100

gctgggcagc tcctaccaga gggcacaact actgaaacag aaataagaaa gagacggctc  
2160

agttcttata atgtttccat ggatttattg gaagatccta catcaaggca aagagcaatg  
2220

agtatagcca gtattttgac caacaccatg gaagaacttg aagaatccag acagaaatgc  
2280

ccaccatgct ggtataaatt tgctaatatg tgtttgattt gggactgttg taaaccatgg  
2340

ttaaagggtga aacaccttgt caacctgggt gtaatggacc catttggtga cctggccatc  
2400

accatctgca ttgtcttaaa tacactcttc atggctatgg agcactatcc catgacggag  
2460

cagttcagca gtgtactgtc tgttggaac ctggtcttca cagggatctt cacagcagaa  
2520

atgtttctca agataattgc catggatcca tattattact ttcaagaagg ctggaatatt  
2580

tttgatgggt ttattgtgag ccttagttta atggaacttg gtttggaaca tgtggaagga  
2640

ttgtcagttc tccgatcatt ccggctgctc cgagttttca agttggcaaa atcttgacca  
2700

actctaaata tgctaattaa gatcattggc aattctgtgg gggtcttagg aaacctcacc  
2760

ttgggtattgg ccatcatcgt cttcattttt gctgtggctg gcatgcagct ctttggttaag  
2820

agctacaaag aatgtgtctg caagatttcc aatgattgtg aactcccacg ctggcacatg  
2880

SequencesSSCPre-file7August03.ST25.txt

catgactttt tccactcctt cctgatcgtg ttccgcgtgc tgtgtggaga gtggatagag  
2940

accatgtggg actgtatgga ggtcgctggc caaaccatgt gccttactgt cttcatgatg  
3000

gtcatgggtga ttggaaatct agtgggttctg aacctcttct tggccttgct tttgagttcc  
3060

ttcagttctg acaatcttgc tgccactgat gatgataacg aaatgaataa tctccagatt  
3120

gctgtgggaa ggatgcagaa aggaatcgat ttgtttaaaa gaaaaatacg tgaatttatt  
3180

cagaaagcct ttgttaggaa gcagaaagct ttagatgaaa ttaaaccgct tgaagatcta  
3240

aataataaaa aagacagctg tatttccaac cataccacca tagaaatagg caaagacctc  
3300

aattatctca aagacggaaa tggaactact agtggcatag gcagcagtgt agaaaaatat  
3360

gtcgtggatg aaagtgatta catgtcattt ataaacaacc ctagcctcac tgtgacagta  
3420

ccaattgctg ttggagaatc tgactttgaa aattttaata ctgaagaatt cagcagcgag  
3480

tcagatatgg aggaaagcaa agagaagcta aatgcaacta gttcatctga aggcagcacg  
3540

gttgatattg gagctcccg cagaggagaa cagcctgagg ttgaacctga ggaatccctt  
3600

gaacctgaag cctgtttttac agaagactgt gtacggaagt tcaagtgttg tcagataagc  
3660

atagaagaag gcaaagggaa actctgggtg aatttgagga aaacatgcta taagatagtg  
3720

gagcacaatt ggttcgaaac cttcattgtc ttcattgattc tgctgagcag tggggctctg  
3780

gcctttgaag atatatacat tgagcagcga aaaaccatta agaccatgtt agaatatgct  
3840

gacaagggtt tcaattacat attcattctg gaaatgctgc taaagtgggt tgcatatggt  
3900

tttcaagtgt attttacc aa tgccctgggtgc tggctagact tcctgattgt tgatgtctca  
3960

SequencesSSCPre-file7August03.ST25.txt

ctggtttagct taactgcaaa tgccttgggt tactcagaac ttggtgccat caaatccctc  
4020

agaacactaa gagctctgag gccactgaga gctttgtccc agtttgaagg aatgaggggt  
4080

gttgtaaagt ctcttttagg agccattcca tctatcatga atgtacttct ggtttgtctg  
4140

atcttttggc taatattcag tatcatggga gtgaatctct ttgctggcaa gttttaccat  
4200

tgtattaatt acaccactgg agagatgttt gatgtaagcg tgggtcaaca ctacagtga  
4260

tgcaaagctc tcattgagag caatcaaact gccaggtgga aaaatgtgaa agtaaacttt  
4320

gataacgtag gacttggata tctgtctcta cttcaagtag ccacgtttaa gggatggatg  
4380

gatattatgt atgcagctgt tgattcacga aatgtagaat tacaacccaa gtatgaagac  
4440

aacctgtaca tgtatcttta ttttgtcatc tttattattt ttggttcatt ctttaccttg  
4500

aatcttttca ttggtgtcat catagataac ttcaaccaac agaaaaagaa gtttggaggt  
4560

caagacattt ttatgacaga agaacagaag aaatactaca atgcaatgaa aaaactgggt  
4620

tcaaagaaac cacaaaaacc catacctcga cctgctaaca aattccaagg aatggtcttt  
4680

gattttgtaa ccaaacaagt ctttgatata agcatcatga tcttcatctg ccttaacatg  
4740

gtcaccatga tgggtggaac cgatgaccag agtcaagaaa tgacaaacat tctgtactgg  
4800

attaatctgg tgtttattgt tctgttcact ggagaatgtg tgctgaaact gatctctctt  
4860

cgttactact atttcactat tggatggaat atttttgatt ttgtgggtgg cttctctcc  
4920

attgtaggaa tgtttctggc tgaactgata gaaaagtatt ttgtgtcccc taccctgttc  
4980

cgagtgatcc gtcttgccag gattggccga atcctacgtc tgatcaaagg agcaaagggg  
5040

atccgcacgc tgctctttgc tttgatgatg tcccttcttg cgttgtttta catcggcctc



SequencesSSCPre-file7August03.ST25.txt

5100

cttcttttcc tgggtcatggt catctacgcc atctttggga tgtccaattt tgcctatggt  
5160

aagaggggaag ttgggatcga tgacatgttc aactttgaga cctttggcaa cagcatgac  
5220

tgctgttcc aaattacaac ctctgctggc tgggatggat tgctagcacc tattcttaat  
5280

agtggacctc cagactgtga ccctgacaaa gatcaccctg gaagctcagt taaaggagac  
5340

tgtgggaacc catctgttgg gattttcttt tttgtcagtt acatcatcat atccttcctg  
5400

gttgtgtga acatgtacat cgcggtcac ctggagaact tcagtgttgc tactgaagaa  
5460

agtgcagagc ctctgagtga ggatgacttt gagatgttct atgaggtttg ggagaagttt  
5520

gatcccgatg cgacccagtt tatagagttt gccaaacttt ctgattttgc agatgcctg  
5580

gatcctctc ttctcatagc aaaacccaac aaagtccagc tcattgccat ggatctgccc  
5640

atggtgagtg gtgaccggat ccactgtctt gacatcttat ttgcttttac aaagcgtgtt  
5700

ttgggtgaga gtggagagat ggatgccctt cgaatacaga tggaagagcg attcatggca  
5760

tcaaaccctt ccaaagtctc ttatgagccc attacgacca cgttgaaacg caaacaagag  
5820

gaggtgtctg ctattattat ccagagggct tacagacgct acctcttgaa gcaaaaagtt  
5880

aaaaaggtat caagtatata caagaaagac aaaggcaaag aatgtgatgg aacacccatc  
5940

aaagaagata ctctcattga taaactgaat gagaattcaa ctccagagaa aaccgatatg  
6000

acgccttcca ccacgtctcc accctcgtat gatagtgtga ccaaaccaga aaaagaaaaa  
6060

tttgaaaaag acaaatcaga aaaggaagac aaagggaag atatcaggga aagtaaaaag  
6120

taaaaagaaa ccaagaattt tccattttgt gatcaattgt ttacagcccg tgatggtgat  
6180

SequencesSSCPre-file7August03.ST25.txt

gtgtttgtgt caacaggact cccacaggag gtctatgcca aactgactgt ttttaciaat  
6240

gtatacttaa ggtcagtgcc tataacaaga cagagacctc tggtcagcaa actggaactc  
6300

agtaaactgg agaaatagta tcgatggg  
6328

<210> 7

<211> 6328

<212> DNA

<213> Homo sapiens

<400> 7

ttcttgggtgc cagcttatca atcccaaact ctgggtgtaa aagattctac agggcacttt  
60

cttatgcaag gagctaaaca gtgattaaag gagcaggatg aaaagatggc acagtcagtg  
120

ctggtaccgc caggacctga cagcttccgc ttctttacca ggaatccct tgctgctatt  
180

gaacaacgca ttgcagaaga gaaagctaag agacccaaac aggaacgcaa ggatgaggat  
240

gatgaaaatg gcccaaagcc aaacagtgac ttggaagcag gaaaatctct tccatttatt  
300

tatggagaca ttcctccaga gatgggtgtca gtgcccttgg aggatctgga cccctactat  
360

atcaataaga aaacgtttat agtattgaat aaagggaaag caatctctcg attcagtgcc  
420

accctgccc ttacattttt aactcccttc aaccctatta gaaaattagc tattaagatt  
480

ttggtacatt ctttattcaa tatgctcatt atgtgcacga ttcttaccac ctgtgtattt  
540

atgaccatga gtaaccctcc agactggaca aagaatgtgg agtatacctt tacaggaatt  
600

tatacttttg aatcacttat taaaatactt gcaaggggct ttgttttaga agatttcaca  
660

tttttacggg atccatggaa ttgggtggat ttcacagtea ttacttttgc atatgtgaca  
720

gagtttgtgg acctgggcaa tgtctcagcg ttgagaacat tcagagttct ccgagcattg  
780

SequencesSSCPre-file7August03.ST25.txt

aaaacaattt cagtcattcc aggcctgaag accattgtgg gggccctgat ccagtcagtg  
840

aagaagcttt ctgatgtcat gatcttgact gtgttctgtc taagcgtggt tgcgctaata  
900

ggattgcagt tgttcatggg caacctacga aataaatggt tgcaatggcc tccagataat  
960

tcttcctttg aaataaatat cacttccttc tttaacaatt cattggatgg gaatgggtact  
1020

actttcaata ggacagtgag catatttaac tgggatgaat atattgagga taaaagtcac  
1080

ttttattttt tagaggggca aaatgatgct ctgctttgtg gcaacagctc agatgcaggc  
1140

cagtgtcctg aaggatacat ctgtgtgaag gctggtagaa accccaacta tggctacacg  
1200

agctttgaca cctttagttg ggcctttttg tccttatttc gtctcatgac tcaagacttc  
1260

tgggaaaacc ttatcaact gacactacgt gctgctggga aaacgtacat gatatttttt  
1320

gtgctggtea ttttcttggg ctcattctat ctaataaatt tgatcttggc tgtgggtggc  
1380

atggcctatg aggaacagaa tcaggccaca ttggaagagg ctgaacagaa ggaagctgaa  
1440

tttcagcaga tgctcgaaca gttgaaaaag caacaagaag aagctcaggc ggcagctgca  
1500

gccgcatctg ctgaatcaag agacttcagt ggtgctgggt ggataggagt tttttcagag  
1560

agttcttcag tagcatctaa gttgagctcc aaaagtgaag aagagctgaa aaacagaaga  
1620

aagaaaaaga aacagaaaga acagtctgga gaagaagaga aaaatgacag agtcctaaaa  
1680

tcggaatctg aagacagcat aagaagaaaa ggtttccggt tttccttgga aggaagtagg  
1740

ctgacatatg aaaagagatt ttcttctcca caccagtcct tactgagcat ccgtggctcc  
1800

cttttctctc caagacgcaa cagtagggcg agccttttca gcttcagagg tcgagcaaag  
1860

SequencesSSCPre-file7August03.ST25.txt

gacattggct ctgagaatga ctttgctgac gatgagcaca gcacctttga ggacaatgac  
1920

agccgaagag actctctgtt cgtgcgcac agacatggag aacggcgcca cagcaatgtc  
1980

agccaggcca gccgtgcctc caggggtgctc cccatcctgc ccatgaatgg gaagatgcat  
2040

agcgctgtgg actgcaatgg tgtggctctc ctggctgggg gcccttctac cctcacatct  
2100

gctgggcagc tcctaccaga gggcacaact actgaaacag aaataagaaa gagacgggtc  
2160

agttcttctc atgtttccat ggattttattg gaagatccta catcaaggca aagagcaatg  
2220

agtatagcca gtattttgac caacaccatg gaagaacttg aagaatccag acagaaatgc  
2280

ccaccatgct ggtataaatt tgctaatatg tgtttgattt gggactgttg taaaccatgg  
2340

ttaaagggtga aacaccttgt caacctgggt gtaatggacc catttggtga cctggccatc  
2400

accatctgca ttgtcttaaa tacactcttc atggctatgg agcactatcc catgacggag  
2460

cagttcagca gtgtactgtc tgttggaac ctggctctca cagggatctt cacagcagaa  
2520

atgtttctca agataattgc catggatcca tattattact ttcaagaagg ctggaatatt  
2580

tttgatgggt ttattgtgag ccttagttta atggaacttg gtttggaaca tgtggaagga  
2640

ttgtcagttc tccgatcatt ccggctgctc cgagttttca agttggcaaa atcttggcca  
2700

actctaaata tgctaattaa gatcattggc aattctgtgg gggctctagg aaacctcacc  
2760

ttggatattg ccatcatcgt ctccattttt gctgtggctg gcatgcagct ctttggttaag  
2820

agctacaaag aatgtgtctg caagatttcc aatgattgtg aactcccacg ctggcacatg  
2880

catgactttt tccactcctt cctgatcgtg ttccgcgtgc tgtgtggaga gtggatagag  
2940

accatgtggg actgtatgga ggctcgtggc caaacatgt gccttactgt cttcatgatg

SequencesSSCPre-file7August03.ST25.txt

3000

gtcatggtga ttggaaatct agtgggttctg aacctcttct tggccttgct tttgagttcc  
3060

ttcagttctg acaatcttgc tgccactgat gatgataacg aaatgaataa tctccagatt  
3120

gctgtgggaa ggatgcagaa aggaatcgat tttgttaaaa gaaaaatacg tgaatttatt  
3180

cagaaagcct ttgttaggaa gcagaaagct ttagatgaaa ttaaaccgct tgaagatcta  
3240

aataataaaa aagacagctg tatttccaac cataccacca tagaaatagg caaagacctc  
3300

aattatctca aagacggaaa tggaactact agtggcatag gcagcagtgt agaaaaatat  
3360

gtcgtggatg aaagtgatta catgtcattt ataaacaacc ctagcctcac tgtgacagta  
3420

ccaattgctg ttggagaatc tgactttgaa aatttaaata ctgaagaatt cagcagcgag  
3480

tcagatatgg aggaaagcaa agagaagcta aatgcaacta gttcatctga aggcagcacg  
3540

gttgatattg gagctcccgc cgagggagaa cagcctgagg ttgaacctga ggaatccctt  
3600

gaacctgaag cctgtttttac agaagactgt gtacggaagt tcaagtgttg tcagataagc  
3660

atagaagaag gcaaagggaa actctgggtg aatttgagga aaacatgcta taagatagtg  
3720

gagcacaatt ggttcgaaac cttcattgtc ttcattgattc tgctgagcag tggggctctg  
3780

gcctttgaag atatatacat tgagcagcga aaaaccatta agaccatggt agaatatgct  
3840

gacaaggttt tcacttacat attcattctg gaaatgctgc taaagtgggt tgcatatggt  
3900

tttcaagtgt attttaccaa tgccctgggtc tggctagact tcctgattgt tgatgtctca  
3960

ctggtttagct taactgcaaa tgccttgggt tactcagaac ttggtgccat caaatccctc  
4020

agaacactaa gagctctgag gccactgaga gctttgtccc ggtttgaagg aatgagggtt  
4080

SequencesSSCPre-file7August03.ST25.txt

gttgtaaattg ctcttttagg agccattcca tctatcatga atgtacttct ggtttgtctg  
4140

atcttttggc taatattcag tatcatggga gtgaatctct ttgctggcaa gttttaccat  
4200

tgtattaatt acaccactgg agagatgttt gatgtaagcg tggtaacaa ctacagtga  
4260

tgcaaagctc tcattgagag caatcaaact gccagggtgga aaaatgtgaa agtaaacttt  
4320

gataacgtag gacttggata tctgtctcta cttcaagtag ccacgtttta gggatggatg  
4380

gatattatgt atgcagctgt tgattcacga aatgtagaat tacaacccaa gtatgaagac  
4440

aacctgtaca tgtatcttta ttttgtcatc tttattattt ttggttcatt ctttaccttg  
4500

aatcttttca ttggtgtcat catagataac ttcaaccaac agaaaaagaa gtttggaggt  
4560

caagacattt ttatgacaga agaacagaag aaatactaca atgcaatgaa aaaactgggt  
4620

tcaaagaaac cacaaaaacc catacctcga cctgctaaca aattccaagg aatggctctt  
4680

gattttgtaa ccaaacaagt ctttgatata agcatcatga tctcatctg ccttaacatg  
4740

gtcaccatga tgggtggaaac cgatgaccag agtcaagaaa tgacaaacat tctgtactgg  
4800

attaatctgg tgtttattgt tctgttcact ggagaatgtg tgctgaaact gatctctctt  
4860

cgttactact atttcactat tggatggaat atttttgatt ttgtgggtgg cttctctcc  
4920

attgtaggaa tgtttctggc tgaactgata gaaaagtatt ttgtgtcccc taccctgttc  
4980

cgagtgatcc gtcttgccag gattggccga atcctacgtc tgatcaaagg agcaaagggg  
5040

atccgcacgc tgctctttgc tttgatgatg tcccttcctg cgttgtttta catcggcctc  
5100

cttcttttcc tggteatgtt catctacgcc atctttggga tgtccaattt tgctatgtt  
5160



SequencesSSCPre-file7August03.ST25.txt

aagaggggaag ttgggatcga tgacatgttc aactttgaga cctttggcaa cagcatgato  
5220

tgccctgttcc aaattacaac ctctgctggc tgggatggat tgctagcacc tattcttaat  
5280

agtggacctc cagactgtga ccctgacaaa gatcaccttg gaagctcagt taaaggagac  
5340

tgtgggaacc catctgttgg gattttcttt tttgtcagtt acatcatcat atccttcttg  
5400

gttgtgctga acatgtacat cgcggtcacc ctggagaact tcagtgttgc tactgaagaa  
5460

agtgcagagc ctctgagtga ggatgacttt gagatgttct atgagggttg ggagaagttt  
5520

gatcccgatg cgacccagtt tatagagttt gccaaacttt ctgattttgc agatgccctg  
5580

gacctcctc ttctcatagc aaaacccaac aaagtccagc tcattgccat ggatctgccc  
5640

atggtgagtg gtgaccggat ccactgtctt gacatcttat ttgcttttac aaagcgtgtt  
5700

ttgggtgaga gtggagagat ggatgccctt cgaatacaga tggaagagcg attcatggca  
5760

tcaaaccctt ccaaagtctc ttatgagccc attacgacca cgttgaaacg caaacaagag  
5820

gaggtgtctg ctattattat ccagagggct tacagacgct acctcttgaa gcaaaaagtt  
5880

aaaaaggtat caagtatata caagaaagac aaaggcaaag aatgtgatgg aacacccatc  
5940

aaagaagata ctctcattga taaactgaat gagaattcaa ctccagagaa aaccgatatg  
6000

acgccttcca ccacgtctcc accctcgtat gatagtgtga ccaaaccaga aaaagaaaaa  
6060

tttgaaaaag acaaatcaga aaaggaagac aaagggaaag atatcaggga aagtaaaaag  
6120

taaaaagaaa ccaagaattt tccattttgt gatcaattgt ttacagcccg tgatgggtgat  
6180

gtgtttgtgt caacaggact cccacaggag gtctatgcca aactgactgt ttttacaat  
6240

gtatacttaa ggtcagtgcc tataacaaga cagagacctc tggtcagcaa actggaactc

SequencesSSCPre-file7August03.ST25.txt

6300

agtaaactgg agaaatagta tcgatggg  
6328

<210> 8  
<211> 6328  
<212> DNA  
<213> Homo sapiens

<400> 8  
ttcttggtgc cagcttatca atcccaaact ctgggtgtaa aagattctac agggcacttt  
60

cttatgcaag gagctaaaca gtgattaaag gagcaggatg aaaagatggc acagtcagtg  
120

ctggtaccgc caggacctga cagcttccgc ttctttacca gggaatccct tgctgctatt  
180

gaacaacgca ttgcagaaga gaaagctaag agacccaaac aggaacgcaa ggatgaggat  
240

gatgaaaatg gcccaaagcc aaacagtgac ttggaagcag gaaaatctct tccatttatt  
300

tatggagaca ttctccaga gatgggtgtca gtgcccttg aggatctgga cccctactat  
360

atcaataaga aaacgtttat agtattgaat aaagggaaag caatctctcg attcagtgcc  
420

accctgccc ttacatttt aactcccttc aaccctatta gaaaattagc tattaagatt  
480

ttggtacatt ctttattcaa tatgctcatt atgtgcacga ttcttacc aa ctgtgtat  
540

atgaccatga gtaaccctcc agactggaca aagaatgtgg agtatacctt tacaggaatt  
600

tatacttttg aatcacttat taaaatactt gcaaggggct ttgttttaga agatttcaca  
660

tttttacggg atccatggaa ttggttggat ttcacagtca ttacttttgc atatgtgaca  
720

gagtttgtgg acctgggcaa tgtctcagcg ttgagaacat tcagagttct ccgagcattg  
780

aaaacaattt cagtcattcc aggcctgaag accattgtgg gggccctgat ccagtcagtg  
840

aagaagcttt ctgatgtcat gatcttgact gtgttctgtc taagcgtgtt tgcgctaata

SequencesSSCPre-file7August03.ST25.txt

900

ggattgcagt tgttcatggg caacctacga aataaatggt tgcaatggcc tccagataat  
960

tcttcctttg aaataaatat cacttccttc tttacaatt cattggatgg gaatggtact  
1020

actttcaata ggacagtgg catatttaac tgggatgaat atattgagga taaaagtcac  
1080

ttttatTTTT tagaggggca aatgatgct ctgctttgtg gcaacagctc agatgcaggc  
1140

cagtgtcctg aaggatacat ctgtgtgaag gctggtagaa accccaacta tggctacacg  
1200

agctttgaca cctttagtgg ggcctttttg tcttatttc gtctcatgac tcaagacttc  
1260

tgggaaaacc tttatcaact gacactacgt gctgctggga aaacgtacat gatatttttt  
1320

gtgctgggtca ttttcttggg ctcatctat ctaataaatt tgatcttggc tgtggtggcc  
1380

atggcctatg aggaacagaa tcaggccaca ttggaagagg ctgaacagaa ggaagctgaa  
1440

tttcagcaga tgctcgaaca gttgaaaaag caacaagaag aagctcaggc ggcagctgca  
1500

gccgcatctg ctgaatcaag agacttcagt ggtgctgggt ggataggagt tttttcagag  
1560

agttcttcag tagcatctaa gttgagctcc aaaagtgaag aagagctgaa aaacagaaga  
1620

aagaaaaaga aacagaaaga acagtctgga gaagaagaga aaaatgacag agtcctaaaa  
1680

tcggaatctg aagacagcat aagaagaaaa ggtttccgtt tttccttggga aggaagtagg  
1740

ctgacatatg aaaagagatt ttcttctcca caccagtcct tactgagcat ccgtggctcc  
1800

cttttctctc caagacgcaa cagtagggcg agccttttca gcttcagagg tcgagcaaag  
1860

gacattggct ctgagaatga ctttgctgat gatgagcaca gcacctttga ggacaatgac  
1920

agccgaagag actctctgtt cgtgccgcac agacatggag aacggcgcca cagcaatgtc  
1980

SequencesSSCPre-file7August03.ST25.txt

agccaggcca gccgtgcctc caggggtgctc cccatcctgc ccatgaatgg gaagatgcat  
2040

agcgctgtgg actgcaatgg tgtgggtctcc ctggtcgggg gcccttctac cctcacatct  
2100

gctgggcagc tcctaccaga gggcacaact actgaaacag aaataagaaa gagacgggtcc  
2160

agttcttata atgtttccat ggattttattg gaagatccta catcaaggca aagagcaatg  
2220

agtatagcca gtattttgac caacaccatg gaagaacttg aagaatccag acagaaatgc  
2280

ccaccatgct ggtataaatt tgctaataatg tgtttgattt gggactgttg taaaccatgg  
2340

ttaaagggtga aacaccttgt caacctgggt gtaatggacc catttggtga cctggccatc  
2400

accatctgca ttgtcttaaa tacactcttc atggctatgg agcactatcc catgacggag  
2460

cagttcagca gtgtactgtc tgttggaaac ctggctctca cagggatctt cacagcagaa  
2520

atgtttctca agataattgc catggatcca tattattact ttcaagaagg ctggaatatt  
2580

tttgatgggt ttattgtgag ccttagttta atggaacttg gtttggcaaa tgtggaagga  
2640

ttgtcagttc tccgatcatt ccggctgctc cgagttttca agttggcaaa atcttggcca  
2700

actctaaata tgctaattaa gatcattggc aattctgtgg gggctctagg aaacctcacc  
2760

ttgggtattgg ccatcatcgt ctccattttt gctgtgggtc gcatgcagct ctttggtaag  
2820

agctacaaag aatgtgtctg caagatttcc aatgattgtg aactcccacg ctggcacatg  
2880

catgactttt tccactcctt cctgatcgtg ttccgcgtgc tgtgtggaga gtggatagag  
2940

accatgtggg actgtatgga ggtcgctggc caaaccatgt gccttactgt cttcatgatg  
3000

gtcatgggtga ttggaaatct agtggttctg aacctcttct tggccttgct tttgagttcc  
3060

SequencesSSCPre-file7August03.ST25.txt

ttcagttctg acaatcttgc tgccactgat gatgataacg aaatgaataa tctccagatt  
3120

gctgtgggaa ggatgcagaa aggaatcgat tttgttaaaa gaaaaatacg tgaatttatt  
3180

cagaaagcct ttgttaggaa gcagaaagct ttagatgaaa ttaaaccgct tgaagatcta  
3240

aataataaaa aagacagctg tatttccaac cataccacca tagaaatagg caaagacctc  
3300

aattatctca aagacggaaa tggaactact agtggcatag gcagcagtgt agaaaaatat  
3360

gtcgtggatg aaagtgatta catgtcattt ataaacaacc ctagcctcac tgtgacagta  
3420

cgaattgctg ttggagaatc tgactttgaa aatttaaata ctgaagaatt cagcagcgag  
3480

tcagatatgg aggaaagcaa agagaagcta aatgcaacta gttcatctga aggcagcacg  
3540

gttgatattg gagctcccgc cgaggagaa cagcctgagg ttgaacctga ggaatccctt  
3600

gaacctgaag cctgtttttac agaagactgt gtacggaagt tcaagtgttg tcagataagc  
3660

atagaagaag gcaaagggaa actctggtgg aatttgagga aaacatgcta taagatagtg  
3720

gagcacaatt ggttcgaaac cttcattgtc ttcattgatc tgctgagcag tggggctctg  
3780

gcctttgaag atatatacat tgagcagcga aaaaccatta agaccatggt agaatatgct  
3840

gacaagggtt tcacttacat attcattctg gaaatgctgc taaagtgggt tgcattatggt  
3900

tttcaagtgt attttaccaa tgccctgggtc tggctagact tcttgattgt tgatgtctca  
3960

ctggttagct taactgcaaa tgccttgggt tactcagaac ttggtgccat caaatccctc  
4020

agaacactaa gagctctgag gccactgaga gctttgtccc ggtttgaagg aatgagggtt  
4080

gttgtaaagt ctcttttagg agccattcca tctatcatga atgtacttct ggtttgtctg  
4140

atcttttggc taatattcag tatcatggga gtgaatctct ttgctggcaa gttttaccat

SequencesSSCPre-file7August03.ST25.txt

4200

tgtattaatt acaccactgg agagatgttt gatgtaagcg tgggtcaacaa ctacagtgag  
4260

tgcaaagctc tcattgagag caatcaaact gccagggtgga aaaatgtgaa agtaaacttt  
4320

gataacgtag gacttggata tctgtctcta cttcaagtag ccacgtttta gggatggatg  
4380

gatattatgt atgcagctgt tgattcacga aatgtagaat tacaacccaa gtatgaagac  
4440

aacctgtaca tgtatcttta ttttgtcacc tttattatct ttgggttcatt ctttaccttg  
4500

aatcttttca ttgggtgtcat catagataac ttcaaccaac agaaaaagaa gtttggagggt  
4560

caagacattt ttatgacaga agaacagaag aaatactaca atgcaatgaa aaaactgggt  
4620

tcaaagaaac cacaaaaacc catacctcga cctgctaaca aattccaagg aatgggtcttt  
4680

gattttgtaa ccaaacaagt ctttgatata agcatcatga tcctcatctg ccttaacatg  
4740

gtcaccatga tgggtggaaac cgatgaccag agtcaagaaa tgacaaacat tctgtactgg  
4800

attaatctgg tgtttattgt tctgttcact ggagaatgtg tgctgaaact gatctctctt  
4860

cgttactact atttcactat tggatggaat atttttgatt ttgtgggtgggt cattctctcc  
4920

attgtaggaa tgtttctggc tgaactgata gaaaagtatt ttgtgtcccc taccctgttc  
4980

cgagtgatcc gtcttgccag gattggccga atcctacgtc tgaacaaagg agcaaagggg  
5040

atccgcacgc tgctctttgc tttgatgatg tcccttcctg cgttgtttta catcggcctc  
5100

cttcttttcc tgggtcatgtt catctacgcc atctttggga tgtccaattt tgcctatgtt  
5160

aagaggggaag ttgggatcga tgacatgttc aactttgaga cctttggcaa cagcatgac  
5220

tgctgttcc aaattacaac ctctgctggc tgggatggat tgctagcacc tattcttaat  
5280



SequencesSSCPre-file7August03.ST25.txt

agtggacctc cagactgtga ccctgacaaa gatcacctg gaagctcagt taaaggagac  
5340

tgtgggaacc catctgttgg gattttcttt tttgtcagtt acatcatcat atccttcctg  
5400

gttgtgctga acatgtacat cgcggtcac ctggagaact tcagtgttgc tactgaagaa  
5460

agtgcagagc ctctgagtga ggatgacttt gagatgttct atgaggtttg ggagaagttt  
5520

gatcccgatg cgaccaggt tatagagttt gccaaacttt ctgattttgc agatgccctg  
5580

gatcctcctc ttctcatagc aaaacccaac aaagtccagc tcattgccat ggatctgccc  
5640

atggtgagtg gtgaccggat ccactgtctt gacatcttat ttgcttttac aaagcgtgtt  
5700

ttgggtgaga gtggagagat ggatgccctt cgaatacaga tggaagagcg attcatggca  
5760

tcaaaccctt ccaaagtctc ttatgagccc attacgacca cgttgaaacg caaacaagag  
5820

gaggtgtctg ctattattat ccagagggct tacagacgct acctcttgaa gcaaaaagtt  
5880

aaaaaggtat caagtatata caagaaagac aaaggcaaag aatgtgatgg aacacccatc  
5940

aaagaagata ctctcattga taaactgaat gagaattcaa ctccagagaa aaccgatatg  
6000

acgccttcca ccacgtctcc acctcgtat gatagtgtga ccaaaccaga aaaagaaaaa  
6060

tttgaaaaag acaaatcaga aaaggaagac aaagggaaag atatcagga aagtaaaaag  
6120

taaaaagaaa ccaagaattt tccattttgt gatcaattgt ttacagcccg tgatgggtgat  
6180

gtgtttgtgt caacaggact cccacaggag gtctatgcca aactgactgt ttttaciaat  
6240

gtatacttaa ggtcagtgcc tataacaaga cagagacctc tggtcagcaa actggaactc  
6300

agtaaactgg agaaatagta tcgatggg  
6328

SequencesSSCPre-file7August03.ST25.txt

<210> 9  
<211> 238  
<212> DNA  
<213> Homo sapiens

<400> 9  
gtggaactcc agcctaagta tgaagaaagt ctgtacatgt atctttactt tgttattttc  
60  
atcatctttg ggtccttctt caccttgaac ctgtttattg gtgtcatcat agataatttc  
120  
aaccagcaga aaaagaagat aagtatttct aatattttct ctcccactga aatagaaaat  
180  
tattccttgg agtgttttct ctgccaaatg agtacttgaa tttagaaaca aaatggga  
238

<210> 10  
<211> 373  
<212> DNA  
<213> Homo sapiens

<400> 10  
gcctgaagac cattgtgggg gccctgatcc agtcagtgaa gaagctttct gatgtcatga  
60  
tcttgactgt gttctgtcta agcgtgtttg cgctaataagg attgcagttg ttcattggga  
120  
acctacgaaa taaatgtttg caatggcctc cagataattc ttcctttgaa ataaatatca  
180  
cttccttctt taacaattca ttggatggga atggtactac tttcaatagg acagtgagca  
240  
tatttaactg ggatgaatat attgaggata aaagtaagat atactctata aaccattaag  
300  
ttgtttagtt ctctaaatat taaatattat ataaaatgga aattatctca atttagatgt  
360  
gaatcaagtg act  
373

<210> 11  
<211> 274  
<212> DNA  
<213> Homo sapiens

<400> 11  
taggcacctg ataagagctt gcacgttttc cttttttaag aaatcgtcaa ttagagactg

SequencesSSCPre-file7August03.ST25.txt

60

tttctgatca taaaatttaa tagaattttt tgacttacag gcctttgaag atatatacat  
120

tgagcagcga aaaaccatta agaccatggt agaatatgct gacaagggtt tcacttacat  
180

attcattctg gaaatgctgc taaagtgggt tgcatatggt tttcaagtgt attttaccaa  
240

tgccctgggtgc tggctagact tcttgattgt tgat  
274

<210> 12  
<211> 154  
<212> DNA  
<213> Homo sapiens

<400> 12  
gtattgaata catgtcaaat agaattttga tcaattattc aatttatatt ctaaaattat  
60

aattttgggg aaaaagaaaa tgatatgact tttcttacag gccacgttta agggatggat  
120

ggatattatg tatgcagctg ttgattcacg aaat  
154

<210> 13  
<211> 219  
<212> DNA  
<213> Homo sapiens

<400> 13  
ttacagggca atatttataa ataatgggtt tactttttctc ttaaaatatt cttaatatat  
60

attctaagtt ttattttatg tgttgtgttt tctttttcag acgtttatag tattgaataa  
120

agggaaagca atctctcgat tcagtgccac ccctgccctt tacatttttaa ctcccttcaa  
180

ccctattaga aaattagcta ttaagatttt ggtacattc  
219

<210> 14  
<211> 242  
<212> DNA  
<213> Homo sapiens

SequencesSSCPre-file7August03.ST25.txt

<400> 14

gtgcctgtat aaaacagaca ttggcatata ttaaaacagg aaaaccaatt agcagacttg  
60

ccgttattga cttcctttct ttcctctaac ctaattacag ccagtgtcct gaaggataca  
120

tctgtgtgaa ggctggtaga aaccccaact atggctacac gagctttgac accttttagtt  
180

gggccttttt gtccttattt cgtctcatga ctcaagactt ctgggaaaac ctttatcaac  
240

tg  
242

<210> 15

<211> 388

<212> DNA

<213> Homo sapiens

<400> 15

gcggcagctg cagccgcac tcgtgaatca agagacttca gtgggtgctgg tgggatagga  
60

gttttttcag agagttcttc agtagcatct aagttgagct ccaaaagtga aaaagagctg  
120

aaaaacagaa gaaagaaaaa gaaacagaaa gaacagtctg gagaagaaga gaaaaatgac  
180

agagtcctaa aatcggaatc tgaagacagc ataagaagaa aaggtttccg tttttccttg  
240

gaaggaagta ggctgacata tgaaaagaga ttttcttctc cacaccaggt aaaaatatta  
300

aattacatga attgtgttct cataaatttt ttaaaagaat atgccagaat ttaatggaga  
360

gaaaaccgcc ttccacctgg atggcaca  
388

<210> 16

<211> 445

<212> DNA

<213> Homo sapiens

<400> 16

aagtcaatga ctatgacaca atgaatcaaa ttctgttttt cagaatgcc a gctcttaact  
60

ctcttcatct catttttggt tcttttcttg ttattcatag tccttactga gcatccgtgg

SequencesSSCPre-file7August03.ST25.txt

120

ctcccttttc tctccaagac gcaacagtag ggcgagcctt ttcagcttca gaggtcgagc  
180

aaaggacatt ggctctgaga atgactttgc tgatgatgag cacagcacct ttgaggacaa  
240

tgacagccga agagactctc tgttcgtgcc gcacagacat ggagaacggc gccacagcaa  
300

tgtcagccag gccagccgtg cctccagggt gctccccatc ctgcccata ga atgggaagat  
360

gcatagcgt gtggactgca atggtgtggt ctccctgggc gggggccctt ctaccctcac  
420

atctgctggg cagctcctac cagag  
445

<210> 17  
<211> 221  
<212> DNA  
<213> Homo sapiens

<400> 17  
aaatgcatac agaagatggg gggggggcat acctaattaa tttttatatt tagattaaag  
60

aaaataatta aatgtgtttt tttgtgggat tgattttcag aagctaaatg caactagttc  
120

atctgaaggc agcacggttg atattggagc tcccgccgag ggagaacagc ctgaggttga  
180

acctgaggaa tcccttgaac ctgaagcctg ttttacagaa g  
221

<210> 18  
<211> 221  
<212> DNA  
<213> Homo sapiens

<400> 18  
aaaatgcata cagaagatgg gggggggcac acctaattaa tttttatatt tagattaaag  
60

aaaataatta aatgtgtttt tttgtgggat tgattttcag aagctaaatg caactagttc  
120

atctgaaggc agcacggttg atattggagc tcccgccgag ggagaacagc ctgaggttga  
180

SequencesSSCPre-file7August03.ST25.txt  
acctgaggaa tcccttgaac ctgaagcctg ttttacagaa g  
221

<210> 19  
<211> 221  
<212> DNA  
<213> Homo sapiens

<400> 19  
aatgcataca gaagatgggg gggggggcac acctaattaa tttttatatt tagattaaag  
60

aaaataatta aatgtgtttt tttgtgggat tgattttcag aagctaaatg caactagttc  
120

atctgaaggc agcacggttg atattggagc tcccgccgag ggagaacagc ctgaggttga  
180

acctgaggaa tcccttgaac ctgaagcctg ttttacagaa g  
221

<210> 20  
<211> 1679  
<212> DNA  
<213> Homo sapiens

<400> 20  
gggagctgtg gcgcggagcg gcccctctgc tgcgtctgcc ctggttttgt ctcacgactc  
60

acactcagtg ctccattccc caagagttcg cgttccccgc gcggcggtcg agaggcggtc  
120

gcccgcggtc ccgcgcgggc gcggggcgat ggcgggcgcg gggtcagggc cccgcgcgct  
180

ccgcctgctg ctcttggtcc agctggtcgc gggggcgctg cggctagacc gggcgcggcg  
240

ggcggcgcgc agaggattat ctgaaccttc ttctattgca aaacatgaag atagtttgct  
300

taaggattta tttcaagact acgaaagatg ggttcgtcct gtggaacacc tgaatgacaa  
360

aataaaaaata aaatttggac ttgcaatatc tcaattgggtg gatgtggatg agaaaaatca  
420

gttaatgaca acaaacgtct ggttgaaaca ggaatggata gatgtaaaat taagatggaa  
480

ccctgatgac tatggtggaa taaaagttat acgtgttcct tcagactcct cgtggacacc  
540



SequencesSSCPre-file7August03.ST25.txt

agacatcatt ttgtttgata atgcagatgg acgttttgaa gggaccagta cgaaaacagt  
600  
catcaggtac aatggcactg tcacctggac tccaccggca aactacaaaa gttcctgtac  
660  
catagatgtc acgtttttcc catttgacct tcagaactgt tccatgaaat ttggttcttg  
720  
gacttatgat ggatcacagg ttgatataat tctagaggac caagatgtag acaagagaga  
780  
tttttttgat aatggagaat gggagattgt gagtgcaaca gggagcaaag gaaacagaac  
840  
cgacagctgt tgctgggtac cgtatgtcac ttactcattt gtaatcaagc gcctgcctct  
900  
cttttatacc ttgttcctta taataccctg tattgggctc tcatttttaa ctgtacttgt  
960  
cttctatctt ccttcaaagt aagggtgaaa gatttgtctc tgcacttcag tacttgtgtc  
1020  
tttgactgtc ttccttctgg ttattgaaga gatcatacca tcactttcaa aagtcatacc  
1080  
tctaattgga gagtatctgg tatttaccat gatttttgtg aactgtcaa ttatggtaac  
1140  
cgtcttcgct atcaacattc atcatcggtc ttcctcaaca cataatgcc a tggcgccttt  
1200  
ggtcgcgaag atatttcttc acacgcttcc caaactgctt tcatgagaa gtcatgtaga  
1260  
caggtacttc actcagaaag aggaaactga gagtggtagt ggaccaaagt cttctagaaa  
1320  
cacattggaa gctgcgctcg attctattcg ctacattaca acacacatca tgaaggaaaa  
1380  
tgatgtccgt gaggttggtg aagattggaa attcatagcc caggttcttg atcggatgtt  
1440  
tctgtggact tttcttttctg tttcaattgt tggatctctt gggctttttg ttctgttat  
1500  
ttataaatgg gcaaataat taataccagt tcatattgga aatgcaaata agtgaagcct  
1560  
ccaaggggac tgaagtatac atttagttaa cacacatata tctgatggca cctataaaat  
1620

SequencesSSCPre-file7August03.ST25.txt  
tatgaaaatg taagttatgt gttaaattta gtgcaagctt taacagacta agttgctaa  
1679

<210> 21  
<211> 2664  
<212> DNA  
<213> Homo sapiens

<400> 21  
gagagaacag cgtgagcctg tgtgcttgtg tgctgagccc tcatcccctc ctggggccag  
60  
gcttggggtt cacctgcaga atcgcttgtg ctgggctgcc tgggctgtcc tcagtggcac  
120  
ctgcatgaag ccgttctggc tgccagagct ggacagcccc aggaaaacc acctctctgc  
180  
agagcttgcc cagctgtccc cgggaagcca aatgcctctc atgtaagtct tctgctcgac  
240  
ggggtgtctc ctaaaccctc actcttcagc ctctgtttga ccatgaaatg aagtgactga  
300  
gctctattct gtacctgcca ctctatttct ggggtgactt ttgtcagctg cccagaatct  
360  
ccaagccagg ctgggtctct gcaccccttc aatgacctgt tttcttctgt aaccacaggt  
420  
tcgggtggtga gaggaagcct cgcagaatcc agcagaatcc tcacagaatc cagcagcagc  
480  
tctgctgggg acatgggtcca tgggtgcaacc cacagcaaag ccctgacctg acctctgat  
540  
gctcaggaga agccatgggc cctcctgtc ctgtgttctt gtccttcaca aagctcagcc  
600  
tgtggtggct ccttctgacc ccagcaggtg gagaggaagc taagcgccca cctcccaggg  
660  
ctcctggaga cccactctcc tctcccagtc ccacggcatt gccgcaggga ggctcgcata  
720  
ccgagactga ggaccggctc ttcaaacc accctccgggg ctacaaccgc tgggcgcgcc  
780  
cggtgcccaa cacttcagac gtgggtgattg tgcgcttttg actgtccatc gctcagctca  
840  
tcgatgtgga tgagaagaac caaatgatga ccaccaacgt ctggctaaaa caggagtgga  
900

SequencesSSCPre-file7August03.ST25.txt

gcgactacaa actgcgctgg aacccactg attttggcaa catcacatct ctcaggggtcc  
960

cttctgagat gatctggatc cccgacattg ttctctacaa caatgcagat ggggagtttg  
1020

cagtgaacca catgaccaag gccacactct tctccacggg cactgtgcac tgggtgcccc  
1080

cggccatcta caagagctcc tgcagcatcg acgtcacctt cttccccctc gaccagcaga  
1140

actgcaagat gaagtttggc tcctggactt atgacaaggc caagatcgac ctggagcaga  
1200

tggagcagac tgtggacctg aaggactact gggagagcgg cgagtgggcc atcgtcaatg  
1260

ccacggggcac ctacaacagc aagaagtacg actgctgcgc cgagatctac cccgacgtca  
1320

cctacgcctt cgtcatccgg cggctgccgc tttctacac catcaacctc atcatccct  
1380

gcctgctcat ctctgcctc actgtgctgg tttctacct gccctccgac tgcggcgaga  
1440

agatcacgct gtgcatttcg gtgctgctgt cactcacctt cttctgctg ctcactactg  
1500

agatcatccc gtccacctcg ctggtcacct cgctcatcgg cgagtacctg ctgttcacca  
1560

tgatcttcgt caccctgtcc atcgtcatca ccgtcttcgt gctcaatgtg caccaccgt  
1620

ccccagcac ccacaccatg cccactggg tgcggggggc cttctgggc tgtgtgcccc  
1680

ggtggcttct gatgaaccgg cccccaccac ccgtggagct ctgccacccc ctacgcctga  
1740

agctcagccc ctcttatcac tggctggaga gcaacgtgga tgccgaggag agggaggtgg  
1800

tgggtggagga ggaggacaga tgggcatgtg caggatcatgt ggccccctct gtgggcaccc  
1860

tctgcageca cggccacctg cactctgggg cctcaggtcc caaggctgag gctctgctgc  
1920

aggagggtga gctgctgcta tcaccccaca tgcagaaggc actggaaggc gtgcactaca  
1980

ttgccgacca cctgcggtct gaggatgctg actcttcggt gaaggaggac tggaagtatg

SequencesSSCPre-file7August03.ST25.txt

2040

ttgccatggt catcgacagg atcttcctct ggctgtttat catcgtctgc ttcctgggga  
2100  
ccatcggcct ctttctgcct ccgttcctag ctggaatgat ctgactgcac ctccctcgag  
2160  
ctggctccca gggcaaaggg gagggttctt ggatgtggaa gggctttgaa caatgtttag  
2220  
atttgagat gagcccaaag tgccagggag aacagccagg tgaggtggga ggttggagag  
2280  
ccaggtgagg tctctctaag tcaggctggg gttgaagttt ggagtctgtc cgagtttgca  
2340  
gggtgctgag ctgtatggtc cagcagggga gtaataaggg ctcttcgga aggggaggaa  
2400  
gcgggaggca ggcctgcacc tgatgtggag gtacaggcag atcttccta ccggggaggg  
2460  
atggatggtt ggatacaggt ggctgggcta ttccatccat ctggaagcac atttgagcct  
2520  
ccaggcttct ccttgacgtc attcctctcc ttccttgctg caaatggct ctgcaccagc  
2580  
cggccccag gaggtctggc agagctgaga gccatggcct gcaggggctc catatgtccc  
2640  
tacgcgtgca gcaggcaaac aaga  
2664

<210> 22  
<211> 3020  
<212> DNA  
<213> Homo sapiens

<400> 22  
gtcctcccgc gggtcagagg gcgctggaaa cccagcggcg gcgaagcgga gaggagcccc  
60  
gcgcgtctcc gcccgacagg ctccaggtct ggggtctgcg ctggagccgc gcggggagag  
120  
gccgtctctg cgaccgccgc gcccgctccc gaccgtccgg gtccgcggcc agcccggcca  
180  
ccagccatgg gctctggccc gctctcgctg cccctggcgc tgcgcgcgc gcggctgctg  
240  
ctgctgctgc tgctgtctct gctgccagtg gccagggcct cagaggctga gcaccatcta

SequencesSSCPre-file7August03.ST25.txt

300

tttgagcggc tgtttgaaga ttacaatgag atcatccggc ctgtagccaa cgtgtctgac  
360

ccagtcacaa tccatttcga ggtgtccatg tctcagctgg tgaagggtga tgaagtaaac  
420

cagatcatgg agaccaacct gtgggtcaag caaatctgga atgactacaa gctgaagtgg  
480

aaccctctg actatgggtg ggcagagttc atgcgtgtcc ctgcacagaa gatctggaag  
540

ccagacattg tgctgtataa caatgctggt ggggatttcc aggtggacga caagaccaaa  
600

gccttactca agtacactgg ggaggtgact tggatacctc cggccatctt taagagctcc  
660

tgtaaaatcg acgtgaccta cttcccgttt gattaccaaa actgtaccat gaagtccggt  
720

tcctggctct acgataaggc gaaaatcgat ctggctcctga tcggctcttc catgaacctc  
780

aaggactatt gggagagcgg cgagtgggccc atcatcaaag ccccaggcta caaacacgac  
840

atcaagtaca actgctgcga ggagatctac cccgacatca catactcgct gtacatccgg  
900

cgctgacct tggtctacac catcaacctc atcatccctt gcctgctcat ctccttcctc  
960

actgtgctcg tcttctacct gccctccgac tgcgggtgaga aggtgacctt gtgcatttct  
1020

gtcctcctct cctgacgggt gtttctcctg gtgatcactg agaccatccc ttccacctcg  
1080

ctggctatcc cctgattgg agagtacctc ctgttcacca tgatttttgt aaccttgctc  
1140

atcgtcatca ccgtcttcgt gctcaacgtg cactacagaa ccccgacgac acacacaatg  
1200

ccctcatggg tgaagactgt attcttgaac ctgctcccca gggctcatgt catgaccagg  
1260

ccaacaagca acgagggcaa cgctcagaag ccgaggcccc tctacgggtgc cgagctctca  
1320

aatctgaatt gcttcagccg cgcagagtcc aaaggctgca aggagggcta ccctgccag  
1380

SequencesSSCPre-file7August03.ST25.txt

gacgggatgt gtggttactg ccaccaccgc aggataaaaa tctccaattt cagtgcctaac  
1440

ctcagcagaa gctctagttc tgaatctgtt gatgctgtgc tgtccctctc tgctttgtca  
1500

ccagaaatca aagaagccat ccaaagtgtc aagtatatgt ctgaaaatat gaaagcacia  
1560

aatgaagcca aagagattca agatgattgg aagtatgttg ccatgggtgat tgatcgtatt  
1620

tttctgtggg ttttcaccct ggtgtgcatt ctagggacag caggattgtt tctgcaaccc  
1680

ctgatggcca gggaagatgc ataagcacta agctgtgtgc ctgcctggga gacttccttg  
1740

tgtcagggca ggaggaggct gcttcctagt aagaacgtac tttctgttat caagctacca  
1800

gctttgtttt tggcatttcg aggtttactt attttccact tatcttggaa tcatgcaaaa  
1860

aaaaaaatgt caagagtatt tattaccgat aatgaacat ttaactagcc tttttggtat  
1920

ggtaaagaga tgtcaaaatg tgattctatg tgattagtat gctatgctat ggaatataca  
1980

tgtaaaaatg tttcctttta gttgttgaaa caaaactgga tagaaaaatg ctgttcagaa  
2040

atatgaaaag tcattcagtt atcactacag atctcccagt aatttttctt atttagccca  
2100

taatctcttt gaaggtttat actaattcag caatccccca tcgttaccca tttcttacca  
2160

tgcatttctc gttctttact ggttctaaag ggctatgcct ccatttcaga gagcttcaac  
2220

tacttctctt gcatacttct aaattatact atgagaaatc atgcctagtt attcattggt  
2280

aatataactg tcttagtaca ccataaactg ggtggattat aaacaacaga aacttctcag  
2340

ttttggaggt tgggaggtcc aagggtcaagg caccagcaaa tttgggtgtct ggtgagggtc  
2400

ctcttctca aagggtgcct tctagctgtg tcttcacatg actgaaggga ctagctatct  
2460

SequencesSSCPre-file7August03.ST25.txt

ctgtggggtc tattttataa gggcactaac cccattcatg agagcagagc ccccatggcc  
2520

taatcacctt tccaaggccc caccttctat ctaagacaat cacgctggga ataggtttca  
2580

acatatgaat tggggggagga cacatttgga ccacagcatg aacctttaga acagggtttc  
2640

tcagccttag cactacggac attttgggct ggataaatat gtgttggtac agaatggggg  
2700

tatcctgtgc attgtaggat ctttagcagt accctagcct caactcacta gatgccaatg  
2760

acataccttg cttcttcacc agttatgata accaagaatg tctccattgt taaatgtccc  
2820

cttaggagca aaattgcccc tggttgagaa acattgcttt agacaaattg ttaagagtat  
2880

catgtactac acttctgaaa cttaacgtga tcatcaccac tgacagatga ttcacagaga  
2940

gagactgttt gaatcttgtc tcactagttt ttctgtgca aaaataaaat ggacagaatt  
3000

gcaaaaaaaaa aaaaaaaaaa  
3020

<210> 23  
<211> 2664  
<212> DNA  
<213> Homo sapiens

<400> 23  
gagagaacag cgtgagcctg tgtgcttgtg tgctgagccc tcatccctc ctggggccag  
60

gcttgggttt cacctgcaga atcgcttgtg ctgggctgcc tgggctgtcc tcagtggcac  
120

ctgcatgaag ccgttctggc tgccagagct ggacagcccc aggaaaaccc acctctctgc  
180

agagcttgcc cagctgtccc cggaagcca aatgcctctc atgtaagtct tctgctcgac  
240

ggggtgtctc ctaaaccctc actcttcagc ctctgtttga ccatgaaatg aagtgactga  
300

gctctattct gtacctgcca ctctatttct ggggtgactt ttgtcagctg cccagaatct  
360



SequencesSSCPre-file7August03.ST25.txt

ccaagccagg ctggttctct gcatcctttc aatgacctgt tttcttctgt aaccacaggt  
420

tgggtggtga gaggaagcct cgcagaatcc agcagaatcc tcacagaatc cagcagcagc  
480

tctgctgggg acatgggtcca tgggtgcaacc cacagcaaag ccctgacctg acctcctgat  
540

gctcaggaga agccatgggc ccctcctgtc ctgtgttctt gtccttcaca aagctcagcc  
600

tgtgggtggct ccttctgacc ccagcaggtg gagaggaagc taagcgccca cctcccaggg  
660

ctcctggaga cccactctcc tctcccagtc ccacggcatt gccgcaggga ggctcgcata  
720

ccgagactga ggaccggctc ttcaaaccacc tcttccgggg ctacaaccgc tgggcgcgcc  
780

cgggtgcccc cacttcagac gtgggtgattg tgcgctttgg actgtccatc gctcagctca  
840

tcatgttga tgagaagaac caaatgatga ccaccaacgt ctggctaaaa caggagtga  
900

gcatataca actgcgctgg aaccccgctg attttggcaa catcacatct ctcagggtcc  
960

cttctgagat gatctggatc cccgacattg ttctctacaa caatgcagat ggggagtttg  
1020

cagtgacca catgaccaag gccacacctt tctccacggg cactgtgcac tgggtgcccc  
1080

cggccatcta caagagctcc tgcagcatcg acgtcacctt cttccccttc gaccagcaga  
1140

actgcaagat gaagtttggc tcctggactt atgacaaggc caagatcgac ctggagcaga  
1200

tggagcagac tgtggacctg aaggactact gggagagcgg cgagtggggc atcgtcaatg  
1260

ccacgggcac ctacaacagc aagaagtacg actgctgcgc cgagatctac cccgacgtca  
1320

cctacgcctt cgatcatcgg cggtgcccgc tcttctacac catcaacctc atcatccct  
1380

gcctgctcat ctctgcttc actgtgctgg tcttctacct gccctccgac tgcggcgaga  
1440

agatcacgct gtgcatttct gtgctgctgt cactcacctg cttcctgctg ctcactactg

SequencesSSCPre-file7August03.ST25.txt

1500

agatcatccc gtccacctcg ctggatcatcc cgctcatcgg cgagtacctg ctgttcacca  
1560

tgatcttcgt caccctgtcc atcgatcatca ccgtcttcgt gctcaatgtg caccaccgct  
1620

ccccagcac ccacaccatg cccactggg tgcggggggc ccttctgggc tgtgtgcccc  
1680

ggtggcttct gatgaaccgg cccccaccac ccgtggagct ctgccacccc ctacgcctga  
1740

agctcagccc ctcttatcac tggctggaga gcaacgtgga tgccgaggag agggaggtgg  
1800

tgggtggagga ggaggacaga tgggcatgtg caggatcatgt ggccccctct gtgggcaccc  
1860

tctgcagcca cggccacctg cactctgggg cctcaggctcc caaggctgag gctctgctgc  
1920

aggaggggtga gctgctgcta tcaccccaca tgcagaaggc actggaagggt gtgcactaca  
1980

ttgccgacca cctgcgggtct gaggatgctg actcttcggt gaaggaggac tggaagtatg  
2040

ttgccatggt catcgacagg atcttctctt ggctgtttat catcgtctgc ttcttgggga  
2100

ccatcggcct ctttctgcct ccgttcctag ctggaatgat ctgactgcac ctccctcgag  
2160

ctggctccca gggcaaaggg gagggttctt ggatgtggaa gggctttgaa caatgttttag  
2220

atttgagat gagcccaaag tgccaggag aacagccagg tgagggtggga ggttgagag  
2280

ccagggtgagg tctctctaag tcaggctggg gttgaagttt ggagtctgtc cgagtttgca  
2340

gggtgctgag ctgtatggtc cagcaggga gtaataaggc ctcttccgga aggggaggaa  
2400

gcgggaggca ggcctgcacc tgatgtggag gtacaggcag atcttcccta ccggggaggg  
2460

atggatggtt ggatacagggt ggctgggcta ttccatccat ctggaagcac atttgagcct  
2520

ccaggcttct ccttgacgtc attcctctcc ttcttggctg caaatggct ctgcaccagc  
2580

SequencesSSCPre-file7August03.ST25.txt

cggccccag gaggtctggc agagctgaga gccatggcct gcaggggctc catatgtccc  
2640

tacgcgtgca gcaggcaaac aaga  
2664

<210> 24  
<211> 2664  
<212> DNA  
<213> Homo sapiens

<400> 24  
gagagaacag cgtgagcctg tgtgcttgtg tgctgagccc tcatcccctc ctgggggccag  
60

gcttgggttt cacctgcaga atcgcttgtg ctgggctgcc tgggctgtcc tcagtggcac  
120

ctgcatgaag ccgttctggc tgccagagct ggacagcccc aggaaaaccc acctctctgc  
180

agagcttgcc cagctgtccc cgggaagcca aatgcctctc atgtaagtct tctgctcgac  
240

ggggtgtctc ctaaaccctc actcttcagc ctctgtttga ccatgaaatg aagtgactga  
300

gtctattct gtacctgcca ctctatttct ggggtgactt ttgtcagctg cccagaatct  
360

ccaagccagg ctggttctct gcattcttctc aatgacctgt tttcttctgt aaccacaggt  
420

tgggtggtga gaggaagcct cgcagaatcc agcagaatcc tcacagaatc cagcagcagc  
480

tctgctgggg acatgggtcca tgggtgcaacc cacagcaaag ccctgacctg acctcctgat  
540

gctcaggaga agccatgggc ccctcctgtc ctgtgttctt gtcttctaca aagctcagcc  
600

tgtggtggct ccttctgacc ccagcaggtg gagaggaagc taagcgccca cctcccaggg  
660

ctcctggaga cccactctcc tctcccagtc ccacggcatt gccgcaggga ggctcgcata  
720

ccgagactga ggaccggctc ttcaaaccac tcttccgggg ctacaaccgc tgggcgcgcc  
780

cggtgcccaa cacttcagac gtggtgattg tgcgctttgg actgtccatc gctcagctca  
840

SequencesSSCPre-file7August03.ST25.txt

ccagccatgg gctctggccc gctctcgctg cccctggcgc tgctcgccgcc gcggctgctg  
240

ctgctgctgc tgetgtctct gctgccagtg gccagggcct cagaggctga gcaccgtcta  
300

tttgagcggc tgtttgaaga ttacaatgag atcatccggc ctgtggccaa cgtgtctgac  
360

ccagtcatca tccatttcga ggtgtccatg tctcagctgg tgaaggctga tgaagtaaac  
420

cagatcatgg agaccaacct gtggctcaag caaatctgga atgactacaa gctgaagtgg  
480

aaccctctg actatggtgg ggcagagttc atgcgtgtcc ctgcacagaa gatctggaag  
540

ccagacattg tgctgtataa caatgctgtt ggggatttcc aggtggacga caagaccaaa  
600

gccttactca agtacactgg ggaggtgact tggatacctc cggccatctt taagagctcc  
660

tgtaaaatcg acgtgaccta cttcccgttt gattaccaa actgtaccat gaagtctggt  
720

tcctggctct acgataaggc gaaaatcgat ctggctctga tcggctcttc catgaacctc  
780

aaggactatt gggagagcgg cgagtgggcc atcatcaaag cccagggcta caaacacgac  
840

atcaagtaca actgctgcga ggagatctac cccgacatca catactcgct gtacatccgg  
900

gcctgcctt tggtctacac catcaacctc atcatccct gcctgctcat ctcttctc  
960

actgtgctcg tcttctacct gccctccgac tgcggtgaga aggtgacct gtgcatttct  
1020

gtcctcctct cctgacgggt gtttctctg gtgatcactg agaccatccc ttcacctcg  
1080

ctggctatcc cctgattgg agagtacctc ctgttcacca tgatttttgt aaccttgtcc  
1140

atcgtcatca ccgtcttctg gctcaacgtg cactacagaa ccccgacgac acacacaatg  
1200

ccctcatggg tgaagactgt attcttgaac ctgctcccca gggctcatgtt catgaccagg  
1260

ccaacaagca acgagggcaa cgctcagaag ccgaggcccc tctacgggtgc cgagctctca

SequencesSSCPre-file7August03.ST25.txt

1320

aatctgaatt gcttcagccg cgcagagtcc aaaggctgca aggagggcta cccctgccag  
1380

gacgggatgt gtggttactg ccaccaccgc aggataaaaa tctccaattt cagtgctaac  
1440

ctcacgagaa gctctagttc tgaatctgtt gatgctgtgc tgtccctctc tgctttgtca  
1500

ccagaaatca aagaagccat ccaaagtgtc aagtatattg ctgaaaatat gaaagcacia  
1560

aatgaagcca aagagattca agatgattgg aagtatgttg ccatgggtgat tgatcgtatt  
1620

tttctgtggg ttttcaccct ggtgtgcatt ctagggacag caggattggt tctgcaacc  
1680

ctgatggcca gggaagatgc ataagcacta agctgtgtgc ctgcctggga gacttccttg  
1740

tgtcagggca ggaggaggct gcttcctagt aagaacgtac tttctgttat caagctacca  
1800

gctttgtttt tggcatttcg aggtttactt attttccact tatcttggaa tcatgcaaaa  
1860

aaaaaaatgt caagagtatt tattaccgat aaatgaacat ttaactagcc tttttggtat  
1920

ggtaaagaga tgtcaaaatg tgattctatg tgattagtat gctatgctat ggaatataca  
1980

tgtaaaaatg tttcctttta gttgttgaaa caaaactgga tagaaaaatg ctgttcagaa  
2040

atatgaaaag tcattcagtt atcactacag atctcccagt aatttttctt atttagccca  
2100

taatctcttt gaaggtttat actaattcag caatccccca tcgttaccca tttcttacca  
2160

tgcatttctc gttcttttact gggctctaaag ggctatgcct ccatttcaga gagcttcaac  
2220

tacttctctt gcatacttct aaattatact atgagaaatc atgcctagtt attcattggt  
2280

aatataactg tcttagtaca ccataaactg ggtggattat aaacaacaga aacttctcag  
2340

ttttggaggt tgggaggtcc aagggtcaagg caccagcaaa tttgggtgtct ggtgagggtc  
2400

SequencesSSCPre-file7August03.ST25.txt

ctcttcctca aaggggtgcct tctagctgtg tcctcacatg actgaaggga ctagctatct  
2460

ctgtgggggc tattttataa gggcactaac cccattcatg agagcagagc ccccatggcc  
2520

taatcacctt tccaaggccc caccttctat ctaagacaat cacgctggga ataggtttca  
2580

acatatgaat tggggggagga cacatttgga ccacagcatg aacctttaga acagggtttc  
2640

tcagccttag cactacggac attttgggct ggataaatat gtgttggtac agaatggggg  
2700

tatcctgtgc attgtaggat ctttagcagt accctagcct caactcacta gatgccaatg  
2760

acataccttg cttcttcacc agttatgata accaagaatg tctccattgt taaatgtccc  
2820

cttaggagca aaattgcccc tgggtgagaa acattgcttt agacaaattg ttaagagtat  
2880

catgtactac acttctgaaa cttaacgtga tcatcaccac tgacagatga ttcacagaga  
2940

gagactgttt gaatcttgtc tcactagttt ttctgtgca aaaataaaat ggacagaatt  
3000

gcaaaaaaaaa aaaaaaaaaa  
3020

<210> 26  
<211> 3020  
<212> DNA  
<213> Homo sapiens

<400> 26  
gtcctcccgc ggggtccgagg gcgctggaaa ccagcggcg gcgaagcgga gaggagcccc  
60

gcgcgtctcc gcccgacagg ctccaggtct ggggtctgcg ctggagccgc gcggggagag  
120

gccgtctctg cgaccgccc gcccgctccc gaccgtccgg gtccgcggcc agcccggcca  
180

ccagccatgg gctctggccc gctctcgctg ccctggcgc tgcgcgcgc gcggctgctg  
240

ctgctgctgc tgcgtctct gctgccagt gccagggcct cagaggctga gcaccgtcta  
300

SequencesSSCPre-file7August03.ST25.txt

tttgagcggc tgtttgaaga ttacaatgag atcatccggc ctgtagccaa cgtgtctgac  
360

ccagtcacatca tccatttcga ggtgtccatg tctcagctgg tgaagggtgga tgaagtaaac  
420

cagatcatgg agaccaacct gtggctcaag caaatctgga atgactacaa gctgaaatgg  
480

aaccctctg actatgggtgg ggcagagttc atgcgtgtcc ctgcacagaa gatctggaag  
540

ccagacattg tgctgtataa caatgctgtt ggggatttcc aggtggacga caagaccaa  
600

gccttactca agtacactgg ggaggtgact tggatacctc cggccatctt taagagctcc  
660

tgtaaaatcg acgtgaccta cttcccgttt gattaccaaa actgtaccat gaagttcggt  
720

tcctggctct acgataaggc gaaaatcgat ctggctcctga tcggctcttc catgaacctc  
780

aaggactatt gggagagcgg cgagtgggcc atcatcaaag cccagggcta caaacacgac  
840

atcaagtaca actgctgcga ggagatctac cccgacatca catactcgct gtacatccgg  
900

cgctgcct tgttctacac catcaacctc atcatccct gcctgctcat ctccttctc  
960

actgtgctcg tcttctacct gccctccgac tgcggtgaga aggtgaccct gtgcatttct  
1020

gtctctctct cctgacgggt gtttctcctg gtgatcactg agaccatccc ttccacctcg  
1080

ctggtcaccc cctgattgg agagtacctc ctgttcacca tgatttttgt aaccttgctc  
1140

atcgtcatca ccgtcttcgt gctcaacgtg cactacagaa ccccgacgac acacacaatg  
1200

ccctcatggg tgaagactgt attcttgaac ctgctcccca gggtcatggt catgaccagg  
1260

ccaacaagca acgagggcaa cgctcagaag ccgaggcccc tctacgggtgc cgagctctca  
1320

aatctgaatt gcttcagccg cgcagagtcc aaaggctgca aggagggcta cccctgccag  
1380



SequencesSSCPre-file7August03.ST25.txt

gacgggatgt gtggttactg ccaccaccgc aggataaaaa tctccaattt cagtgcatac  
1440

ctcagagaa gctctagttc tgaatctgtt gatgctgtgc tgcctcttc tgctttgtca  
1500

ccagaaatca aagaagccat ccaaagtgtc aagtatatgt ctgaaaatat gaaagcacia  
1560

aatgaagcca aagagattca agatgattgg aagtatgttg ccatgggtgat tgatcgtatt  
1620

tttctgtggg ttttcacctt ggtgtgcatt ctagggacag caggattgtt tctgcaacc  
1680

ctgatggcca gggaagatgc ataagcacta agctgtgtgc ctgcctggga gacttccttg  
1740

tgtcagggca ggaggaggct gcttcctagt aagaacgtac tttctgttat caagctacca  
1800

gctttgtttt tggcatttcg aggtttactt attttccact tatcttggaa tcatgcaaaa  
1860

aaaaaaatgt caagagtatt tattaccgat aatgaacat ttaactagcc tttttggtat  
1920

ggtaaagaga tgtcaaaatg tgattctatg tgattagtat gctatgctat ggaatatata  
1980

tgtaaaaatg tttcctttta gttgttgaaa caaaactgga tagaaaaatg ctgttcagaa  
2040

atatgaaaag tcattcagtt atcactacag atctcccagt aatttttctt atttagccca  
2100

taatctcttt gaaggtttat actaattcag caatccccca tcgttaccca tttcttacca  
2160

tgcatttctc gttctttact ggtctaaag ggctatgcct ccatttcaga gagcttcaac  
2220

tacttctctt gcatacttct aaattatact atgagaaatc atgcctagtt attcattgtt  
2280

aatataactg tcttagtaca ccataaactg ggtggattat aaacaacaga aacttctcag  
2340

ttttggaggt tgggaggtcc aagggtcaagg caccagcaaa tttggtgtct ggtgagggtc  
2400

ctcttctca aagggtgcct tctagctgtg tcttcacatg actgaaggga ctagctatct  
2460

ctgtgggggc tattttataa gggcactaac cccattcatg agagcagagc ccccatggcc

SequencesSSCPre-file7August03.ST25.txt

2520

taatcacctt tccaaggccc caccttctat ctaagacaat cacgctggga ataggtttca  
2580

acatatgaat tgggggagga cacatttgga ccacagcatg aacctttaga acagggtttc  
2640

tcagccttag cactacggac attttgggct ggataaatat gtgttggtac agaatggggg  
2700

tatcctgtgc attgtaggat ctttagcagt accctagcct caactcacta gatgccaatg  
2760

acataccttg cttcttcacc agttatgata accaagaatg tctccattgt taaatgtccc  
2820

cttaggagca aaattgcccc tgggtgagaa acattgcttt agacaaattg ttaagagtat  
2880

catgtactac acttctgaaa cttaacgtga tcatcaccac tgacagatga ttcacagaga  
2940

gagactgttt gaatcttgtc tcactagttt ttcctgtgca aaaataaaat ggacagaatt  
3000

gcaaaaaaaaa aaaaaaaaaa  
3020

<210> 27  
<211> 3020  
<212> DNA  
<213> Homo sapiens

<400> 27  
gtcctcccgc ggggccgagg gcgctggaaa cccagcggcg gcgaagcgga gaggagcccc  
.60

gcgcgtctcc gcccgcacgg ctccaggtct ggggtctgcg ctggagccgc gcggggagag  
120

gccgtctctg cgaccgccgc gcccgctccc gaccgtccgg gtccgcggcc agcccggcca  
180

ccagccatgg gctctggccc gctctcgctg cccctggcgc tgctgcgcgc gcggctgctg  
240

ctgctgctgc tgctgtctct gctgccagtg gccagggcct cagaggctga gcaccgtcta  
300

tttgagcggc tgtttgaaga ttacaatgag atcatccggc ctgtagccaa cgtgtctgac  
360

ccagtcatca tccatttcga ggtgtccatg tctcagctgg tgaagggtgga tgaagtaaac

SequencesSSCPre-file7August03.ST25.txt

420

cagatcatgg agaccaacct gtggctcaag caaatctgga atgactacaa gctgaagtgg  
480

aaccctctg actatgggtgg ggcagagttc atgcgtgtcc ctgcacagaa aatctggaag  
540

ccagacattg tgctgtataa caatgctgtt ggggatttcc aggtggacga caagacaaa  
600

gccttactca agtacactgg ggaggtgact tggatacctc cggccatctt taagagctcc  
660

tgtaaaatcg acgtgaccta cttcccgttt gattaccaa actgtaccat gaagttcggg  
720

tectggctct acgataaggc gaaaatcgat ctggctctga tcggctcttc catgaacctc  
780

aaggactatt gggagagcgg cgagtgggccc atcatcaaag cccaggcta caaacacgac  
840

atcaagtaca actgctgcga ggagatctac cccgacatca catactcgtt gtacatccgg  
900

cgcctgcctt tggtctacac catcaacctc atcatccctt gcctgctcat ctcccttcctc  
960

actgtgctcg tcttctacct gccctccgac tgcggtgaga aggtgacctt gtgcatttct  
1020

gtctctctct ccctgacggg gtttctcttg gtgatcactg agaccatccc ttccacctcg  
1080

ctggctatcc ccctgattgg agagtacctc ctgttcacca tgatttttgt aaccttgtcc  
1140

atcgtcatca ccgtcttcgt gctcaacgtg cactacagaa ccccgacgac acacacaatg  
1200

ccctcatggg tgaagactgt attcttgaac ctgctcccca gggcatggtt catgaccagg  
1260

ccaacaagca acgagggcaa cgctcagaag ccgaggcccc tctacgggtgc cgagctctca  
1320

aatctgaatt gcttcagccg cgcagagtcc aaaggctgca aggagggcta cccctgccag  
1380

gacgggatgt gtggttactg ccaccaccgc aggataaaaa tctccaattt cagtgttaac  
1440

ctcagagaa gctctagttc tgaatctggt gatgctgtgc tgtccctctc tgetttgtca  
1500

SequencesSSCPre-file7August03.ST25.txt

ccagaaatca aagaagccat ccaaagtgtc aagtatatgt ctgaaaatat gaaagcacaa  
1560

aatgaagcca aagagattca agatgattgg aagtatgttg ccatgggtgat tgatcgtatt  
1620

tttctgtggg ttttcaccct ggtgtgcatt ctaggacag caggattgtt tctgcaacc  
1680

ctgatggcca gggaagatgc ataagcacta agctgtgtgc ctgcctggga gacttccttg  
1740

tgtcagggca ggaggaggct gcttcctagt aagaacgtac tttctgttat caagctacca  
1800

gctttgtttt tggcatttcg aggtttactt attttccact tatcttggaa tcatgcaaaa  
1860

aaaaaaatgt caagagtatt tattaccgat aaatgaacat ttaactagcc tttttggtat  
1920

ggtaaagaga tgtcaaaatg tgattctatg tgattagtat gctatgctat ggaatataca  
1980

tgtaaaaatg tttcctttta gttgttgaaa caaaactgga tagaaaaatg ctgttcagaa  
2040

atatgaaaag tcattcagtt atcactacag atctcccagt aatttttctt atttagccca  
2100

taatctcttt gaagggttat actaattcag caatccccca tcgttaccca tttcttacca  
2160

tgcatttctc gttctttact ggggtctaaag ggctatgcct ccatttcaga gagcttcaac  
2220

tacttctctt gcatacttct aaattatact atgagaaatc atgcctagtt attcattgtt  
2280

aatataactg tcttagtaca ccataaactg ggtggattat aaacaacaga aacttctcag  
2340

ttttggaggt tgggaggtcc aagggtcaagg caccagcaaa tttgggtgtct ggtgagggtc  
2400

cttttctca aagggtgcct tctagctgtg tcttcacatg actgaaggga ctagctatct  
2460

ctgtggggtc tattttataa gggcactaac cccattcatg agagcagagc ccccatggcc  
2520

taatcacctt tccaaggccc caccttctat ctaagacaat cacgctggga ataggtttca  
2580

SequencesSSCPre-file7August03.ST25.txt

acatatgaat tgggggagga cacatttgga ccacagcatg aacctttaga acagggtttc  
2640

tcagccttag cactacggac attttgggct ggataaatat gtggttggtac agaatggggg  
2700

tatcctgtgc attgtaggat ctttagcagt accctagcct caactcacta gatgccaatg  
2760

acataccttg cttcttcacc agttatgata accaagaatg tctccattgt taaatgtccc  
2820

cttaggagca aaattgcccc tgggtgagaa acattgcttt agacaaattg ttaagagtat  
2880

catgtactac acttctgaaa cttaacgtga tcatcaccac tgacagatga ttcacagaga  
2940

gagactgttt gaatcttgtc tcactagttt ttctgtgca aaaataaaat ggacagaatt  
3000

gcaaaaaaaaa aaaaaaaaaa  
3020

<210> 28  
<211> 210  
<212> DNA  
<213> Homo sapiens

<400> 28  
gggctgcttg gcccaattct gggcatcccc ggggtgtgct agctttgccc taggctgctc  
60

cctggaagcg aggttgacac aacttcttcc ccacacacag gagtggagcg actacaaact  
120

gcgctggaac cccgctgatt ttggcaacat cacatctctc agggctccctt ctgagatgat  
180

ctggatcccc gacattgttc tctacaacaa  
210

<210> 29  
<211> 210  
<212> DNA  
<213> Homo sapiens

<400> 29  
agcaggggtg gggagtcacc aagatgggtg gtgccacggg aagtaaaacc aggctgattc  
60

ttttaccgtc tccttctccc tccttgettc cttccccgag atctggaatg actacaagct  
120

SequencesSSCPre-file7August03.ST25.txt

gaagtggaac ccctctgact atggtggggc agagttcatg cgtgtccctg cacagaagat  
180

ctggaagcca gacattgtgc tgtataacaa  
210

<210> 30  
<211> 210  
<212> DNA  
<213> Homo sapiens

<400> 30  
atctggaatg actacaagct gaagtggaac ccctctgact atggtggggc agagttcatg  
60

cgtgtccctg cacagaagat ctggaagcca gacattgtgc tgtataacaa gtaaggctct  
120

ggggggccca cgccctctca gggctgtcag cctgggctct gggtttttgg cccactgtgc  
180

ttaaaacctg gccttccttg gccttttcca  
210

<210> 31  
<211> 7438  
<212> DNA  
<213> Homo sapiens

<400> 31  
gctgagcctg agcccgaccc ggggcgcctc ccgccaggca ccatgggtgca gaagtcgcgc  
60

aacggcggcg tataccccgg cccgagcggg gagaagaagc tgaagggtggg ctctcgtggg  
120

ctggaccccg gcgcgcccga ctccaccggg gacggggcgc tgctgatcgc cggctccgag  
180

gcccccaagc gcggcagcat cctcagcaaa cctcgcgcgg gcggcgcggg cgccgggaag  
240

ccccccaag cgcaacgcct tctaccgcaa gctgcagaat ttctctaca acgtgctgga  
300

gcggcgcgc ggctgggctg tcattacca cgctacgtg ttctctctgg tttctctctg  
360

cctcgtgctg tctgtgtttt ccaccatcaa ggagtatgag aagagctcgg agggggccct  
420

ctacatcctg gaaatcgtga ctatcgtggt gtttggcgtg gactacttcg tgcggatctg

SequencesSSCPre-file7August03.ST25.txt

480

ggccgcaggc tgctgctgcc ggtaccgtgg ctggaggggg cggtcaagt ttgcccggaa  
540

accgttctgt gtgattgaca tcatggtgct catcgctcc attgcggtgc tggccgcgg  
600

ctcccagggc aacgtctttg ccacatctgc gctccggagc ctgcgcttcc tgcagattct  
660

gcggatgac cgcattggacc ggcggggagg cacctggaag ctgctgggct ctgtggtcta  
720

tgcccacagc aaggagctgg tcaactgctg gtacatcggc ttcctttgtc tcatcctggc  
780

ctcgttctg gtgtacttgg cagagaaggg ggagaacgac cactttgaca cctacgcgga  
840

tgcactctgg tggggcctga tcacgctgac caccattggc tacggggaca agtaccacca  
900

gacctggaac ggcaggctcc ttgcggcaac cttcacctc atcggtgtct ccttcttgc  
960

gctgcctgca ggcattcttg ggtctgggtt tgccctgaag gttcaggagc agcacaggca  
1020

gaagcacttt gagaagaggc ggaacccggc agcaggcctg atccagtcgg cctggagatt  
1080

ctacgccacc aacctctcgc gcacagacct gactccacg tggcagtact acgagcgaac  
1140

ggtcaccgtg cccatgtaca gttegcgaac tcaaacctac ggggcctcca gacttatccc  
1200

cccgtgaac cagctggagc tgctgaggaa cctcaagagt aaatctggac tcgctttcag  
1260

gaaggacccc ccgcccggagc cgtctccaag ccagaaggtc agtttgaaag atcgtgtctt  
1320

ctccagcccc cgaggcgtgg ctgccaaagg gaaggggtcc ccgcaggccc agactgtgag  
1380

gcggtcaccc agcggccgacc agagcctcga ggacagcccc agcaagggtgc ccaagagctg  
1440

gagcttcggg gaccgcagcc gggcacgcca ggctttccgc atcaagggtg ccgcgtcacg  
1500

gcagaactca gaagaagcaa gcctccccgg agaggacatt gtggatgaca agagctgccc  
1560



SequencesSSCPre-file7August03.ST25.txt

ctgcgagttt gtgaccgagg acctgacccc gggcctcaaa gtcagcatca gagccgtgtg  
1620

tgtcatgcgg ttccctggtgt ccaagcggaa gttcaaggag agcctgcggc cctacgacgt  
1680

gatggacgtc atcgagcagt actcagccgg ccacctggac atgctgtccc gaattaagag  
1740

cctgcagtcc agagtggacc agatcgtggg gcggggccca gcgatcacgg acaaggaccg  
1800

caccaagggc ccggccgagg cggagctgcc cgaggacccc agcatgatgg gacggctcgg  
1860

gaaggtggag aagcaggtct tgtccatgga gaagaagctg gacttcctgg tgaatatcta  
1920

catgcagcgg atgggcatcc ccccgacaga gaccgaggcc tactttgggg ccaaagagcc  
1980

ggagccggcg ccgccgtacc acagcccgga agacagccgg gagcatgtcg acaggcacgg  
2040

ctgcattgtc aagatcgtgc gctccagcag ctccacgggc cagaagaact tctcggcgcc  
2100

cccggccgcg cccctgtcc agtgtecgcc ctccacctcc tggcagccac agagccaccc  
2160

gcgccagggc cacggcacct ccccggtggg ggaccacggc tccttggtgc gcatcccgcc  
2220

gccgcctgcc cacgagcggc cgctgtccgc ctacggcggg ggcaaccgcg ccagcatgga  
2280

gttcctgcgg caggaggaca ccccggtgtg caggcccccc gaggggaccc tgcgggacag  
2340

cgacacgtcc atctccatcc cgtccgtgga ccacgaggag ctggagcgtt ccttcagcgg  
2400

cttcagcatc tcccagtcca aggagaacct ggatgctctc aacagctgct acgcggccgt  
2460

ggcgcccttg gccaaagtca ggcctacat tgcggaggga gagtcagaca ccgactccga  
2520

cctctgtacc ccgtgcgggc ccccgccacg ctcgccacc gccgagggtc cctttggtga  
2580

cgtgggctgg gccgggcccc ggaagtgagg cggcgctggg ccagtggacc cgcccgcggc  
2640

SequencesSSCPre-file7August03.ST25.txt

cctcctcagc acggtgcctc cgaggttttg aggcgggaac cctctggggc ccttttctta  
2700

cagtaactga gtgtggcggg aaggggtgggc cctggagggg cccatgtggg ctgaaggatg  
2760

ggggctcctg gcagtgacct ttacaaaag ttattttcca acagggcact cccaggccct  
2820

gtcgccattg aggtgcctcc gctgggctgt ctctcaccc ctccctgtgc tggagcctgt  
2880

cccaaaaagg tgccaactgg gaggcctcgg aagccactgt ccaggctccc actgcctgtc  
2940

tgctctgttc ccaaaggcag cgtgtgtggc ctggggccct gcggtggcat gaagcatccc  
3000

ttctgggtgtg ggcacgcta cgtgttttgg gggcagcgtt tcacggcggg gcccttgctg  
3060

tctcccttgg gctggctcga gcctggggtc catgtccctt tgccgtcccg tcatggggca  
3120

gggaatccat agcggggccc acaggcaggg gtatgagtgc gtcccaccca acgcagcacc  
3180

agccccggcc accgctcccc gtgtccccag ttccgtctca gctacctgga ctccaggacc  
3240

ctggagaagg gagacctggc agtggagggg ggctgtgctg tgtgtcccc tgcagggtgtg  
3300

accccgctg ctctttcttc ccccgccagg tgtggccccg cctgctcttt cctccccac  
3360

cagtatggcc ccacctgctc tttcctcccc cccaagggtg tggccccacc tgttctttcc  
3420

tccctgccc aggtgtgacc ccacctgctc tttcctccct ccagtatgg cccacctgc  
3480

tctttcttc cccgaggtga ggccccgct gctctttct cccatgggag ccgctgagge  
3540

gtgcgcacct gggcacaggt tggggctctg caggatgagg aagacaggcc aatcccttcc  
3600

ctcccagaag ctggccgccc agcaggaggg actgaggcca gactcatgtc cagcaaggaa  
3660

cgtgtggtgt gtcccttggg aagtctctgg gccctgggaa gagggaagggt gcacgtcctg  
3720

ggatgggttgc ggggccctgt tttgggagac aaaggggtag agggctctgtc ttgggcccc

SequencesSSCPre-file7August03.ST25.txt

3780

ccagactcta gcccgagcag tgcagccacc tactgcecca cctcagagaa gtgcagcggg  
3840

aaggaggctg gaggtggtgc ggcgctgcct cgggtgtctg cgtgaatgag cgtggccaag  
3900

gaccagtgcc acctcatggc aaagagctcc cgcagtgttt gttagagtgc acatcctacg  
3960

tgcccactgg cacacacacg tgctcacata catgtccgcg tacaggcgta cacatgcacg  
4020

cttgcacaca tgcacacaga ccacatagca cacatgtgca ctgaccacac ctgtatagac  
4080

catgcacagt acacatacgt gcatacacat gcctgcatac aggcatacac atgcacgctt  
4140

acatgtacac gtgcacagat cacacacatg cacacacgtg tagctcacac acagtataca  
4200

catacacaag tgcacagacc acacacagca ctaacacatg cacacacaaa gtgcataggc  
4260

cacacagcac atgcacacag gtgcacagac cacacagcac acacaagtgc acagagcaca  
4320

ctgcacacat gcacacacac acgcgtgcat gcacactcct cgcacttcca gccttggagc  
4380

ccttctgtct ctggtctttc tctttgaccc tgctgagtgt aagctgcctg gggaggggct  
4440

acaaggagta attgtggctt taggggtcgt ggtgatgctg gaatgtcaag cgccgtcgtg  
4500

gggtatccga ctgtccgggc tectgggtccg cagtggcaga gcgccaggca gagccaatca  
4560

gggtctcgtg ctgcccttcc cccccacagc ctggcagcca tccagaggag gggctctacc  
4620

agatgccaaag gtgccccggt gtctgtatgg gtgtccggtt gggtcctgtg ttggtctgc  
4680

cctggagggtg gctgggcccct cctgggatgg gtggctcagc ctggaatccc aggccccagc  
4740

ccaggcaggt gctgctgcct gttgtggttt cctggcccag cttctccttc tccctctgca  
4800

taaaatcaca gtccgtgagt cttccagctg ccaccacggc tgggacacgc tgggggaggg  
4860

SequencesSSCPre-file7August03.ST25.txt

ctcctcccat gctcctgca cacagccgtc tgagcagggc aggtgccaac accccccacc  
4920

ggagacacgc tgccccctcag cgatgcccct accttttggg gggcctcgtc tcaagcccc  
4980

ccttgagggc tgaaatcacc ccaggcactg tgagggettcc tccaggggga caccctttga  
5040

gctgtgggtc tgatcacccc aagtcccgca cacggaggag aggcacagcc agggcgtgtg  
5100

gtttaatgtt tgcccccttcg gggctggagg tctcagtgtt tctagattcc agaccctgct  
5160

gccagagaga cctgctgccg gagagaaggg gaggaggact ccagctgggc tcggtecccc  
5220

acagtcaggg acccccataa aggacacccc cttctctcta gaaagagctg ggctctcagc  
5280

tatttctagt tgcttcccag aagccgagga gcagaaggag ctgtgagagc tttgcagaaa  
5340

cgcccttgct cccgccctcc tgagctatga atgccgtaca gagcagaggc tggggcattg  
5400

gcaagatcac aggttgatgc tgcacagccc cattgacaca aacctcaaa gcagacgtga  
5460

gagggacggt tcacaaagct tggacctgcc gtggagggtg cccggcagac gtggcgtgag  
5520

agggacggct cacgaggctt ggacctgctg tggagggtgc ccagcagacg tgggtgtgaga  
5580

ggaacggctc acgagacttg gacctggtgg agggtgccca gcagacgtgg tgtgagaggg  
5640

acggctcaca gggcttggac cggagagaga tggctcatga gacttggacc tgccgtggag  
5700

ggtgcccagc agacgtggta tgagagggat ggctcacgag gcttggacct ggtggagggt  
5760

gcccggcaga cgtgtgagag ggacgggttca caaggcttgg acctgccatg gagggtgccc  
5820

agcagacgtg gtgtgagagg gacagctcac gaggcttggc cctgccgtgg agggtgccca  
5880

gcaggggggt gagctctgag ggggtgggtgc tcagtgcacg ggtgccccca gtgtcctctg  
5940

SequencesSSCPre-file7August03.ST25.txt

atcctgtccg gtgcctcccc caacccccac acccatgcag aactcccagg tcacatgcac  
6000

gtatgtccag ggcattggggg tggcgtgaag aggcctggtc agggccttta ggggctgcag  
6060

gacggaatgg ccacctgggg agcctgtgtg gctgtgccgg gcagccatcc tgcattccca  
6120

cccagcgcgc agtctccacc tcggccccag caaagcgcta agcagccgga gagacagcca  
6180

gggcggcttc ctgaaggatg tgggatgggt gactccgggg tcgagggaat acgcaggttc  
6240

ctgtcctccg ggagacctag agaagctgca caccaggag ctttccatga cccgggagca  
6300

tgagtgaatg gggggttcca gtttgctgaa ctttgctgtc ttgtaagggt gggggctgac  
6360

ggccgaccct gggaggaggt gacaccgcag ggggagggtg tgggcaacgg tggaggagga  
6420

gagacgggag gggaccattt gggatggagg ggcctcttca gagtttttaa aggcgtttgt  
6480

ggggtggagt tgagtgtgct ctgggcttgg acacttgccg tggtgcccct ggctggccga  
6540

ggagactggc tctggccagg gccccgtcct gagaggctct cagcgtctga ctctggcca  
6600

ggcgccagca aggagggggc ggtccccggg gctaccaggc aggcacgtgc acatcgccat  
6660

cgccacacgc caactccgcc tgggttttac aaagtcgttg ccttaatgca tgtggacagg  
6720

aactccctga ggtcgcccca tgccccctgg ctgtgccagg tacggacgcc ctggaccctg  
6780

cgaacagggt gggcggggcg ggggcccagg ggacgggctc cagagacacg cgcagggcag  
6840

gaggggtctc acggaggggt ctgcactga ggcgcccaga gctgggtggc ccgctggacg  
6900

ccatccctct gcccgggatc cacacggccc acgtgtgccc gccatgcccg cgccccacgc  
6960

cattgcagtc ttccatctc tggccgtgac ggtggctgca gcttccccat ttgcgcggtt  
7020

gcctctggct gtctgcactt ttgttcatgc tccaaagaac atttcataat gccttcagta

SequencesSSCPre-file7August03.ST25.txt

7080

ccgacgtaca cttctgacca ttttgtatgt gtccttgtgc cgtagtgacc aggccttttt  
7140

ttggtggatg tgttaccccg cacacttcaa tctcaacttt gtgcaccgtc cattttctag  
7200

ggatagacgc ccagggaatg aactctagtt ttctaacaga ttagctgaga tattaactta  
7260

ctcacacgga caggttgatg ccagagccgt aagaatgcgc cagtgcgggt ttgcggggga  
7320

cttcgggtgt ggggtcctgc ggccgcgatg gccgtggaag gttctgggga tccctgctgc  
7380

cacggggacg agttcggacg ccaggtggac ctgtgcactc agtaaaacgc agtgattc  
7438

<210> 32  
<211> 7437  
<212> DNA  
<213> Homo sapiens

<400> 32  
gctgagcctg agcccgaccc ggggcgcctc ccgccaggca ccgtgggtgca gaagtcgcgc  
60

aacggcggcg tatacccccgg cccgagcggg gagaagaagc tgaagggtggg cttcgtgggg  
120

ctggacccccg gcgcgcccga ctccacccgg gacggggcgc tgctgatcgc cggctccgag  
180

gcccccaagc gcggcagcat cctcagcaaa cctcgcgcgg gcggcgcggg cgccgggaag  
240

cccccaagc gcaacgcctt ctaccgcaag ctgcagaatt tcctctacaa cgtgctggag  
300

cgccgcgcgc gctgggcgtt catctaccac gcctacgtgt tcctcctggt tttctcctgc  
360

ctcgtgctgt ctgtgttttc caccatcaag gagtatgaga agagctcgga gggggccctc  
420

tacatcctgg aaatcgtgac tatcgtgggtg tttggcgtgg agtacttcgt gcggatctgg  
480

gccgcaggct gctgctgccg gtaccgtggc tggagggggc ggctcaagtt tgcccggaaa  
540

ccgttctgtg tgattgacat catggtgctc atcgctcca ttgcgggtgct ggccgcgcgc

SequencesSSCPre-file7August03.ST25.txt

600

tcccagggca acgtctttgc cacatctgcg ctccggagcc tgcgcttcct gcagattctg  
660

cggatgatcc gcatggaccg gcggggaggg acctggaage tgctgggctc tgtgggtctat  
720

gcccacagca aggagctggg cactgcctgg tacatcggct tcctttgtct catcctggcc  
780

tcgttcctgg tgtacttggc agagaagggg gagaacgacc actttgacac ctacgcggat  
840

gcactctggg ggggcctgat cacgctgacc accattggct acggggacaa gtacccccag  
900

acctggaacg gcaggctcct tgcggcaacc ttcaccctca tcggtgtctc cttcttcgcg  
960

ctgcctgcag gcatcttggg gtctggggtt gcctgaagg ttcaggagca gcacaggcag  
1020

aagcactttg agaagaggcg gaaccggca gcaggcctga tccagtcggc ctggagattc  
1080

tacgccacca acctctcgcg cacagacctg cactccacgt ggcagtacta cgagcgaacg  
1140

gtcacctgac ccatgtacag ttcgcaaact caaacctacg gggcctccag acttatcccc  
1200

ccgctgaacc agctggagct gctgaggaac ctcaagagta aatctggact cgctttcagg  
1260

aaggaccccc cgccggagcc gtctccaagc cagaaggtea gtttgaaaga tcgtgtcttc  
1320

tccagccccg gaggcgtggc tgccaagggg aaggggtccc cgcaggccca gactgtgagg  
1380

cggtcaccca gcgccacca gagcctcgag gacagcccca gcaagggtgc caagagctgg  
1440

agcttcgggg accgcagccg ggcacgccag gctttccgca tcaagggtgc cgcgtcacgg  
1500

cagaactcag aagaagcaag cctccccgga gaggacattg tggatgacaa gagctgcccc  
1560

tgcgagtttg tgaccgagga cctgaccccc ggctcaaag tcagcatcag agccgtgtgt  
1620

gtcatgcggt tcctgggtgc caagcggaag ttcaaggaga gcctgcggcc ctacgacgtg  
1680



SequencesSSCPre-file7August03.ST25.txt

atggacgtca tgcagcagta ctcagccggc cacctggaca tgctgtcccg aattaagagc  
1740

ctgcagtcca gagtggacca gatcgtgggg cggggcccag cgatcacgga caaggaccgc  
1800

accaagggcc cggccgaggc ggagctgccc gaggaccca gcatgatggg acggctcggg  
1860

aaggtggaga agcaggtctt gtccatggag aagaagctgg acttcctggg gaatatctac  
1920

atgcagcggg tgggcatccc cccgacagag accgaggcct actttggggc caaagagccg  
1980

gagccggcgc cgccgtacca cagcccggaa gacagccggg agcatgtcga caggcacggc  
2040

tgcattgtca agatcgtgcg ctccagcagc tccacgggccc agaagaactt ctcggcgccc  
2100

ccggccgcgc cccctgtcca gtgtccgccc tccacctcct ggcagccaca gagccacccg  
2160

cgccagggcc acggcacctc ccccgctgggg gaccacggct ccctgggtgcg catcccgcgc  
2220

ccgcctgccc acgagcggtc gctgtccgccc tacggcgggg gcaaccgcgc cagcatggag  
2280

ttcctgcggc aggaggacac cccgggctgc agggcccccg aggggaccct gcgggacagc  
2340

gacacgtcca tctccatccc gtccgtggac cagcaggagc tggagcgttc cttcagcggc  
2400

ttcagcatct cccagtccaa ggagaacctg gatgctctca acagctgcta cgcgcccggtg  
2460

gcgccttggtg ccaaagtcag gccctacatt gcggagggag agtcagacac cgactccgac  
2520

ctctgtaccc cgtgcggggc cccgccacgc tcggccaccg gcgaggggtcc ctttggtgac  
2580

gtgggctggg cggggcccag gaagtgaggc ggcgctgggc cagtggaccc gcccgcggcc  
2640

ctcctcagca cgggtgcctcc gaggttttga ggcgggaacc ctctggggcc cttttcttac  
2700

agtaactgag tgtggcggga agggctgggc ctggaggggc ccatgtgggc tgaaggatgg  
2760

SequencesSSCPre-file7August03.ST25.txt

gggctcctgg cagtgcctt ttacaaaagt tattttccaa cagggcactc ccaggccctg  
2820

tgcgcattga ggtgcctcgg ctgggctgtc tctcaccctc tccctgtgtt ggagcctgtc  
2880

ccaaaaaggt gccaaactggg aggcctcgga agccactgtc caggctccca ctgcctgtct  
2940

gctctgttcc caaaggcagc gtgtgtggcc tcgggcccctg cgggtggcatg aagcatccct  
3000

tctgggtgtg gcacgcctac gtgttttggg ggcagcggtt cacggcggtg ccttctgtgt  
3060

ctcccttggg ctggctcgag cctgggggtc atgtcccttt gccgtcccgt catggggcag  
3120

ggaatccata gcggggccca caggcagggg tatgagtgcg tcccacccaa cgcagcacca  
3180

gccccggcca ccgtcccccg tgtccccagt tccgtctcag ctacctggac tccaggacce  
3240

tggagaaggg agacctggca gtggagggag gctgtgctgt gtgtccccct gcagggtgtga  
3300

ccccgcctgc tctttctctc ccgcccaggt gtggccccgc ctgctctttc ctccccacc  
3360

agtatggccc cacctgctct ttctccccc cccaagggtg ggcaccacct gttctttct  
3420

cccctgccga ggtgtgacct cacctgctct ttctccctc ccagtatggc cccacctgct  
3480

ctttctctcc ccgagggtgag gccccgcctg ctctttctct ccatggggagc cgctgaggcg  
3540

tgcgcacctg ggcacagggt ggggctctgc aggatgagga agacaggcca atcccttccc  
3600

tcccagaagc tggccgcccc gcaggaggga ctgaggccag actcatgtcc agcaagggaac  
3660

gtgtgggtgtg tccccctggga agtctctggg ccctgggaag agggaagggtg cacgtcctgg  
3720

gatgggttgcg gggccctggt ttgggagaca aaggggtaga ggggtctgtct tgggcccccc  
3780

cagactctag cccgagcagt gcagccacct actgccccac ctgagagaag tgcagcggga  
3840

aggaggctgg aggtgggtgcg gcgctgcctc ggggtgtctgc gtgaatgagc gtggccaagg

SequencesSSCPre-file7August03.ST25.txt

3900

accagtgcc cctcatggca aagagctccc gcagtgtttg ttagagtgca catcctacgt  
3960

gcccactggc acacacacgt gctcacatac atgtccggt acaggcgtag acatgcacgc  
4020

ttgcacacat gcacacagac cacatagcac acatgtgcac tgaccacacc tgtatagacc  
4080

atgcacagta cacatacgtg catacacatg cctgcataca ggcatacaca tgcacgctta  
4140

catgtacacg tgcacagatc acacacatgc acacacgtgt agctcacaca cagtatacac  
4200

atacacaagt gcacagacca cacacagcac taacacatgc acacacaaag tgcataaggcc  
4260

acacagcaca tgcacacagg tgcacagacc acacagcaca cacaagtgca cagagcacac  
4320

tgcacacatg cacacacaca cgcgtgcatg cacactcctc gcacttccag ccttggagcc  
4380

cttctgtctc tggctcttct ctttgaccct gctgagtgt agctgcctgg ggaggggcta  
4440

caaggagtaa ttgtggcttt aggggtcgtg gtgatgctgg aatgtcaagc gccgtcgtgg  
4500

ggtatccgac tgteccgggt cctgggtccgc agtggcagag cgccaggcag agccaatcag  
4560

ggtctcgtgc tgcccttccc cccacagcc tggcagccat ccagaggagg ggctctacca  
4620

gatgccaaagg tgccccgggt tctgtatggg tgtccgggtg ggtcctgtgt ttggtctgcc  
4680

ctggagggtg ctggggccctc ctgggatggg tggctcagcc tcgaatccca ggccccagcc  
4740

caggcagggt ctgctgcctg ttgtggtttc ctggcccagc ttctccttct ccctctgcat  
4800

aaaatcacag tccgtgagtc ttccagctgc caccacggct gggacacgct gggggagggc  
4860

tcctcccatg cctcctgcac acagccgtct gagcagggca ggtgccaaaca cccccaccg  
4920

gagacacgct gccctcagc gatgcccta ccttttgggg ggcctcgtct caagcccccc  
4980

SequencesSSCPre-file7August03.ST25.txt

cttggaggct gaaatcaccc caggcactgt gagggcttct ccagggggac accctttgag  
5040

ctgtgggtct gatcacccca agtcccgcac acggaggaga ggcacagcca gggcgtgtgg  
5100

tttaatgttt gccccttcgg ggcctggaggt ctcagtgttt ctagattcca gaccctgctg  
5160

ccagagagac ctgctgccgg agagaagggg aggaggactc cagctgggct cggccccca  
5220

cagtcaggga ccccataaa ggacaccccc ttctctctag aaagagctgg gctctcagct  
5280

atttctagtt gcttcccaga agccgaggag cagaaggagc tgtgagagct ttgcagaaac  
5340

gcccttgctc ccgccctcct gagctatgaa tgccgtacag agcagaggct ggggcattgg  
5400

caagatcaca ggttgatgct gcacagcccc attgacacaa accctcaaag cagacgtgag  
5460

agggacgggt cacaagctt ggacctgccg tggagggtgc ccggcagacg tggcgtgaga  
5520

gggacggctc acgaggcttg gacctgctgt ggagggtgcc cagcagacgt ggtgtgagag  
5580

gaacggctca cgagacttgg acctggtgga gggtgcccag cagacgtggt gtgagaggga  
5640

cggtcacag ggcttggacc ggagagagat ggctcatgag acttggacct gccgtggagg  
5700

gtgcccagca gacgtggtat gagagggatg gctcacgagg cttggacctg gtggagggtg  
5760

cccggcagac gtgtgagagg gacgggtcac aaggcttgga cctgccatgg agggtgccca  
5820

gcagacgtgg tgtgagaggg acagctcacg aggcttggac ctgccgtgga gggtgcccag  
5880

cagggggctg agctctgagg ggtgggtgct cagtgcacgg gtgccccag tgtcctctga  
5940

tcctgtccgg tgccctcccc aacccccaca cccatgcaga actcccaggt cacatgcacg  
6000

tatgtccagg gcatgggggt ggcgtgaaga ggcttggtca gggcctttag gggctgcagg  
6060

SequencesSSCPre-file7August03.ST25.txt

acggaatggc cacctgggga gcctgtgtgg ctgtgccggg cagccatcct gcattcccac  
6120

ccagegcgca gtctccacct cggccccagc aaagcgctaa gcagccggag agacagccag  
6180

ggcggcttcc tgaaggatgt gggatggtgg actccggggg cgagggaata cgcaggttcc  
6240

tgtcctccgg gagacctaga gaagctgcac acccaggagc tttccatgac ccgggagcat  
6300

gagtgaatgg ggggttccag tttgctgaac tttgctgtct tgtaagggtg ggggctgacg  
6360

gccgaccctg ggaggagggtg acaccgcagg gggagggtgt gggcaacggt ggaggaggag  
6420

agacgggagg .ggaccatttg ggatggaggg gcctcttcag agtttttaaaa ggcgtttgtg  
6480

gggtggagtt gagtgtgctc tgggcttga cacttgccgt ggtgcccctg gctggccgag  
6540

gagactggct ctggccaggg ccccgctctg agaggctctc agcgtctgac tctcggccag  
6600

gcgccagcaa ggagggggcg gtccccgggg ctaccaggca ggcacgtgca catcgccatc  
6660

gccacacgcc aactccgcct gggttttaca aagtcgttgc cttaatgcat gtggacagga  
6720

actccctgag gtcgccccat gcccctggc tgtgccaggt acggacgccc tggaccctgc  
6780

gaacagggtg ggcgggagcagg gggcccaagg gacgggctcc agagacacgc gcagggcagg  
6840

aggggtctca cggaggggtc tcgcactgag gcgccagag ctggtggctc cgctggacgc  
6900

catccctctg cccgggatcc acacggccca cgtgtgcccg ccatgcccgc gcccacgcc  
6960

attgcagtct tccatcctct ggccgtgacg gtggctgcag ctccccatt tgcgcccgtg  
7020

cctctggctg tctgcacttt tgttcatgct ccaaagaaca tttcataatg ccttcagtac  
7080

cgacgtacac ttctgaccat tttgtatgtg tccttgtgcc gtagtgacca ggcctttttt  
7140

tgggtggatgt gttaccccg c acatttcaat ctcaactttg tgcaccgtcc attttctagg

SequencesSSCPre-file7August03.ST25.txt

7200

gatagacgcc caggggaatga actctagttt tctaacagat tagctgagat attaacttac  
7260

tcacacggac aggttgatgc cagagccgta agaatgcgcc agtgcggggt tgccgggggac  
7320

ttcgggtgtg gggtcctgcg gccgcgatgg ccgtggaagg ttctggggat ccctgctgcc  
7380

acggggacga gttcggacgc caggtggacc tgtgcactca gtaaaacgca gtgattc  
7437

<210> 33

<211> 7437

<212> DNA

<213> Homo sapiens

<400> 33

gctgagcctg agcccgaccc ggggcgcctc ccgccaggca ccacggtgca gaagtcgcgc  
60

aacggcggcg tataccccgg cccgagcggg gagaagaagc tgaaggtggg cttcgtgggg  
120

ctggaccccc gcgcgcccga ctccacccgg gacggggcgc tgctgategc cggctccgag  
180

gcccccaagc gcggcagcat cctcagcaaa cctcgcgcgg gcggcgcggg cgcggggaag  
240

cccccaagc gcaacgcctt ctaccgcaag ctgcagaatt tcctctacaa cgtgctggag  
300

cgccgcgcgc gctgggcggt catctaccac gcctacgtgt tcctcctggt tttctcctgc  
360

ctcgtgctgt ctgtgttttc caccatcaag gagtatgaga agagctcgga gggggccctc  
420

tacatcctgg aaatcgtgac tatcgtggtg tttggcgtgg agtacttcgt gcggatctgg  
480

gccgcaggct gctgctgccg gtaccgtggc tggagggggc ggctcaagtt tgcccggaaa  
540

ccgttctgtg tgattgacat catggtgctc atgcctcca ttgcggtgct ggccgccggc  
600

tcccaggga acgtctttgc cacatctgcg ctccggagcc tgcgcttcct gcagattctg  
660

cggatgatcc gcatggaccg gcggggaggc acctggaagc tgctgggctc tgtggtctat

SequencesSSCPre-file7August03.ST25.txt

720

gcccacagca aggagctggt cactgcctgg tacatcgggt tcctttgtct catcctggcc  
780

tcgttcctgg tgtacttggc agagaagggg gagaacgacc actttgacac ctacgcggat  
840

gcactctggt ggggcctgat cacgctgacc accattgggt acggggacaa gtacccccag  
900

acctggaacg gcaggctcct tgcggcaacc ttcaccctca tcggtgtctc cttcttcgcg  
960

ctgcctgcag gcactctggg gtctgggttt gccctgaagg ttcaggagca gcacaggcag  
1020

aagcactttg agaagaggcg gaaccgcgca gcaggcctga tccagtcggc ctggagattc  
1080

tacgccacca acctctcgcg cacagacctg cactccacgt ggcagtacta cgagcgaacg  
1140

gtcacctgac ccatgtacag ttcgcaaact caaacctacg gggcctccag acttatcccc  
1200

ccgctgaacc agctggagct gctgaggaac ctcaagagta aatctggact cgctttcagg  
1260

aaggaccccc cgccggagcc gtctccaagc cagaaggta gtttgaaaga tcgtgtcttc  
1320

tccagcccc gaggcgtggc tgccaagggg aaggggtccc cgcaggccca gactgtgagg  
1380

cggtcacca gcgccgacca gagcctcgag gacagcccca gcaagggtgcc caagagctgg  
1440

agcttcgggg accgcagccg ggcacgccag gctttccgca tcaagggtgc cgcgtcacgg  
1500

cagaactcag aagaagcaag cctccccgga gaggacattg tggatgacaa gagctgcccc  
1560

tgcgagtttg tgaccgagga cctgaccccc ggcctcaaag tcagcatcag agccgtgtgt  
1620

gtcatgcggt tcctggtgtc caagcggaag ttcaaggaga gcctgcggcc ctacgacgtg  
1680

atggacgtca tcgagcagta ctcagccggc cacctggaca tgctgtcccc aattaagagc  
1740

ctgcagtcca gagtggacca gatcgtgggg cggggcccag cgatcacgga caaggaccgc  
1800



SequencesSSCPre-file7August03.ST25.txt

accaagggcc cggccgaggc ggagctgcc gaggaccca gcatgatggg acggctcggg  
1860

aaggtggaga agcaggtctt gtccatggag aagaagctgg acttcttggg gaatatctac  
1920

atgcagcgga tgggcatccc cccgacagag accgaggcct actttggggc caaagagccg  
1980

gagccggcgc cgccgtacca cagcccggaa gacagccggg agcatgtcga caggcacggc  
2040

tgcattgtca agatcgtgcg ctccagcagc tccacggggc agaagaactt ctgggcgccc  
2100

cggcccgccg cccctgtcca gtgtccgcc tccacctcct ggcagccaca gagccaccg  
2160

cgccagggcc acggcacctc ccccggtggg gaccacggct ccctggtgcg catcccgccg  
2220

ccgcctgcc acgagcggtc gctgtccgcc tacggcgggg gcaaccgcgc cagcatggag  
2280

ttctgcggc aggaggacac cccgggctgc agggcccccg aggggaccct gcgggacagc  
2340

gacacgtcca tctccatccc gtccgtggac caccaggagc tggagcgttc cttcagcggc  
2400

ttcagcatct cccagtccaa ggagaacctg gatgctctca acagctgcta cgcggccgtg  
2460

gcgccttgtg ccaaagtcag gccctacatt gcggagggag agtcagacac cgactccgac  
2520

ctctgtacc cgtgcggggc cccgccacgc tcggccaccg gcgaggggtc ctttgggtgac  
2580

gtgggctggg ccgggcccag gaagtgaggc ggcgctgggc cagtggacce gccgcgggc  
2640

ctcctcagca cggtgccctc gaggttttga ggccgggaacc ctctgggggc cttttcttac  
2700

agtaactgag tgtggcggga aggggtgggc ctggaggggc ccatgtgggc tgaaggatgg  
2760

gggctcctgg cagtgaacct ttacaaaagt tattttccaa cagggcactc ccaggccctg  
2820

tcgccattga ggtgcctccg ctgggctgtc tctcaccce tcctgtgct ggagcctgtc  
2880

SequencesSSCPre-file7August03.ST25.txt

ccaaaaaggt gccaaactggg aggcctcgga agccactgtc caggctccca ctgcctgtct  
2940

gctctgttcc caaaggcagc gtgtgtggcc tcgggccctg cggtggcatg aagcatccct  
3000

tctggtgtgg gcatcgctac gtgttttggg ggcagcgttt caggcggtg cccttgcctg  
3060

ctcccttggg ctggctcgag cctgggggtcc atgtcccttt gccgtcccgt catggggcag  
3120

ggaatccata gcggggccca caggcagggg tatgagtgcg tcccaeccaa cgcagcacca  
3180

gccccggcca ccgctccccg tgtccccagt tccgtctcag ctacctggac tccaggacct  
3240

tggagaaggg agacctggca gtggaggagg gctgtgctgt gtgtccccct gcagggtgtga  
3300

ccccgcctgc tctttcctcc ccgcacaggt gtggccccgc ctgctcttcc ctccccacc  
3360

agtatggccc cacctgctct ttctccccc cccaagggtg ggcaccacct gttcttctct  
3420

ccctgcca ggtgtgaccc cacctgctct ttctccctc ccagtatggc cccacctgct  
3480

ctttcctccc ccgaggtgag gccccgcctg ctctttctcc ccatgggagc cgctgaggcg  
3540

tgcgcacctg ggcacagggt ggggctctgc aggatgagga agacaggcca atcccttccc  
3600

tcccagaagc tggccgcccc gcaggaggga ctgaggccag actcatgtcc agcaaggaac  
3660

gtgtggtgtg tcccctggga agtctctggg ccctgggaag agggaagggt cacgtcctgg  
3720

gatggttgcg gggccctggt ttgggagaca aaggggtaga gggctctgtct tgggcccccc  
3780

cagactctag ccgagcagt gcagccacct actgccccac ctacagagaag tgcagcggga  
3840

aggaggctgg aggtggtgcg gcgctgcctc ggggtgtctgc gtgaatgagc gtggccaagg  
3900

accagtcca cctcatggca aagagctccc gcagtgtttg ttagagtgcg catcctacgt  
3960

gcccactggc acacacacgt gctcacatac atgtccgcgt acaggcgtac acatgcacgc

SequencesSSCPre-file7August03.ST25.txt

4020

ttgcacacat gcacacagac cacatagcac acatgtgcac tgaccacacc tgtatagacc  
4080

atgcacagta cacatacgtg catacacatg cctgcataca ggcatacaca tgcacgctta  
4140

catgtacacg tgcacagatc acacacatgc acacacgtgt agctcacaca cagtatacac  
4200

atacacaagt gcacagacca cacacagcac taacacatgc acacacaaag tgcataggcc  
4260

acacagcaca tgcacacagg tgcacagacc acacagcaca cacaagtgca cagagcacac  
4320

tgcacacatg cacacacaca cgcgtgcatg cacactcctc gcacttccag ccttgaggcc  
4380

cttctgtctc tgggtctttct ctttgaccct gctgagtgtg agctgcctgg ggaggggcta  
4440

caaggagtaa ttgtggcttt aggggtcgtg gtgatgctgg aatgtcaagc gccgtcgtgg  
4500

ggtatccgac tgtccgggct cctggtcgcg agtggcagag cgccaggcag agccaatcag  
4560

ggtctcgtgc tgcctttccc cccacagcc tggcagccat ccagaggagg ggctctacca  
4620

gatgccaagg tgccccgggtg tctgtatggg tgtccggttg ggtcctgtgt ttgggtctgcc  
4680

ctggagggtg ctgggccctc ctgggatggg tggctcagcc tcgaatcca ggcaccagcc  
4740

caggcagggt ctgctgcctg ttgtggtttc ctggcccagc ttctccttct cctctgcat  
4800

aaaatcacag tccgtgagtc ttccagctgc caccacggct gggacacgct gggggagggc  
4860

tcctcccatg cctcctgcac acagccgtct gagcagggca ggtgccaaca cccccaccg  
4920

gagacacgct gccctcagc gatgcccta ccttttgggg ggctcgtct caagcccccc  
4980

cttggagggt gaaatcacc caggcactgt gagggcttct ccagggggac accctttgag  
5040

ctgtgggtct gatcaccaca agtcccgcac acggaggaga ggcacagcca gggcgtgtgg  
5100

SequencesSSCPre-file7August03.ST25.txt

ttaaattgttt gccccttcgg ggctggaggt ctcaagtgttt ctagattcca gaccctgctg  
5160

ccagagagac ctgctgccgg agagaagggg aggaggactc cagctgggct cggccccca  
5220

cagtcaggga cccccataaa ggacaccccc ttctctctag aaagagctgg gctctcagct  
5280

atttctagtt gcttcccaga agccgaggag cagaaggagc tgtgagagct ttgcagaaac  
5340

gcccttgtcc ccgcccctct gagctatgaa tgccgtacag agcagaggct ggggcattgg  
5400

caagatcaca ggttgatgct gcacagcccc attgacacaa accctcaaag cagacgtgag  
5460

agggacgggt cacaagctt ggacctgccg tggaggggtgc ccggcagacg tggcgtgaga  
5520

gggacggctc acgaggcttg gacctgctgt ggaggggtgcc cagcagacgt ggtgtgagag  
5580

gaacggctca cgagacttgg acctgggtgga gggtgcccag cagacgtggt gtgagaggga  
5640

cggctcacag ggcttgacc ggagagagat ggctcatgag acttggacct gccgtggagg  
5700

gtgcccagca gacgtggtat gagagggatg gctcacgagg cttggacctg gtggaggggtg  
5760

ccggcagac gtgtgagagg gacggttcac aaggcttgga cctgccatgg agggtgccca  
5820

gcagacgtgg tgtgagaggg acagctcacg aggcttgac ctgccgtgga gggtgcccag  
5880

cagggggctg agctctgagg ggtgggtgct cagtgcacgg gtgccccag tgcctctga  
5940

tcctgtccgg tgctcccc aacccccaca cccatgcaga actcccaggt cacatgcacg  
6000

tatgtccagg gcatgggggt ggcgtgaaga ggctgggtca gggcctttag gggctgcagg  
6060

acggaatggc cacctgggga gctgtgtggt ctgtgccggg cagccatcct gcattccac  
6120

ccagcgcgca gtctccacct cggccccagc aaagcgctaa gcagccggag agacagccag  
6180

SequencesSSCPre-file7August03.ST25.txt

ggcggcttcc tgaaggatgt gggatggtgg actccgggggt cgaggggaata cgcagggttcc  
6240

tgtcctccgg gagacctaga gaagctgcac acccaggagc tttccatgac ccgggagcat  
6300

gagtgaatgg ggggttccag tttgctgaac tttgctgtct tgtaagggtg ggggctgacg  
6360

gccgaccctg ggaggaggtg acaccgcagg gggagggttg gggcaacggt ggaggaggag  
6420

agacgggagg ggaccatttg ggatggaggg gcctcttcag agttttaaaa ggcgtttgtg  
6480

gggtggagtt gagtgtgctc tgggcttggg cacttgccgt ggtgcccctg gctggccgag  
6540

gagactggct ctggccaggg ccccgctctg agaggctctc agcgtctgac tctcggccag  
6600

gcgccagcaa ggagggggccg gtccccgggg ctaccaggca ggcacgtgca catcgccatc  
6660

gccacacgcc aactccgcct gggttttaca aagtcgttgc cttaatgcat gtggacagga  
6720

actccctgag gtcgccccat gccccctggc tgtgccaggt acggacgccc tggaccctgc  
6780

gaacagggtg ggcgggcgag gggcccaagg gacgggctcc agagacacgc gcagggcagg  
6840

aggggtctca cggaggggtc tcgcactgag gcgccagag ctgggtggctc cgctggacgc  
6900

catccctctg cccgggatcc acacggccca cgtgtgcccg ccatgcccgc gcccacgcc  
6960

attgcagtct tccatcctct ggccgtgacg gtggctgcag cttccccatt tgcgccgttg  
7020

cctctggctg tctgcacttt tgttcatgct ccaaagaaca tttcataatg ccttcagtac  
7080

cgacgtacac ttctgaccat tttgtatgtg tccttgtgcc gtagtgacca ggcctttttt  
7140

tgggtggatgt gttaccccgcc acacttcaat ctcaactttg tgcaccgtcc attttctagg  
7200

gatagacgcc cagggaatga actctagttt tctaacagat tagctgagat attaacttac  
7260

tcacacggac aggttgatgc cagagccgta agaatgcgcc agtgccgggtt tgcgggggac

SequencesSSCPre-file7August03.ST25.txt

7320

ttcgggtgtg gggtcctgcg gccgcgatgg ccgtggaagg ttctggggat ccctgctgcc  
7380

acggggacga gttcggacgc caggtggacc tgtgcactca gtaaaacgca gtgattc  
7437

<210> 34

<211> 7437

<212> DNA

<213> Homo sapiens

<400> 34

gctgagcctg agcccgaccc ggggcgcctc ccgccaggca ccatgggtgca gaagtcgcgc  
60

aacggcggcg tataccccgg ccgcgacggg gagaagaagc tgaagggtggg ctctgtgggg  
120

ctggaccccg gcgcgcccga ctccacccgg gacggggcgc tgctgatcgc cggctccgag  
180

gcccccaagc gcggcagcat cctcagcaaa cctcgcgcgg gcggcgcggg cgcggggaag  
240

cccccaagc gcaacgcctt ctaccgcaag ctgcagaatt tcctctacaa cgtgctggag  
300

cgccgcgcgc gctgggcgtt catctaccac gcctacgtgt tcctcctggt tttctcctgc  
360

ctcgtgctgt ctgtgttttc caccatcaag gagtatgaga agagctcgga gggggcctc  
420

tacatcctgg aaatcgtgac tatcgtgggtg ttggcggtgg agtacttcgt gcggatctgg  
480

gccgcaggct gctgctgccg gtaccgtggc tggagggggc ggctcaagtt tgcccggaaa  
540

ccgttctgtg tgattgacat catggtgctc atcgccctca ttgcgggtgct ggccgcgcgc  
600

tcccagggca acgtctttgc cacatctgcg ctccggagcc tgcgcttctt gcagattctg  
660

cggatgatcc gcatggaccg gcggggaggg acctggaagc tgctgggctc tgtgggtctat  
720

gccacacgca aggagctggt cactgcctgg tacatcggtt tcctttgtct catcctggcc  
780

tcgttcctgg tgtacttggc agagaagggg gagaacgacc actttgacac ctacgcggat

SequencesSSCPre-file7August03.ST25.txt

840

gcactctggt ggggcctgat cacgctgacc accattggct acggggacaa gtacccccag  
900

acctggaacg gcaggctcct tgcggcaacc ttcaccctca tcggtgtctc cttcttcgcg  
960

ctgcctgcag gcatcttggg gtctgggttt gccctgaagg ttcaggagca gcacaggcag  
1020

aagcactttg agaagaggcg gaaccggca gcaggcctga tccagtcggc ctggagattc  
1080

tacgccacca acctctcggg cacagacctg cactccacgt ggcagtacta cgagcgaacg  
1140

gtcaccgtgc ccatgtacag ttcgcaaact caaacctacg gggcctccag acttatcccc  
1200

ccgctgaacc agctggagct gctgaggaac ctcaagagta aatctggact cgctttcagg  
1260

aaggaccccc cgccggagcc gtctccaagc cagaaggta gtttgaaaga tcgtgtcttc  
1320

tccagcccc gaggcgtggc tgccaagggg aaggggtccc cgcaggccca gactgtgagg  
1380

cggtcaccca gcgcgacca gagcctcgag gacagcccca gcaagggtgcc caagagctgg  
1440

agcttcgggg accgcagccg ggcacgccag gctttccgca tcaaggggtgc cgcgtcacgg  
1500

cagaactcag aagaagcaag cctccccgga gaggacattg tggatgacaa gagctgcccc  
1560

tgcgagtttg tgaccgagga cctgaccccc ggcctcaaag tcagcatcag agccgtgtgt  
1620

gtcatgcggt tcctggtgtc caagcggaag ttcaaggaga gcctgcggcc ctacgacgtg  
1680

atggacgtca tcgagcagta ctacgccggc cacctggaca tgctgtcccc aattaagagc  
1740

ctgcagtcca gagtggacca gatcgtgggg cggggcccag cgatcacgga caaggaccgc  
1800

accaagggcc cggccgaggc ggagctgccc gaggaccca gcatgatggg acggctcggg  
1860

aaggtggaga agcaggtctt gtccatggag aagaagctgg acttcctggt gaatatctac  
1920



SequencesSSCPre-file7August03.ST25.txt

atgcagcgga tgggcatccc cccgacagag accgaggcct actttggggc caaagagccg  
1980

gagccggcgc cgccgtacca cagcccggaa gacagccggg agcatgtcga caggcacggc  
2040

tgcattgtca agatcgtgcg ctccagcagc tccacggggc agaagaactt ctggcgccc  
2100

ccggccgcgc cccctgtcca gtgtccgccc tccacctcct ggcagccaca gagccaccg  
2160

cgccagggcc acggcacctc ccccggtggg gaccacggct ccctggtgcg catcccgcg  
2220

ccgcctgccc acgagcggtc gctgtccgcc tacggcgggg gcaaccgcgc cagcatggag  
2280

ttcctgcggc aggaggacac cccgggctgc agggcccccg aggggacctt gggggacagc  
2340

gacacgtcca tctccatccc gtccgtggac cagcaggagc tggagcgttc cttcagcggc  
2400

ttcagcatct cccagtccaa ggagaacctg gatgctctca acagctgcta cgcggccgtg  
2460

gcgccttgtg ccaaagtcag gccctacatt gcggagggag agtcagacac cgactccgac  
2520

ctctgtaccc cgtgcggggc cccgccacgc tcggccaccg gcgaggggtcc ctttggtgac  
2580

gtgggctggg ccggggcccag gaagtgaggc ggcgctgggc cagtggacce gcccgcggc  
2640

ctcctcagca cggtgccctc gaggttttga ggcgggaacc ctctggggcc cttttcttac  
2700

agtaactgag tgtggcggga aggggtgggc ctggaggggc ccatgtgggc tgaaggatgg  
2760

gggctcctgg cagtgcctt ttacaaaagt tattttccaa cagggcactc ccaggccctg  
2820

tcgccattga ggtgcctccg ctgggctgtc tctcaccac tccctgtgct ggagcctgtc  
2880

ccaaaaaggt gccaaactggg aggcctcgga agccactgtc caggctccca ctgcctgtct  
2940

gctctgttcc caaaggcagc gtgtgtggcc tcgggccttg cgggtggcatg aagcatccct  
3000

SequencesSSCPre-file7August03.ST25.txt

tctggtgtgg gcatcgctac gtgttttggg ggcagcggtt cagggcgggt cccttgctgt  
3060

ctcccttggg ctggctcgag cctgggggtcc atgtcccttt gccgtcccgt catggggcag  
3120

ggaatccata gcggggccca caggcagggg tatgagtgcg tcccacccaa cgcagcacca  
3180

gccccggcca ccgctccccg tgtecccagt tccgtctcag ctacctggac tccaggaccc  
3240

tggagaaggg agacctggca gtggagggag gctgtgctgt gtgtccccct gcaggtgtga  
3300

ccccgcctgc tctttcctcc cccgccaggt gtggccccgc ctgctctttc ctccccacc  
3360

agtatggccc cacctgctct ttctccccc cccaagggtg ggcgccacct gttctttcct  
3420

ccctgcca ggtgtgacct cacctgctct ttctccctc ccagtatggc ccacctgct  
3480

cttctctcc ccgaggtgag gccccgcctg ctctttctc ccatgggagc cgctgaggcg  
3540

tgcgcacctg ggcacagggt ggggctctgc aggatgagga agacaggcca atcccttccc  
3600

tcccagaagc tggccgcccc gcaggaggga ctgaggccag actcatgtcc agcaaggaa  
3660

gtgtggtgtg tcccctggga agtctctggg ccctgggaag agggaagggt cacgtcctgg  
3720

gatggttgcg gggccctggt ttgggagaca aaggggtaga gggctctgtct tgggcccccc  
3780

cagactctag cccgagcagt gcagccacct actgccccac ctgagagaag tgcagcggga  
3840

aggaggctgg aggtggtgcg gcgctgcctc ggggtgtctgc gtgaatgagc gtggccaagg  
3900

accagtcca cctcatggca aagagctccc gcagtgtttg ttagagtgcg catcctacgt  
3960

gcccactggc acacacacgt gctcacatac atgtccgct acaggcgtac acatgcacgc  
4020

ttgcacacat gcacacagac cacatagcac acatgtgcac tgaccacacc tgtatagacc  
4080

atgcacagta cacatacgtg catacacatg cctgcataca ggcatacaca tgcacgctta

SequencesSSCPre-file7August03.ST25.txt

4140

catgtacacg tgcacagatc acacacatgc acacacgtgt agtcacaca cagtatacac  
4200

atacacaagt gcacagacca cacacagcac taacacatgc acacacaaag tgcataggcc  
4260

acacagcaca tgcacacagg tgcacagacc acacagcaca cacaagtgc cagagcacac  
4320

tgcacacatg cacacacaca cgcgtgcatg cacactctc gcacttcag ccttggagcc  
4380

cttctgtctc tgggtcttct ctttgaccct gctgagtgt agctgcctgg ggaggggcta  
4440

caaggagtaa ttgtggcttt aggggtcgtg gtgatgctgg aatgtcaagc gccgtcgtgg  
4500

ggtatccgac tgtccgggct cctgggtccgc agtggcagag cgccaggcag agccaatcag  
4560

ggtctcgtgc tgcccttccc cccacagcc tggcagccat ccagaggagg ggctctacca  
4620

gatgccaagg tgccccggtg tctgtatggg tgtccggttg ggtcctgtgt ttgggtctgcc  
4680

ctggagggtg ctgggcccctc ctgggatggg tggctcagcc tcgaatccca ggccccagcc  
4740

caggcaggtg ctgctgctg ttgtgggttc ctggcccagc ttctccttct cctctgcat  
4800

aaaatcacag tccgtgagtc ttccagctgc caccacggct gggacacgct gggggagggc  
4860

tcctcccatg cctcctgcac acagccgtct gagcagggca ggtgccaaca cccccaccg  
4920

gagacacgct gccctcagc gatgcccta ctttttgggg ggctcgtct caagcccccc  
4980

cttggaggct gaaatcacc caggcactgt gagggcttct ccagggggac accctttgag  
5040

ctgtgggtct gatcaccoca agtcccgcac acggaggaga ggcacagcca gggcgtgtgg  
5100

tttaatgttt gcccttcgg ggctggaggt ctcagtgttt ctagattcca gaccctgctg  
5160

ccagagagac ctgctgccgg agagaagggg aggaggactc cagctgggct cggccccca  
5220

SequencesSSCPre-file7August03.ST25.txt

tcgatgtgga tgagaagaac caaatgatga ccaccaacgt ctggctaaaa caggagtgga  
900

gcgactacaa actgcgctgg aaccccgctg attttgga catcacatct ctcagggtcc  
960

cttctgagat gatctggatc cccgacattg ttctctacaa caatgcagat ggggagtgtg  
1020

cagtgacca catgaccaag gccacactt tctccacggg cactgtgcac tgggtgcccc  
1080

cggccatcta caagagctcc tgcagcatcg acgtcacctt cttccccctc gaccagcaga  
1140

actgcaagat gaagtttggc tcctggactt atgacaaggc caagatcgac ctggagcaga  
1200

tggagcagac tgtggacctg aaggactact gggagagcgg cgagtgggcc atcgtcaatg  
1260

ccacgggcac ctacaacagc aagaagtacg actgctgcgc cgagatctac cccgacgtca  
1320

cctatgcctt cgtcatccgg cggctgccgc tcttctacac catcaacctc atcatccct  
1380

gcctgctcat ctctgcctc actgtgctgg tcttctacct gccctccgac tgcggcgaga  
1440

agatcacgct gtgcatttcg gtgctgctgt cactcacctg ctctctgctg ctcatcactg  
1500

agatcatccc gtccacctcg ctggatcatc cgctcatcgg cgagtacctg ctgttcacca  
1560

tgatcttcgt caccctgtcc atcgtcatca ccgtcttcgt gctcaatgtg caccaccgct  
1620

ccccagcac ccacaccatg cccactggg tgcggggggc cttcttgggc tgtgtgcccc  
1680

ggtggcttct gatgaaccgg cccccaccac ccgtggagct ctgccacccc ctacgcctga  
1740

agctcagccc ctcttatcac tggctggaga gcaacgtgga tgccgaggag agggaggtgg  
1800

tgggtggagga ggaggacaga tgggcatgtg caggatcatgt ggccccctct gtgggcaccc  
1860

tctgcagcca cggccacctg cactctgggg cctcaggctc caaggctgag gctctgctgc  
1920

SequencesSSCPre-file7August03.ST25.txt

aggaggggtga gctgctgcta tcaccccaca tgcagaaggc actggaagggt gtgcactaca  
1980

ttgccgacca cctgcggtct gaggatgctg actcttcggt gaaggaggac tggaagtatg  
2040

ttgccatggt catcgacagg atcttctctt ggctgtttat catcgtctgc ttcctgggga  
2100

ccatcggcct ctttctgcct ccgttcttag ctggaatgat ctgactgcac ctccctcgag  
2160

ctggctccca gggcaaaggg gagggttctt ggatgtggaa gggctttgaa caatgttttag  
2220

atttgagat gagcccaaag tgccaggag aacagccagg tgagggtggga ggttgagag  
2280

ccaggtgagg tctctctaag tcaggctggg gttgaagttt ggagtctgtc cgagtttgca  
2340

gggtgctgag ctgtatggc cagcaggga gtaataaggg ctcttccgga aggggaggaa  
2400

gcgggaggca ggcctgcacc tgatgtggag gtacaggcag atcttcccta ccggggaggg  
2460

atggatggtt ggatacagggt ggctgggcta ttccatccat ctggaagcac atttgagcct  
2520

ccaggcttct ccttgacgtc attctctctc ttccttgctg caaaatgggt ctgcaccagc  
2580

cggccccag gaggtctggc agagctgaga gccatggcct gcaggggctc catatgtccc  
2640

tacgcgtgca gcaggcaaac aaga  
2664

<210> 25  
<211> 3020  
<212> DNA  
<213> Homo sapiens

<400> 25  
gtcctcccgc ggggtccgagg gcgctggaaa cccagcggcg gcgaagcgga gaggagcccc  
60

gcgcgtctcc gcccgcaagg ctccagggtt ggggtctgct ctggagccgc gcggggagag  
120

gcgcgtctctg cgaccgccc gcgcgtctcc gaccgtccgg gtccgcggcc agcccggcca  
180

SequencesSSCPre-file7August03.ST25.txt

cagtcagga cccccataaa ggacaccccc ttctctctag aaagagctgg gctctcagct  
5280

atttctagtt gcttcccaga agccgaggag cagaaggagc tgtgagagct ttgcagaaac  
5340

gcccttgccc ccgcccctct gagctatgaa tgccgtacag agcagaggct ggggcattgg  
5400

caagatcaca ggttgatgct gcacagcccc attgacacaa accctcaaag cagacgtgag  
5460

agggacgggt cacaagctt ggacctgccg tggagggtgc ccggcagacg tggcgtgaga  
5520

gggacggctc acgaggcttg gacctgctgt ggagggtgcc cagcagacgt ggtgtgagag  
5580

gaacggctca cgagacttg accctggtgga gggtgcccag cagacgtggt gtgagaggga  
5640

cggctcacag ggcttgacc ggagagagat ggctcatgag acttggaacct gccgtggagg  
5700

gtgcccagca gacgtggtat gagagggatg gctcacgagg cttggacctg gtggagggtg  
5760

ccggcagac gtgtgagagg gacgggtcac aaggcttggga cctgccatgg agggtgccca  
5820

gcagacgtgg tgtgagaggg acagctcacg aggcttgga ctgccgtgga gggtgcccag  
5880

cagggggctg agctctgagg ggtgggtgct cagtgcacgg gtgccccag tgcctctga  
5940

tctgtccgg tgctcccc aacccccaca cccatgcaga actcccaggt cacatgcag  
6000

tatgtccagg gcatgggggt ggcgtgaaga ggcctggtca gggccttag gggctgcagg  
6060

acggaatggc cacctgggga gcctgtgtgg ctgtgccggg cagccatcct gcattcccac  
6120

ccagcgca gtctccacct cggcccagc aaagcgctaa gcagccggag agacagccag  
6180

ggcggttcc tgaaggatgt gggatggtgg actccgggggt cgagggaata cgcaggttcc  
6240

tgtctccgg gagacctaga gaagctgcac acccaggagc ttccatgac ccgggagcat  
6300

SequencesSSCPre-file7August03.ST25.txt

gagtgaatgg ggggttccag tttgctgaac tttgctgtct tgtaagggtg ggggctgacg  
6360

gccgacctg ggaggaggtg acaccgcagg gggaggttgt gggcaacggt ggaggaggag  
6420

agacgggagg ggaccatttg ggatggaggg gcctcttcag agttttaaaa ggcgtttgtg  
6480

gggtggagtt gagtgtgctc tgggcttggg cacttgccgt ggtgccccctg gctggccgag  
6540

gagactggct ctggccaggg ccccgctcctg agaggctctc agcgtctgac tctcggccag  
6600

gcgccagcaa ggagggggccg gtccccgggg ctaccaggca ggcacgtgca catcgccatc  
6660

gccacacgcc aactccgcct gggttttaca aagtcgttgc cttaatgcat gtggacagga  
6720

actccctgag gtgcgcccat gccccctggc tgtgccaggt acggacgccc tggaccctgc  
6780

gaacaggtgg ggcggggcgag gggcccaagg gacgggctcc agagacacgc gcagggcagg  
6840

aggggtctca cggaggggtc tcgcactgag gcgccagag ctggtggctc cgtgggacgc  
6900

catccctctg ccggggatcc acacggccca cgtgtgcccc ccatgccccg gccccacgcc  
6960

attgcagtct tccatcctct ggccgtgacg gtggctgcag cttccccatt tgcgccgttg  
7020

cctctggctg tctgcacttt tgttcatgct ccaaagaaca tttcataatg ccttcagtac  
7080

cgacgtacac ttctgaccat tttgtatgtg tcttgtgcc gtagtgacca ggcctttttt  
7140

tgggtggatgt gttaccccg c acacttcaat ctcaactttg tgcaccgtcc attttctagg  
7200

gatagacgcc cagggaatga actctagttt tctaacagat tagctgagat attaacttac  
7260

tcacacggac aggttgatgc cagagccgta agaatgcgcc agtgcggggt tgcgggggac  
7320

ttcgggtgtg gggctcctgcg gccgcgatgg ccgtggaagg ttctggggat ccctgctgcc  
7380

acggggacga gttcggacgc caggtggacc tgtgcactca gtaaaacgca gtgattc



SequencesSSCPre-file7August03.ST25.txt

7437

<210> 35  
 <211> 7437  
 <212> DNA  
 <213> Homo sapiens

<400> 35

gctgagcctg agcccgaccc ggggcgcctc ccgccaggca ccatggtgca gaagtcgcgc  
 60

aacggcgggc tataccccgg cccgagcggg gagaagaagc tgaagggtggg cttcgtgggg  
 120

ctggaccccg gcgcgcccga ctccaccggg gacggggcgc tgctgatcgc cggtccgag  
 180

gcccccaagc gcggcagcat cctcagcaaa cctcgcgcgg gcggcgcggg cgccgggaag  
 240

cccccaagc gcaacgcctt ctaccgcaag ctgcagaatt tcctctacaa cgtgctggag  
 300

cgccgcgcgc gctgggcggt catctaccac gcctacgtgt tcctcctggg tttctcctgc  
 360

ctcgtgctgt ctgtgttttc caccatcaag gagtatgaga agagctcgga gggggccctc  
 420

tacatcctgg aaatcgtgac tatcgtgggtg ttgggcgtgg agtacttcgt gcggatctgg  
 480

gccgcaggct gctgctgccg gtaccgtggc tggagggggc ggctcaagtt tgcccggaaa  
 540

cgtttctgtg tgattgacat catggtgctc atcgctcca ttgcggtgct ggccgcccgc  
 600

tcccaggga acgtctttgc cacatctgcg ctccggagcc tgcgcttcct gcagattctg  
 660

cggatgatec gcatggaccg gcggggaggc acctggaagc tgctgggctc tgtggtctat  
 720

gcccacagca aggagctggt cactgcctgg tacatcggtt tcctttgtct catcctggcc  
 780

tcgttcctgg tgtacttggc agagaagggg gagaacgacc actttgacac ctacgaggat  
 840

gcactctggt ggggcctgat cacgctgacc accattgggt acggggacaa gtacccccag  
 900

acctggaacg gcaggctcct tgcggcaacc ttcacctca tcggtgtctc cttcttcgcg

SequencesSSCPre-file7August03.ST25.txt

960

ctgcctgcag gcatcttggg gtctgggttt gccctgaagg ttcaggagca gcacaggcag  
1020

aagcactttg agaagaggcg gaaccggca gcaggcctga tccagtcggc ctggagattc  
1080

tacgccacca acctctcgcg cacagacctg cactccacgt ggcagtacta cgagcgaacg  
1140

gtcacgtgc ccatgtacag ttcgaaact caaacctacg gggcctccag acttatcccc  
1200

ccgctgaacc agctggagct gctgaggaac ctcaagagta aatctggact cgctttcagg  
1260

aaggaccccc cgccggagcc gtctccaagc cagaaggtea gtttgaaaga tcgtgtcttc  
1320

tccagccctt gaggcgtggc tgccaagggg aaggggtccc cgcaggccca gactgtgagg  
1380

cggtcacca gcgccgacca gagcctcgag gacagcccca gcaagggtgcc caagagctgg  
1440

agcttcgggg accgcagccg ggcacgccag gctttccgca tcaagggtgc cgcgtcacgg  
1500

cagaactcag aagaagcaag cctccccgga gaggacattg tggatgacaa gagctgcccc  
1560

tgcgagtttg tgaccgagga cctgaccccg ggcctcaaag tcagcatcag agccgtgtgt  
1620

gtcatgcggt tcctggtgtc caagcggaag ttcaaggaga gcctgcggcc ctacgacgtg  
1680

atggacgtca tcgagcagta ctacgcggc cacctggaca tgctgtcccg aattaagagc  
1740

ctgcagtcca gactggacca gatcgtgggg cggggcccag cgatcacgga caaggaccgc  
1800

accaagggcc cggccgaggc ggagctgccc gaggacccca gcatgatggg acggctcggg  
1860

aagggtgaga agcaggtctt gtccatggag aagaagctgg acttcctggg gaatatctac  
1920

atgcagcgga tgggcatccc cccgacagag accgaggcct actttggggc caaagagccg  
1980

gagccggcgc cgccgtacca cagcccgga gacagccggg agcatgtcga caggcacggc  
2040

SequencesSSCPre-file7August03.ST25.txt

tgcattgtca agatcgtgcg ctccagcagc tccacgggcc agaagaactt ctgggcgccc  
2100

ccggccgcg cccctgtcca gtgtccgccc tccacctcct ggcagccaca gagccaccg  
2160

cgccagggcc acggcacctc ccccggtggg gaccacggct ccctgggtgcg catcccgcg  
2220

ccgcctgccc acgagcggtc gctgtccgcc tacggcgggg gcaaccgcgc cagcatggag  
2280

ttcctgcggc aggaggacac cccgggctgc agggcccccg aggggaccct gcgggacagc  
2340

gacacgtcca tctccatccc gtccgtggac caccaggagc tggagcgttc cttcagcggc  
2400

ttcagcatct cccagtccaa ggagaacctg gatgctctca acagctgcta cgcggccgtg  
2460

gcgccttgtg ccaaagtcag gccctacatt gcggaggag agtcagacac cgactccgac  
2520

ctctgtacc cgtgcgggcc cccgccacgc tcggccaccg gcgagggtcc ctttgggtgac  
2580

gtgggctggg ccgggcccag gaagtgaggc ggcgctgggc cagtggacct gcccgcggcc  
2640

ctcctcagca cggtgccctc gaggttttga ggcgggaacc ctctggggcc cttttcttac  
2700

agtaactgag tgtggcggga aggggtgggc ctggaggggc ccatgtgggc tgaaggatgg  
2760

gggctcctgg cagtgcctt ttacaaaagt tattttccaa cagggcactc ccaggccctg  
2820

tcgccattga ggtgcctccg ctgggctgtc tctcaccac tccctgtgct ggagcctgtc  
2880

ccaaaaaggt gccaaactggg aggcctcgga agccactgtc caggctccca ctgcctgtct  
2940

gctctgttcc caaaggcagc gtgtgtggcc tcgggccctg cgggtggcatg aagcatccct  
3000

tctgggtgtg gcacgcctac gtgttttggg ggcagcgttt caccggcggtg cccttgctgt  
3060

ctcccttggg ctggctcgag cctgggggtc atgtcccttt gccgtcccg catggggcag  
3120

SequencesSSCPre-file7August03.ST25.txt

ggaatccata gcggggccca caggcagggg tatgagtgcg tcccacccaa cgcagcacca  
3180

gccccggcca ccgctccccg tgtccccagt tccgtctcag ctacctggac tccaggaccc  
3240

tggagaaggg agacctggca gtggagggag gctgtgctgt gtgtccccct gcaggtgtga  
3300

ccccgcctgc tctttctctc cccgccaggt gtggccccgc ctgctcttct cccccacc  
3360

agtatggccc cacctgctct tctctcccc cccaaggtgt ggcaccacct gttcttctct  
3420

ccctgcca ggtgtgacct cacctgctct tctctctct cagtatggc cccacctgct  
3480

cttctctccc ccgaggtgag gccccgcctg ctcttctct ccatgggagc cgctgaggcg  
3540

tgcgcacctg ggcacaggtt ggggctctgc aggatgagga agacaggcca atcccttccc  
3600

tccagaagc tggccgcca gcaggaggga ctgaggccag actcatgtcc agcaaggaa  
3660

gtgtggtgtg tccccggga agtctctggg cctgggaag agggaaggtg cagtcctgg  
3720

gatggttgcg gggccctggt ttgggagaca aaggggtaga gggctctgtct tgggcccccc  
3780

cagactctag cccgagcagt gcagccacct actgccccac ctacagagaag tgcagcggga  
3840

aggaggctgg aggtggtgcg gcgctgcctc ggggtgtctgc gtgaatgagc gtggccaagg  
3900

accagtcca cctcatggca aagagctccc gcagtgtttg ttagagtgc catcctacgt  
3960

gcccactggc acacacacgt gctcacatac atgtccgcgt acaggcgta acatgcacgc  
4020

ttgcacacat gcacacagac cacatagcac acatgtgcac tgaccacacc tgtatagacc  
4080

atgcacagta cacatacgtg catacacatg cctgcataca ggcatacaca tgcacgctta  
4140

catgtacacg tgcacagatc acacacatgc acacacgtgt agctcacaca cagtatacac  
4200

atacacaagt gcacagacca cacacagcac taacacatgc acacacaaag tgcataggcc

SequencesSSCPre-file7August03.ST25.txt

4260

acacagcaca tgcacacagg tgcacagacc acacagcaca cacaagtgca cagagcacac  
4320

tgcacacatg cacacacaca cgcgtgcatg cacactcctc gcacttccag ccttggagcc  
4380

cttctgtctc tgggtctttct ctttgaccct gctgagtgtg agctgcctgg ggaggggcta  
4440

caaggagtaa ttgtggcttt aggggtcgtg gtgatgctgg aatgtcaagc gccgtcgtgg  
4500

ggtatccgac tgtccgggct cctgggtccgc agtggcagag cgccaggcag agccaatcag  
4560

ggtctcgtgc tggccttccc cccacagcc tggcagccat ccagaggagg ggctctacca  
4620

gatgccaagg tgccccgggtg tctgtatggg tgtccgggtg ggtcctgtgt ttgggtctgcc  
4680

ctggagggtg ctgggcccctc ctgggatggg tggctcagcc tcgaatccca ggccccagcc  
4740

caggcagggtg ctgctgectg ttgtggtttc ctggcccagc ttctccttct cctctgcat  
4800

aaaatcacag tccgtgagtc ttccagctgc caccacggct gggacacgct gggggagggc  
4860

tcctcccatg cctcctgcac acagccgtct gagcaggga ggtgccaaca cccccaccg  
4920

gagacacgct gccctcagc gatgccccta ctttttgggg ggcctcgtct caagcccccc  
4980

cttggaggct gaaatcacc caggcactgt gagggcttct ccagggggac accctttgag  
5040

ctgtgggtct gatcacccca agtcccgcac acggaggaga ggcacagcca gggcgtgtgg  
5100

tttaatgttt gcccttcgg ggctggagggt ctgagtgttt ctagattcca gaccctgctg  
5160

ccagagagac ctgctgccgg agagaagggg aggaggactc cagctgggct cgggtcccca  
5220

cagtcaggga ccccataaa ggacaccccc ttctctctag aaagagctgg gctctcagct  
5280

atttctagtt gcttcccaga agccgaggag cagaaggagc tgtgagagct ttgcagaaac  
5340

SequencesSSCPre-file7August03.ST25.txt

gcccttgtec ccgccctcct gagctatgaa tgccgtacag agcagaggct ggggcattgg  
5400

caagatcaca ggttgatgct gcacagcccc attgacacaa accctcaaag cagacgtgag  
5460

agggacgggt cacaaagctt ggacctgccg tggagggtgc ccggcagacg tggcgtgaga  
5520

gggacggctc acgaggcttg gacctgctgt ggagggtgcc cagcagacgt ggtgtgagag  
5580

gaacggctca cgagacttgg acctggtgga gggtgcccag cagacgtggt gtgagaggga  
5640

cggctcacag ggcttggacc ggagagagat ggctcatgag acttggacct gccgtggagg  
5700

gtgcccagca gacgtggtat gagagggatg gctcacgagg cttggacctg gtggagggtg  
5760

cccggcagac gtgtgagagg gacggttcac aaggcttggga cctgccatgg agggtgccca  
5820

gcagacgtgg tgtgagaggg acagctcacg aggcttggac ctgccgtgga gggtgcccag  
5880

cagggggctg agctctgagg ggtgggtgct cagtgcacgg gtgccccag tgtcctctga  
5940

tcctgtccgg tgcctcccc aacccccaca cccatgcaga actcccaggt cacatgcag  
6000

tatgtccagg gcatgggggt ggcgtgaaga ggcttggta gggcctttag gggctgcagg  
6060

acggaatggc cacctgggga gcctgtgtgg ctgtgccggg cagccatcct gcattcccac  
6120

ccagcgcga gtctccacct cggccccagc aaagcgctaa gcagccggag agacagccag  
6180

ggcggcttcc tgaaggatgt gggatgggtg actccggggt cgagggaata cgcaggttcc  
6240

tgctctccgg gagacctaga gaagctgcac acccaggagc tttccatgac ccgggagcat  
6300

gagtgaatgg ggggttccag tttgctgaac tttgctgtct tgtaagggtg ggggctgacg  
6360

gccgaccctg ggaggaggtg acaccgcagg gggaggttgt gggcaacggt ggaggaggag  
6420

SequencesSSCPre-file7August03.ST25.txt

agacgggagg ggaccatttg ggatggaggg gcctcttcag agttttaaaa ggcgtttgtg  
6480

gggtggagtt gagtgtgctc tgggcttga cacttgccgt ggtgcccctg gctggccgag  
6540

gagactggct ctggccaggg ccccgctctg agaggctctc agcgtctgac tctcggccag  
6600

gcgccagcaa ggagggggcg gtccccgggg ctaccaggca ggcacgtgca catcgccatc  
6660

gccacacgcc aactccgctt gggttttaca aagtcgttgc cttaatgcat gtggacagga  
6720

actccctgag gtcgccccat gcccctggc tgtgccaggt acggacgcc tggaccctgc  
6780

gaacaggtgg ggcgggagag gggcccaagg gacgggctcc agagacacgc gcagggcagg  
6840

aggggtctca cggaggggtc tcgcactgag gcgccagag ctgggtggctc cgctggacgc  
6900

catccctctg cccgggatcc acacggccca cgtgtgcccg ccatgcccgc gcccacgcc  
6960

attgcagtct tccatcctct ggccgtgacg gtggctgcag cttccccatt tgcgccgttg  
7020

cctctggctg tctgcacttt tgttcatgct ccaaagaaca ttccataatg ccttcagtac  
7080

cgacgtacac ttctgaccat tttgtatgtg tccttgtgcc gtagtgacca ggcctttttt  
7140

tggtggatgt gttaccccgc acacttcaat ctcaactttg tgcaccgtcc attttctagg  
7200

gatagacgcc cagggaatga actctagttt tctaacagat tagctgagat attaacctac  
7260

tcacacggac aggttgatgc cagagccgta agaatgcgcc agtgccgggtt tgcgggggac  
7320

ttcgggtgtg gggtcctgcg gccgcgatgg ccgtggaagg ttctggggat ccttgcctgc  
7380

acggggacga gttcggacgc caggtggacc tgtgcactca gtaaaacgca gtgattc  
7437

<210> 36  
<211> 7437  
<212> DNA



&lt;213&gt; Homo sapiens

&lt;400&gt; 36

gctgagcctg agcccgaccc ggggcgcctc ccgccaggca ccatggtgca gaagtcgcgc  
60aacggcggcg tataccccgg cccgagcggg gagaagaagc tgaaggtggg cttcgtgggg  
120ctggaccccg gcgcgccga ctccaccggg gacggggcgc tgctgatcgc cggctccgag  
180gcccccaagc gcggcagcat cctcagcaaa cctcgcgcgg gcggcgcggg cgccgggaag  
240ccccccaagc gcaacgcctt ctaccgcaag ctgcagaatt tcctctacaa cgtgctggag  
300cggcgcgcgc gctgggcggt catctaccac gcctacgtgt tcctcctggt tttctcctgc  
360ctcgtgctgt ctgtgttttc caccatcaag gagtatgaga agagctcgga gggggccctc  
420tacatcctgg aaatcgtgac tatcgtggtg tttggcgtgg agtacttcgt gcggatctgg  
480gccgcaggct gctgctgccg gtaccgtggc tggagggggc ggctcaagtt tgcccggaag  
540ccgttctgtg tgattgacat catggtgctc atgcctcca ttgcggtgct ggccgcgcgc  
600tcccagggca acgtctttgc cacatctgcg ctccggagcc tgcgcttcct gcagattctg  
660cggatgatcc gcatggaccg gcggggaggc acctggaagc tgctgggctc tgtggtctat  
720gcccacagca aggagctggt cactgcctgg tacatcggct tcctttgtct catcctggcc  
780tcgttcctgg tgtacttggc agagaagggg gagaacgacc actttgacac ctacgcggat  
840gcactctggt ggggcctgat cacgctgacc accattggct acggggacaa gtacccccag  
900acctggaacg gcaggctcct tgcggcaacc ttcacctca tcgggtgtctc cttcttcgcg  
960ctgcctgcag gcatcttggg gtctgggttt gccctgaagg ttcaggagca gcacaggcag  
1020

aagcactttg agaagaggcg gaaccggca gcaggcctga tccagtcggc ctggagattc

SequencesSSCPre-file7August03.ST25.txt

1080

tacgccacca acctctcgcg cacagacctg cactccacgt ggcagtacta cgagcgaacg  
1140

gtcaccgtgc ccatgtacag ttcgcaaact caaacctacg gggcctccag acttatcccc  
1200

ccgctgaacc agctggagct gctgaggaac ctcaagagta aatctggact cgctttcagg  
1260

aaggaccccc cgccggagcc gtctccaagc cagaagggtca gtttgaaaga tcgtgtcttc  
1320

tccagcccc cgccgtggc tgccaagggg aaggggtccc cgcaggccca gactgtgagg  
1380

cggtcaccca ggcgcgacca gagcctcgag gacagcccca gcaagggtgcc caagagctgg  
1440

agcttcgggg accgcagccg ggcacgccag gctttccgca tcaagggtgc cgctcacgg  
1500

cagaactcag aagaagcaag cctccccgga gaggacattg tggatgacaa gagctgcccc  
1560

tgcgagtgtg tgaccgagga cctgaccccg ggcctcaaag tcagcatcag agcgtgtgt  
1620

gtcatgcggt tcctgggtgc caagcggaag ttcaaggaga gcctgcggcc ctacgacgtg  
1680

atggacgtca tcgagcagta ctcagccggc cacctggaca tgctgtcccg aattaagagc  
1740

ctgcagtcca gtgtggacca gatcgtgggg cggggcccag cgatcacgga caaggaccgc  
1800

accaagggcc cgcccgaggc ggagctgccc gaggacccca gcatgatggg acggctcggg  
1860

aagggtggaga agcaggtctt gtccatggag aagaagctgg acttcctggg gaatatctac  
1920

atgcagcgga tgggcatccc cccgacagag accgaggcct actttggggc caaagagccg  
1980

gagccggcgc cgccgtacca cagcccggaa gacagccggg agcatgtcga caggcacggc  
2040

tgcattgtca agatcgtgcg ctccagcagc tccacggggc agaagaactt ctgggcgccc  
2100

ccggccgcgc cccctgtcca gtgtccgccc tccacctcct ggcagccaca gagccaccgg  
2160

SequencesSSCPre-file7August03.ST25.txt

cgccagggcc acggcacctc ccccggtgggg gaccacgggt ccctgggtgcg catcccgccg  
2220

cgccctgccc acgagcggtc gctgtccgcc tacggcgggg gcaaccgcgc cagcatggag  
2280

ttcctgcggc aggaggacac cccgggctgc agggccccg aggggaccct gcgggacagc  
2340

gacacgtcca tctccatccc gtccgtggac caccaggagc tggagcgttc cttcagcggc  
2400

ttcagcatct cccagtccaa ggagaacctg gatgctctca acagctgcta cgcggccgtg  
2460

gcgccttggtg ccaaagtcag gccctacatt gcggaggagg agtcagacac cgactccgac  
2520

ctctgtaccc cgtgcggggc cccgccacgc tcggccaccg gcgagggtcc ctttggtgac  
2580

gtgggctggg ccgggcccag gaagtgaggc ggcgctgggc cagtggacce gcccgcgggc  
2640

ctcctcagca cgggtgcctcc gaggttttga ggcgggaacc ctctggggcc cttttcttac  
2700

agtaactgag tgtggcggga aggggtgggc ctggaggggc ccatgtgggc tgaaggatgg  
2760

gggctcctgg cagtgcctt ttacaaaagt tattttccaa cagggcactc ccaggecctg  
2820

tcgccattga ggtgcctccg ctgggctgtc tctcaccac tccctgtgct ggagcctgtc  
2880

ccaaaaaggt gccaaactggg aggcctcgga agccactgtc caggctccca ctgcctgtct  
2940

gctctgttcc caaaggcagc gtgtgtggcc tcgggccctg cgggtggcatg aagcatccct  
3000

tctgggtgtg gcacgcctac gtgttttggg ggcagcgttt cacggcgggtg cccttgctgt  
3060

ctcccttggg ctggctcgag cctgggggtcc atgtcccttt gccgtcccgt catggggcag  
3120

ggaatccata gcggggccca caggcagggg tatgagtgcg tcccacccaa cgcagcacca  
3180

gccccggcca ccgctccccg tgtccccagt tccgtctcag ctacctggac tccaggaccc  
3240

SequencesSSCPre-file7August03.ST25.txt

tggagaaggg agacctggca gtggaggag gctgtgctgt gtgtccccct gcaggtgtga  
3300

ccccgcctgc tctttcctcc cccgccaggt gtggccccgc ctgctctttc ctccccacc  
3360

agtatggccc cacctgctct ttcctcccc cccaaggtgt ggccccacct gttctttct  
3420

ccctgccga ggtgtgacc cacctgctct ttcctccctc ccagtatggc cccacctgct  
3480

ctttcctccc ccgaggtgag gccccgcctg ctctttcctc ccatgggagc cgctgaggcg  
3540

tgcgcacctg ggcacaggtt ggggctctgc aggatgagga agacaggcca atcccttccc  
3600

tcccagaagc tggccgccc gcaggaggga ctgaggccag actcatgtcc agcaaggaa  
3660

gtgtggtgtg tccccggga agtctctggg ccttgggaag agggaaggtg cacgtcctgg  
3720

gatggttgcg gggccctggt ttgggagaca aaggggtaga gggctctgtct tgggcccccc  
3780

cagactctag cccgagcagt gcagccacct actgccccac ctgagagaag tgcagcgga  
3840

aggaggctgg aggtggtgcg gcgctgcctc ggggtgtctgc gtgaatgagc gtggccaagg  
3900

accagtgcc cctcatggca aagagctccc gcagtgtttg ttagagtgc catcctacgt  
3960

gccactggc acacacacgt gctcacatac atgtccgcgt acaggcgtac acatgcacgc  
4020

ttgcacacat gcacacagac cacatagcac acatgtgcac tgaccacacc tgtatagacc  
4080

atgcacagta cacatacgtg catacacatg cctgcataca ggcatacaca tgcacgctta  
4140

catgtacacg tgcacagatc acacacatgc acacacgtgt agctcacaca cagtatacac  
4200

atacacaagt gcacagacca cacacagcac taacacatgc acacacaaag tgcataggcc  
4260

acacagcaca tgcacacagg tgcacagacc acacagcaca cacaagtgc cagagcacac  
4320

tgcacacatg cacacacaca cgcgtgcatg cacactcctc gcacttccag ccttggagcc

SequencesSSCPre-file7August03.ST25.txt

4380

cttctgtctc tgggtctttct ctttgaccct gctgagtgtg agctgcctgg ggaggggcta  
4440

caaggagtaa ttgtggcttt aggggtcgtg gtgatgctgg aatgtcaagc gccgtcgtgg  
4500

ggtatccgac tgtccgggct cctgggtccgc agtggcagag cgccaggcag agccaatcag  
4560

ggtctcgtgc tgcccttccc cccacagcc tggcagccat ccagaggagg ggtctacca  
4620

gatgccaagg tgccccggtg tctgtatggg tgtccggttg ggtcctgtgt ttggtctgcc  
4680

ctggagggtg ctggggccctc ctgggatggg tggctcagcc tcgaatccca ggccccagcc  
4740

caggcaggtg ctgctgcctg ttgtggtttc ctggcccagc ttctccttct ccctctgcat  
4800

aaaatcacag tccgtgagtc ttccagctgc caccacggct gggacacgct gggggagggc  
4860

tcctcccatg cctcctgcac acagccgtct gagcagggca ggtgccaaca cccccaccg  
4920

gagacacgct gcccctcagc gatgccccta ccttttgggg ggcctcgtct caagcccccc  
4980

cttgagggt gaaatcaccc caggcactgt gagggcttct ccagggggac accctttgag  
5040

ctgtgggtct gatcacccca agtcccgcac acggaggaga ggcacagcca gggcgtgtgg  
5100

tttaatgttt gcccttcgg ggctggagggt ctgagtgttt ctagattcca gaccctgctg  
5160

ccagagagac ctgctgccgg agagaagggg aggaggactc cagctgggct cggccccca  
5220

cagtcaggga ccccataaaa ggacaccccc ttctctctag aaagagctgg gctctcagct  
5280

atttctagtt gcttcccaga agccgaggag cagaaggagc tgtgagagct ttgcagaaac  
5340

gccttgtcc ccgcctcct gagctatgaa tgccgtacag agcagaggct ggggcattgg  
5400

caagatcaca ggttgatgct gcacagcccc attgacacaa accctcaaag cagacgtgag  
5460

SequencesSSCPre-file7August03.ST25.txt

agggacgggtt cacaaagctt ggacctgccg tggaggggtgc ccggcagacg tggcgtgaga  
5520

gggacggctc acgaggcttg gacctgctgt ggaggggtgcc cagcagacgt ggtgtgagag  
5580

gaacggctca cgagacttgg acctgggtgga ggggtgcccag cagacgtggt gtgagagggg  
5640

cggctcacag ggcttggacc ggagagagat ggctcatgag acttggacct gccgtggagg  
5700

gtgcccagca gacgtgggtat gagaggggatg gctcacgagg cttggacctg gtggaggggtg  
5760

cccggcagac gtgtgagagg gacggttcac aaggcttggg cctgccatgg agggtgccca  
5820

gcagacgtgg tgtgagaggg acagctcacg aggcttggac ctgccgtgga ggggtgcccag  
5880

cagggggctg agctctgagg ggtgggtgct cagtgcacgg gtgccccag tgcctctga  
5940

tcctgtccgg tgctcccccc aacccccaca cccatgcaga actcccaggt cacatgcacg  
6000

tatgtccagg gcatgggggt ggcgtgaaga ggcctgggtca gggcctttag gggctgcagg  
6060

acggaatggc cacctgggga gcctgtgtgg ctgtgccggg cagccatcct gcattccac  
6120

ccagcgcgca gtctccacct cggccccagc aaagcgctaa gcagccggag agacagccag  
6180

ggcggcttcc tgaaggatgt gggatgggtg actccgggggt cgaggggaata cgcaggttcc  
6240

tgtcctccgg gagacctaga gaagctgcac acccaggagc tttccatgac ccgggagcat  
6300

gagtgaatgg ggggttccag tttgctgaac tttgctgtct tgtaaggggtg ggggctgacg  
6360

gccgacctg ggaggagggtg acaccgcagg gggagggtgt gggcaacggt ggaggaggag  
6420

agacgggagg ggaccatttg ggatggaggg gcctcttcag agttttaaaa ggcgtttgtg  
6480

gggtggagtt gagtgtgctc tgggcttggg cacttgccgt ggtgcccctg gctggccgag  
6540

SequencesSSCPre-file7August03..ST25.txt

gagactggct ctggccaggg ccccgctctg agaggctctc agcgtctgac tctcgccag  
6600

gcgccagcaa ggagggggccg gtccccgggg ctaccaggca ggcacgtgca catcgccatc  
6660

gccacacgcc aactccgcct gggttttaca aagtcgttgc cttaatgcat gtggacagga  
6720

actccctgag gtcgccccat gcccctggc tgtgccaggt acggacgccc tggaccctgc  
6780

gaacagggtg ggccgggagag gggcccaagg gacgggctcc agagacacgc gcagggcagg  
6840

aggggtctca cggaggggtc tcgcactgag gcgcccagag ctggtgggtcc cgctggacgc  
6900

catccctctg cccgggatcc acacggccca cgtgtgcccg ccatgcccgc gcccacgcc  
6960

attgcagtct tccatcctct ggccgtgacg gtggctgcag cttccccatt tgcgccgttg  
7020

cctctggctg tctgcacttt tgttcatgct ccaaagaaca tttcataatg ctttcagtac  
7080

cgacgtacac ttctgaccat tttgtatgtg tccttgtgcc gtagtgacca ggcctttttt  
7140

tgggtggatgt gttacccgcg acacttcaat ctcaactttg tgcaccgtcc attttctagg  
7200

gatagacgcc cagggaatga actctagttt tctaacagat tagctgagat attaacctac  
7260

tcacacggac aggttgatgc cagagccgta agaatgcgcc agtgccgggtt tgcgggggac  
7320

ttcgggtgtg gggtcctgcg gccgcgatgg ccgtggaagg ttctggggat ccctgctgcc  
7380

acggggacga gttcggacgc caggtggacc tgtgcactca gtaaaacgca gtgattc  
7437

<210> 37

<211> 7437

<212> DNA

<213> Homo sapiens

<400> 37

gctgagcctg agcccgaccc ggggcgcctc ccgccaggca ccatgggtgca gaagtcgcgc  
60



SequencesSSCPre-file7August03.ST25.txt

aacggcggcg tataccccgg cccgagcggg gagaagaagc tgaagggtggg cttcgtgggg  
120

ctggacccccg gcgcgcccga ctccacccgg gacggggcgc tgetgatcgc cggctccgag  
180

gcccccaagc gcggcagcat cctcagcaaa cctcgcgcgg gcggcgcggg cggcgggaag  
240

ccccccaagc gcaacgcctt ctaccgcaag ctgcagaatt tcctctacaa cgtgctggag  
300

cggcgcgcgc gctggggcgtt catctaccac gcctacgtgt tcctcctggt tttctcctgc  
360

ctcgtgctgt ctgtgttttc caccatcaag gagtatgaga agagctcgga gggggccctc  
420

tacatcctgg aaatcgtgac tatcgtggtg tttggcgtgg agtacttcgt gcggatctgg  
480

gcgcaggt gctgctgccg gtaccgtggc tggagggggc ggctcaagtt tgccccgaaa  
540

ccgttctgtg tgattgacat catggtgctc atcgctcca ttgcggtgct ggccgcccgc  
600

tcccagggca acgtctttgc cacatctgcg ctccggagcc tgcgcttcct gcagattctg  
660

cggatgatcc gcatggaccg gcggggaggg acctggaagc tgctgggctc tgtggtctat  
720

gcccacagca aggagctggt cactgcctgg tacatcggct tcctttgtct catcctggcc  
780

tcgttcctgg tgtacttggc agagaagggg gagaacgacc actttgacac ctacgcggat  
840

gcactctggt ggggcctgat cacgctgacc accattggct acggggacaa gtacccccag  
900

acctggaacg gcaggctcct tgcggcaacc ttcaccctca tcggtgtctc cttcttcgcg  
960

ctgcctgcag gcatcttggg gtctggggtt gcctgaagg ttcaggagca gcacaggcag  
1020

aagcactttg agaagaggcg gaaccgggca gcaggcctga tccagtcggc ctggagattc  
1080

tacgccacca acctctcgcg cacagacctg cactccacgt ggcagtacta cgagcgaacg  
1140

gtcaccgtgc ccatgtacag ttcgcaaact caaacctacg gggcctccag acttatcccc

SequencesSSCPre-file7August03.ST25.txt

1200

ccgctgaacc agctggagct gctgaggaac ctcaagagta aatctggact cgctttcagg  
1260

aaggaccccc cgccggagcc gtctccaagc cagaagggtca gtttgaaaga tcgtgtcttc  
1320

tccagcccc caggcgtggc tgccaagggg aaggggtccc cgcaggccca gactgtgagg  
1380

cggtcacca ggcgcgacca gagcctcgag gacagcccca gcaagggtgcc caagagctgg  
1440

agcttcgggg accgcagccg ggcacgccag gctttccgca tcaaggggtgc cgcgtcacgg  
1500

cagaactcag aagaagcaag cctccccgga gaggacattg tggatgacaa gagctgcccc  
1560

tgcgagtttg tgaccgagga cctgaccccg ggctcaaag tcagcatcag agccgtgtgt  
1620

gtcatgcggt tcctgggtgc caagcggaag ttcaaggaga gcctgcggcc ctacgacgtg  
1680

atggacgtca tcgagcagta ctacgccggc cacctggaca tgctgtcccc aattaagagc  
1740

ctgcagtcca gagtggacca gatcgtgggg cggggcccag cgatcacgga caaggaccgc  
1800

accaagggcc cggccgaggc ggagctgccc gaggacccca gcatgatggg acggctcggg  
1860

aagggtggaga agcaggtctt gtccatggag aagaagcggg acttcctggt gaatatctac  
1920

atgcagcggg tgggcatccc cccgacagag accgaggcct actttggggc caaagagccg  
1980

gagccggcgc cgccgtacca cagcccggaa gacagccggg agcatgtcga caggcacggc  
2040

tgcatgttca agatcgtgcg ctccagcagc tccacggggc agaagaactt ctcggcgccc  
2100

cgggccgcgc cccctgtcca gtgtccgccc tccacctcct ggcagccaca gagccacccg  
2160

cgccagggcc acggcacctc ccccgtaggg gaccacggct ccttggtgcg catcccgcgc  
2220

ccgcctgccc acgagcggtc gctgtccgcc tacggcgggg gcaaccgcgc cagcatggag  
2280

SequencesSSCPre-file7August03.ST25.txt

ttcctgcggc aggaggacac cccgggctgc agggcccccg aggggaccct gcgggacagc  
2340

gacacgtcca tctccatccc gtccgtggac cagcaggagc tggagcggtc cttcagcggc  
2400

ttcagcatct cccagtccaa ggagaacctg gatgctctca acagctgcta cgcggccgtg  
2460

gcgccttggtg ccaaagtcag gccctacatt gcggagggag agtcagacac cgactccgac  
2520

ctctgtaccc cgtgcggggc cccgccacgc tcggccaccg gcgaggggtc ctttggtgac  
2580

gtgggctggg cggggcccag gaagtgaggc ggcgctgggc cagtggacct gccgcgggc  
2640

ctcctcagca cggtgccctc gaggttttga ggcgggaacc ctctggggcc cttttcttac  
2700

agtaactgag tgtggcggga aggggtgggc ctggaggggc ccatgtgggc tgaaggatgg  
2760

gggctcctgg cagtgcctt ttacaaaagt tattttccaa cagggcactc ccaggccctg  
2820

tcgccattga ggtgcctccg ctgggctgtc tctcaccctc tccctgtgct ggagcctgtc  
2880

ccaaaaaggt gccaaactggg aggcctcgga agccactgtc caggctccca ctgcctgtct  
2940

gctctgttcc caaaggcagc gtgtgtggcc tcgggccttg cgggtggcatg aagcatccct  
3000

tctgggtgtg gcategctac gtgttttggg ggcagcgttt cacggcgggtg cccttgcgtg  
3060

ctcccttggg ctggctcgag cctgggggtc atgtcccttt gccgtcccgt catggggcag  
3120

ggaatccata gcgggggcca caggcagggg tatgagtgcg tcccacccaa cgcagcacca  
3180

gccccggcca ccgctccccg tgtccccagt tccgtctcag ctacctggac tccaggacct  
3240

tggagaaggg agacctggca gtggagggag gctgtgctgt gtgtccccct gcaggtgtga  
3300

ccccgcctgc tctttcctcc ccgccagggt gtggccccgc ctgctctttc ctccccacc  
3360

SequencesSSCPre-file7August03.ST25.txt

agtatggccc cacctgctct ttctccccc cccaagggtg ggcacacct gttctttcct  
3420

cccctgccga ggtgtgaccc cacctgctct ttctccctc ccagtatggc cccacctgct  
3480

ctttctccc ccgaggtgag gcccgcctg ctctttctc ccatgggagc cgctgaggcg  
3540

tgcgcacctg ggcacagggt ggggtctctg aggatgagga agacaggcca atcccttccc  
3600

tcccagaagc tggccgccc gcaggaggga ctgaggccag actcatgtcc agcaaggaaac  
3660

gtgtgggtgtg tcccctggga agtctctggg ccctgggaag aggggaagggtg cacgtcctgg  
3720

gatgggttgcg gggccctggt ttgggagaca aaggggtaga gggctctgtct tgggcccccc  
3780

cagactctag cccgagcagt gcagccacct actgccccac ctacagagaag tgcagcggga  
3840

aggaggctgg aggtgggtgcg gcgctgcctc ggggtgtctg gtgaatgagc gtggccaagg  
3900

accagtgcc cctcatggca aagagctccc gcagtgtttg ttagagtgc catcctacgt  
3960

gccactggc acacacacgt gctcacatac atgtccgct acaggcgta acatgcacgc  
4020

ttgcacacat gcacacagac cacatagcac acatgtgcac tgaccacacc tgtatagacc  
4080

atgcacagta cacatacgtg catacacatg cctgcataca ggcatacaca tgcacgctta  
4140

catgtacacg tgcacagatc acacacatgc acacacgtgt agctcacaca cagtatacac  
4200

atacacaagt gcacagacca cacacagcac taacacatgc acacacaaag tgcataaggcc  
4260

acacagcaca tgcacacagg tgcacagacc acacagcaca cacaagtgc cagagcacac  
4320

tgcacacatg cacacacaca cgcgtgcatg cacactcctc gcacttccag ccttgaggcc  
4380

cttctgtctc tgggtctttct ctttgacct gctgagtgt agctgcctgg ggaggggcta  
4440

caaggagtaa ttgtggcttt aggggtcgtg gtgatgctgg aatgtcaagc gccgtcgtgg

SequencesSSCPre-file7August03.ST25.txt

4500

ggtatccgac tgtccgggct cctgggtccgc agtggcagag cgccaggcag agccaatcag  
4560

ggtctcgtgc tgcccttccc cccacagcc tggcagccat ccagaggagg ggctctacca  
4620

gatgccaagg tgccccgggtg tctgtatggg tgtccgggtg ggtcctgtgt ttgggtctgcc  
4680

ctggagggtg ctgggcccctc ctgggatggg tggctcagcc tcgaatccca ggccccagcc  
4740

caggcagggtg ctgctgcctg ttgtggtttc ctggcccagc ttctccttct ccctctgcat  
4800

aaaatcacag tccgtgagtc ttccagctgc caccacggct gggacacgct gggggaggggc  
4860

tcctcccatg cctcctgcac acagccgtct gagcagggca ggtgccaaca cccccaccg  
4920

gagacacgct gccctcagc gatgccccta ccttttgggg ggcctcgtct caagcccccc  
4980

cttggaggct gaaatcaccc caggcactgt gagggcttct ccagggggac accctttgag  
5040

ctgtgggtct gatcacccca agtcccgcac acggaggaga ggcacagcca gggcgtgtgg  
5100

tttaatgttt gcccttcgg ggctggaggc ctcagtgttt ctagattcca gacctgctg  
5160

ccagagagac ctgctgccgg agagaagggg aggaggactc cagctgggct cggccccca  
5220

cagtcaggga ccccataaaa ggacaccccc ttctctctag aaagagctgg gctctcagct  
5280

atttctagtt gcttcccaga agccgaggag cagaaggagc tgtgagagct ttgcagaaac  
5340

gcccttgtcc ccgccctcct gagctatgaa tgccgtacag agcagaggct ggggcattgg  
5400

caagatcaca ggttgatgct gcacagcccc attgacacaa accctcaaag cagacgtgag  
5460

agggacgggt caciaagctt ggacctgccg tggaggggtgc ccggcagacg tggcgtgaga  
5520

gggacggctc acgaggcttg gacctgctgt ggaggggtgcc cagcagacgt ggtgtgagag  
5580

SequencesSSCPre-file7August03.ST25.txt

gaacggctca cgagacttgg acctggtgga gggtgcccag cagacgtggt gtgagaggga  
5640

eggctcacag ggcttggacc ggagagagat ggctcatgag acttggacct gccgtggagg  
5700

gtgcccagca gacgtggtat gagagggatg gctcacgagg cttggacctg gtggagggtg  
5760

cccggcagac gtgtgagagg gacggttcac aaggcttggga cctgccatgg agggtgccca  
5820

gcagacgtgg tgtgagaggg acagctcacg aggcttggac ctgccgtgga gggtgcccag  
5880

cagggggctg agctctgagg ggtgggtgct cagtgcacgg gtgccccag tgtcctctga  
5940

tcctgtccgg tgcttcccc aacccccaca cccatgcaga actcccaggt cacatgcacg  
6000

tatgtccagg gcatgggggt ggcgtgaaga ggcctggtca gggcctttag gggctgcagg  
6060

acggaatggc cacctgggga gcctgtgtgg ctgtgccggg cagccatcct gcattcccac  
6120

ccagcgcgca gtctccacct cggccccagc aaagcgcata gcagccggag agacagccag  
6180

ggcggcttcc tgaaggatgt gggatggtgg actccgggggt cgagggaata cgcaggttcc  
6240

tgtcctccgg gagacctaga gaagctgcac acccaggagc tttccatgac ccgggagcat  
6300

gagtgaatgg ggggttccag tttgctgaac tttgctgtct tgtaagggtg ggggctgacg  
6360

gccgacctg ggaggaggtg acaccgcagg gggaggttgt gggcaacggt ggaggaggag  
6420

agacgggagg ggaccatttg ggatggaggg gcctcttcag agttttaaaa ggcgtttgtg  
6480

gggtggagtt gagtgtgctc tgggcttggga cacttgccgt ggtgcccctg gctggccgag  
6540

gagactggct ctggccaggg cccgctcctg agaggctctc agcgtctgac tctcggccag  
6600

gcgccagcaa ggagggggccg gtccccgggg ctaccaggca ggcacgtgca catcgccatc  
6660

SequencesSSCPre-file7August03.ST25.txt

gccacacgcc aactccgcct gggttttaca aagtcgttgc cttaatgcat gtggacagga  
6720

actccctgag gtcgccccat gccccctggc tgtgccaggt acggacgccc tggaccctgc  
6780

gaacaggtgg ggcggggcag gggcccaagg gacgggctcc agagacacgc gcagggcagg  
6840

aggggtctca cggagggggtc tcgcactgag gcgcccagag ctgggtggctcc cgttggacgc  
6900

catccctctg cccgggatcc acacggccca cgtgtgcccgc ccatgcccgc gccccacgcc  
6960

attgcagtct tccatcctct ggccgtgacg gtggctgcag ctccccatt tgcgccgttg  
7020

cctctggctg tctgcacttt tgttcatgct ccaaagaaca tttcataatg ccttcagtac  
7080

cgacgtacac ttctgaccat tttgtatgtg tccttgtgcc gtagtgacca ggcctttttt  
7140

tggtggatgt gttacccccgc acacttcaat ctcaactttg tgcaccgtcc attttctagg  
7200

gatagacgcc cagggaatga actctagttt tctaacagat tagctgagat attaacttac  
7260

tcacacggac aggttgatgc cagagccgta agaatgcgcc agtgcggggtt tgcgggggac  
7320

ttcgggtgtg gggtcctgcg gccgcgatgg ccgtggaagg ttctggggat ccctgctgcc  
7380

acggggacga gttcggacgc caggtggacc tgtgcactca gtaaaacgca gtgattc  
7437

<210> 38  
<211> 169  
<212> DNA  
<213> Homo sapiens

<400> 38  
acttatcccc ccgctgaacc agctggagct gctgaggaac ctcaagagta aatctggact  
60

cgttttcagg tcagctgggg agctccaggt ggggccccgtg ggcgtctcag tcctgggggc  
120

cccagctgcc cacagaagac acgccaggac agtgccccag ggactccag  
169



SequencesSSCPre-file7August03.ST25.txt

<210> 39  
<211> 203  
<212> DNA  
<213> Homo sapiens

<400> 39  
atgccgggac aggtgacccc atggcggaag acaggggcta tgggaatgac ttccccatcg  
60  
aagacatgat cccacacctg aaggccgcca tccgagccgt caggtaatgc cccacaggtc  
120  
ccacctgtgc ctgtgtgcct ccccaactcc agtcaactc ccacaggaag gggcttataa  
180  
aattatcttg cactttggga agg  
203

<210> 40  
<211> 232  
<212> DNA  
<213> Homo sapiens

<400> 40  
aattctacaa ttccgtctct ataaaaaaaa attcaaggag actttgaggc cttacgatgt  
60  
gaaggatgtg attgagcagt attctgccgg gcctctcgac atgttttcca ggataaagta  
120  
ccttcagacg aggtgagaca gtcacatctg gagggactgc actccctca aagccctatg  
180  
aaccttagag tttaagggtga gaggtattca gaaataattc aaaatgcagg ga  
232

<210> 41  
<211> 1925  
<212> DNA  
<213> Homo sapiens

<400> 41  
ggtccattcg ggaattactg cccagcagcc gactaagttg cattccttga atcttcgcag  
60  
aaaagacaat tcttttaatc agagttagta atgtggacag tacaaaatcg agagagtctg  
120  
gggcttctct ctttccctgt gatgattacc atgggtctgt gtgcacacag caccaatgaa  
180  
cccagcaaca tgccatacgt gaaagagaca gtggacagat tgctcaaagg atatgacatt

SequencesSSCPre-file7August03.ST25.txt

240

cgcttgccgc cggacttcgg agggccccc gtcgacgttg ggatgcggat cgatgtcgcc  
300

agcatagaca tgggtctccga agtgaatatg gattatacac tcaccatgta tttccagcag  
360

tcttggaag acaaaaggct ttcttattct ggaatccac tgaacctcac cctagacaat  
420

agggtagctg accaactctg ggtaccagac acctacttct tgaatgacaa gaaatcattt  
480

gtgcatgggg tcacagtga aaatcgaatg attcgactgc atcctgatgg aacagttctc  
540

tatggactcc gaatcacaac cacagctgca tgtatgatgg atcttcgaag atatccattg  
600

gatgagcaga actgcaccct ggagatcgaa agttatggct ataccactga tgacattgaa  
660

ttttactgga atggaggaga aggggcagtc actggtgtta ataaaatcga acttcctcaa  
720

ttttcaattg ttgactacaa gatgggtgtct aagaagggtg agttcacaac aggagcgtat  
780

ccacgactgt cactaagttt tcgtctaaag agaaacattg gttacttcat ttgcaaacc  
840

tacatgcctt ctacactgat tacaattctg tcctgggtgt ctttttggat caactatgat  
900

gcactctcag ccagagtcgc actaggaatc acgacagtgc ttacaatgac aaccatcagc  
960

accacctca gggagaccct gccaaagatc cttatgtca aagcgattga tatttatctg  
1020

atgggttgct ttgtgtttgt gttcctggct ctgctggagt atgcctttgt aaattacatc  
1080

ttctttggga aaggccctca gaaaaaggga gctagcaaac aagaccagag tgccaatgag  
1140

aagaataaac tggagatgaa taaagtccag gtcgacgcc acggtaacat tctcctcagc  
1200

accctggaaa tccggaatga gacgagtggc tcggaagtgc tcacgagcgt gagcgacccc  
1260

aaggccacca tgtactccta tgacagcgcc agcatccagt accgcaagcc cctgagcagc  
1320

SequencesSSCPre-file7August03.ST25.txt

cgcgaggcct acgggcgcgc cctggaccgg cacgggggtac ccagcaaggg ggcgcatccgc  
1380

aggcgtgcct cccagctcaa agtcaagatc cccgacttga ctgatgtgaa ttccatagac  
1440

aagtggcccc gaatgttttt ccccatcacc ttttctcttt ttaatgtcgt ctattggcct  
1500

tactatgtac actgaggtct gttctaattg ttccatttag actactttcc tcttctattg  
1560

ttttttaacc ttacaggtcc ccaacagcga tactgctggt tctcgaggta agagattcag  
1620

ccatccaatt ggtttttaggt cttgcatatc agttttatta ctgcaccatg ttactttcaa  
1680

aaagacaaaa caaaaaaaaa attatttttc cagtctaccg tgggccaggt tatcagctct  
1740

ttaagagctc tattaattgc catgtttaca aacaaacaca aagagagaag ttagacaggt  
1800

agatcttttag cagtcttttc tagtttcctt ggatttcact gattttatctt ttagggaaaa  
1860

tgaaaagagg accttgctgt ccgcctgcac tgcttcctgg taaactataa caaacttatg  
1920

ctgcc  
1925

<210> 42  
<211> 1925  
<212> DNA  
<213> Homo sapiens

<400> 42  
gggccattcg ggaattactg cccagcagcc gactaagttg cattccttga atcttcgcag  
60

aaaagacaat tcttttaatc agagttagta atgtggacag tacaaaatcg agagagtctg  
120

gggcttctct ctttccttgt gatgattacc atggctctgt gtgcacacag caccaatgaa  
180

cccagcaaca tgccatacgt gaaagagaca gtggacagat tgctcaaagg atatgacatt  
240

cgcttgccgc cggacttcgg agggccccc gtgcacgttg ggatgcggat cgatgtcgcc  
300

SequencesSSCPre-file7August03.ST25.txt

agcatagaca tggctctccga agtgaatatg gattatacac tcaccatgta tttccagcag  
360

tcttggaag acaaaaggct ttcttattct ggaatccac tgaacctcac cctagacaat  
420

agggtagctg accaactctg ggtaccagac acctactttc tgaatgacaa gaaatcattt  
480

gtgcatgggg tcacagtga aaatcgaatg attcgactgc atcctgatgg aacagttctc  
540

tatggactcc gaatcacaac cacagctgca tgtatgatgg atcttcgaag atatccactg  
600

gatgagcaga actgcaccct ggagatcgaa agttatggct ataccactga tgacattgaa  
660

ttttactgga atggaggaga aggggcagtc actgggtgtta ataaaatcga acttcctcaa  
720

ttttcaattg ttgactacaa gatgggtgtct aagaagggtg agttcacaac aggagcgtat  
780

ccacgactgt cactaagttt tcgtctaaag agaaacattg gttacttcat tttgcaaacc  
840

tacatgcctt ctacactgat tacaattctg tcctgggtgt ctttttggat caactatgat  
900

gcattctcag ccagagtcgc actaggaatc acgacagtgc ttacaatgac aaccatcagc  
960

accacctca gggagaccct gccaaagatc ccttatgtca aagcgattga tatttatctg  
1020

atgggttgt ttgtgtttgt gttcctggct ctgctggagt atgcctttgt aaattacatc  
1080

ttctttggga aaggccctca gaaaaaggga gctagcaaac aagaccagag tgccaatgag  
1140

aagaataaac tggagatgaa taaagtccag gtcgacgccc acggtaacat tctcctcagc  
1200

accctggaaa tccggaatga gacgagtggc tcggaagtgc tcacgagcgt gagcgacccc  
1260

aaggccacca tgtactccta tgacagcgcc agcatccagt accgcaagcc cctgagcagc  
1320

cgcgaggcct acgggcgcgc cctggaccgg cacgggggtac ccagcaaggg gcgcatccgc  
1380

SequencesSSCPre-file7August03.ST25.txt

aggcgtgcct cccagctcaa agtcaagatc cccgacttaa ctgatgtgaa ttccatagac  
1440

aagtgggtccc gaatgttttt ccccatcacc ttttctcttt ttaatgtcgt ctattggctt  
1500

tactatgtac actgaggtct gttctaattg ttccatttag actactttcc tcttctattg  
1560

ttttttaacc ttacaggtcc ccaacagcga tactgctggt tctcgaggta agagattcag  
1620

ccatccaatt ggttttaggt cttgcatatc agttttatta ctgcaccatg tttacttcaa  
1680

aaagacaaaa caaaaaaaaa attatttttc cagtctaccg tgggccaggt tatcagctct  
1740

ttaagagctc tattaattgc catgtttaca aacaaacaca aagagagaag ttagacaggt  
1800

agatcttttag cagtcttttc tagtttccct ggatttcact gatttatttt ttagggaaaa  
1860

tgaaaagagg accttgctgt ccgcctgcac tgcttcctgg taaactataa caaacttatg  
1920

ctgcc  
1925

<210> 43  
<211> 1925  
<212> DNA  
<213> Homo sapiens

<400> 43  
ggtccattcg ggaattactg cccagcagcc gactaagttg cattccttga atcttcgcag  
60

aaaagacaat tcttttaatc agagttagta atgtggacag tacaaaatcg agagagtctg  
120

gggcttctct ctttccctgt gatgattacc atggctctgt gtgcacacag caccaatgaa  
180

cccagcaaca tgccatacgt gaaagagaca gtggacagat tgctcaaagg atatgacatt  
240

cgcttgccgc cggacttcgg agggcccccc gtcgacgttg ggatgcggat cgatgtcgcc  
300

agcatagaca tgggtctccga agtgaatatg gattatacac tcaccatgta tttccagcag  
360

SequencesSSCPre-file7August03.ST25.txt

tcttggaag acaaaaggct ttcttattct ggaatccac tgaacctcac cctagacaat  
420

agggtagctg accaactctg ggtaccagac acctactttc tgaatgacaa gaaatcattt  
480

gtgcatgggg tcacagtga aaatcgaatg attcgactgc atcctgatgg aacagttctc  
540

tatggactcc gaatcacaac cacagctgca tgtatgatgg atcttcgaag atatccactg  
600

gatgagcaga actgcaccct ggagatcgaa agttatggct ataccactga tgacattgaa  
660

ttttactgga atggaggaga aggggcagtc actggtgtta ataaaatcga acttcctcaa  
720

ttttcaattg ttgactacaa gatgggtgtt aagaagggtg agttcacaac aggagcgtat  
780

ccacgactgt cactaagttt tctctaaag agaaacattg gttacttcat ttgcaaacc  
840

tacatgcctt ctacactgat tacaattctg tcttgggtgt ctttttggat caactatgat  
900

gcattctgag ccagagtcgc actaggaatc acgacagtgc ttacaatgac aaccatcagc  
960

accacctca gggagaccct gccaaagatc ccttatgtca aagcgattga tatttatctg  
1020

atgggttgct ttgtgtttgt gttcctggct ctgctggagt atgcttttgt aaattacatc  
1080

ttctttggga aaggccctca gaaaaaggga gctagcaaac aagaccagag tgccaatgag  
1140

aagaataaac tggagatgaa taaagtccag gtcgacgcc acggtaacat tctcctcagc  
1200

accctggaaa tccggaatga gacgagtggc tcggaagtgc tcacgagcgt gagcgacccc  
1260

aaggccacca tgtactccta tgacagcgcc agcatccagt accgcaagcc cctgagcagc  
1320

cgcgaggcct acgggcgcgc cctggaccgg cacggggtac ccagcaaggg gcgcatccgc  
1380

aggcgtgcct cccagctcaa agtcaagatc cccgacttga ctgatgtgaa ttccatagac  
1440

aagtggcccc gaatgttttt ccccatcacc ttttctcttt ttaatgtcgt ctattggctt

SequencesSSCPre-file7August03.ST25.txt

1500

tactatgtac actgaggtct gttctaattg ttccatttag actactttcc tcttctattg  
1560

ttttttaacc ttacaggtcc ccaacagcga tactgctggt tctcgaggta agagattcag  
1620

ccatccaatt ggtttttaggt cttgcatatc agttttatta ctgcaccatg tttacttcaa  
1680

aaagacaaaa caaaaaaaaaa attatttttc cagtctaccg tgggtccaggt tatcagctct  
1740

ttaagagctc tattaattgc catgtttaca aacaaacaca aagagagaag ttagacaggt  
1800

agatcttttag cagtcttttc tagtttccct ggatttccact gatttatttt ttagggaaaa  
1860

tgaaaagagg accttgctgt ccgcctgcac tgcttctctg taaactataa caaacttatg  
1920

ctgcc  
1925

<210> 44

<211> 1536

<212> DNA

<213> Homo sapiens

<400> 44

tgaattcgtg agatggcgag ctccacggca ccatggcccc gaagctgctg ctccctcctc  
60

gcctgttctc gggcttgcac gcgcgggtcca gaaaggtgga agaggatgaa tatgaagatt  
120

catcatcaaa ccaaaagtgg gtcttggtc caaaatccca agacaccgac gtgactctta  
180

ttctcaacaa gttgctaaga gagtatgata aaaagctgag gccagatatt ggaataaaac  
240

cgaccgtaat tgacgttgac atttatgtta acagcattgg tcctgtgtca tcaataaaca  
300

tggaatacca aattgacata ttttttgctc agacctggac agatagtcgc cttcgattca  
360

acagcacaat gaaaattctt actctgaaca gcaacatggt ggggttaate tggatcccag  
420

acaccatctt ccgcaattct aaaaccgcag aggctcactg gatcaccaca cccaatcagc



SequencesSSCPre-file7August03.ST25.txt

480

tcctccggat ttggaatgac gggaaaatcc ttacacttt gaggtcacc atcaatgctg  
540

agtgccagct gcagctgcac aacttcccca tggacgaaca ctctgcccg ctgattttct  
600

ccagctatgg ctatcccaaa gaagaaatga tttatagatg gagaaaaaat tcagtggagg  
660

cagctgacca gaaatcatgg cggctttatc agtttgactt catgggcctc agaaacacca  
720

cagaaatcgt gacaacgtct gcaggtgatt atgttgatc gactatatat ttgaattga  
780

gtagaagaat gggatacttc accattcaga catacattcc ctgtatactg actgtgggtt  
840

tatcctgggt gtcattttgg atcaaaaaag atgctacgcc agcaagaaca gcattaggca  
900

tcaccacggg gctgaccatg accaccctga gcaccatcgc caggaagtcc ttgccacgcg  
960

tgctctacgt gaccgccatg gacctttttg tgactgtgtg ctctctgttt gtcttcgccc  
1020

cgtgaacgga gtatgccacc ctcaactact attccagctg tagaaaacca accaccacga  
1080

aaaagacaac atcgttacta catccagatt cctcaagatg gattcctgag cgaataagcc  
1140

tacaagcccc ttccaactat tccctcctgg acatgaggcc accaccacct gcgatgatca  
1200

ctttaaacia ttccgtttac tggcaggaat ttgaagatac ctgtgtctat gagtgtctgg  
1260

atggcaaaga ctgtcagagc ttcttctgct gctatgaaga atgtaaatca ggatcctgga  
1320

ggaaagggcg tattcacata gacatcttgg agctggactc gtactcccgg gtctttttcc  
1380

ccacgtcctt cctgctcttt aacctggtct actgggttgg atacctgtat ctctaagtgt  
1440

tgctcagagt gaagagtga gagcatttgg tacacacttg accttctgtc gtccccagac  
1500

cagtagtgac caatcgggag tagcaaggaa ggacac  
1536

SequencesSSCPre-file7August03.ST25.txt

<210> 45  
<211> 1843  
<212> DNA  
<213> Homo sapiens

<400> 45  
gcacaattca gaggtaacag cgctgcgtt ttctccatga taacatagac aaacagttgc  
60  
ctccaaagct gcagattgga tattgggaag caaatttggg tgtgaaatct tcagcaaagg  
120  
agcacgcaga gtccatgatg gctcagacca agtgagtgag aggcagagcg agggcgcccc  
180  
tctgctctgg cgcgcccgga ctcggaactcg cagactcgcg ctggctccag tctctccacg  
240  
attctctctc ccagactttt ccccggtctt aagagatcct gtgtccagag ggggccttag  
300  
ctgctccagc ccgcatgag gaaaagtcca ggtctgtctg actgtctttg ggctggatc  
360  
ctccttctga gcacactgac tggaagaagc tatggacagc cgtcattaca agatgaactt  
420  
aaagacaata ccactgtctt caccaggatt ttggacagac tcctagatgg ttatgacaat  
480  
cgctgagac caggattggg agagcgtgta accgaagtga agactgatat cttcgtcacc  
540  
agtttcggac ccgtttcaga ccatgatatg gaatatacaa tagatgtatt tttccgtcaa  
600  
agctggaagg atgaaagggt aaaatttaaa ggacctatga cagtcctccg gttaaataac  
660  
ctaattggcaa gtaaaatccg gactccggac acatttttcc acaatggaaa gaagtcagt  
720  
gccacaaca tgaccatgcc caacaaactc ctgcggatca cagaggatgg caccttgctg  
780  
tacaccatga ggctgacagt gagagctgaa tgtccgatgc atttgaggga cttccctatg  
840  
gatgcccatg cttgcccact aaaatttggg agttatgctt atacaagagc agaagttggt  
900  
tatgaatgga ccagagagcc agcacgctca gtggttgtag cagaagatgg atcacgtcta  
960

SequencesSSCPre-file7August03.ST25.txt

aaccagtatg accttcttgg acaaacagta gactctggaa ttgtccagtc aagtacagga  
1020

gaatatgttg ttatgaccac tcatttcac ttgaagagaa agattggcta ctttgttatt  
1080

caaacatacc tgccatgcat aatgacagtg attctctcac aagtctcctt ctggctcaac  
1140

agagagtctg taccagcaag aactgtcttt ggagtaacaa ctgtgctcac catgacaaca  
1200

ttgagcatca gtgccagaaa ctccctcctt aagggtggctt atgcaacagc tatggattgg  
1260

tttattgccg tgtgctatgc ctttggtgtc tcagctctga ttgagtttgc cacagtaaac  
1320

tatttcacta agagagggtta tgcattggat ggcaaaagtg tggttccaga aaagccaaag  
1380

aaagtaaagg atcctcttat taagaaaaac aacacttacg ctccaacagc aaccagctac  
1440

accctaatt tggccagggg cgacccgggc ttagccacca ttgctaaaag tgcaaccata  
1500

gaacctaaag aggtcaagcc cgaaacaaaa ccaccagaac ccaagaaaac ctttaacagt  
1560

gtcagcaaaa ttgaccgact gtcaagaata gccttcccgc tgctatttgg aatctttaac  
1620

ttagtctact gggctacgta tttaaacaga gagcctcagc taaaagcccc cacaccacat  
1680

caatagatct tttactcaca ttctgttggt cagttcctct gcactgggaa tttatttatg  
1740

ttctcaagc agtaattccc atctgccttt attgcctctg tcttaaagaa tttgaaagtt  
1800

tccttatttt cataattcat ttaagacaag agaccctgt ctg  
1843

<210> 46

<211> 1843

<212> DNA

<213> Homo sapiens

<400> 46

gcacaattca gaggtaacag cgctgcgtt ttctccatga taacatagac aaacagttgc  
60

SequencesSSCPre-file7August03.ST25.txt

ctccaaagct gcagattgga tattgggaag caaatTTggg tgtgaaatct tcagcaaagg  
120  
agcacgcaga gtccatgatg gctcagacca agtgagttag aggcagagcg aggacgcccc  
180  
tctgtcttgg cgcgcccgga ctgggactcg cagactcgcg ctggctccag tctctccacg  
240  
attctctctc ccagactttt ccccggtctt aagagatcct gtgttcagag ggggccttag  
300  
ctgctccagc ccgcatgag gaaaagtcca ggtctgtctg actgtctttg ggcctggatc  
360  
ctccttctga gcacactgac tggaagaagc tatggacagc cgtcattaca agatgaactt  
420  
aaagacaata ccactgtctt caccaggatt ttggacagac tcctagatgg ttatgacaat  
480  
cgctgagac caggattggg agagcgtgta accgaagtga agactgatat cttegtcacc  
540  
agtttcggac ccgtttcaga ccatgatatg gaatatacaa tagatgtatt tttccgtcaa  
600  
agctggaagg atgaaagggt aaaatttaaa ggacctatga cagtcctccg gttaaataac  
660  
ctaattggcaa gtaaaatccg gactccggac acatttttcc acaatggaaa gaagtcagtg  
720  
gccacaaca tgaccatgcc caacaaactc ctgcggatca cagaggatgg caccttgctg  
780  
tacaccatga ggctgacagt gagagctgaa tgtccgatgc atttggagga cttccctatg  
840  
gatgcccatg cttgccact aaaatttggg agttatgctt atacaagagc agaagttggt  
900  
tatgaatgga ccagagagcc agcacgctca gtggtttag cagaagatgg atcacgtcta  
960  
aaccagtatg accttcttgg acaaacagta gactctggaa ttgtccagtc aagtacagga  
1020  
gaatatgttg ttatgaccac tcatttccac ttgaagagaa agattggcta ctttggtatt  
1080  
caaacatacc tgccatgcat aatgacagtg attctctcac aagtctcctt ctggctcaac  
1140

SequencesSSCPre-file7August03.ST25.txt

agagagtctg taccagcaag aactgtcttt ggagtaacaa ctgtgctcac catgacaaca  
1200

ttgagcatca gtgccagaaa ctccctccct aaggtggctt atgcaacagc tatggattgg  
1260

tttattgccg tgtgctatgc ctttgtgttc tcagctctga ttgagtttgc cacagtaaac  
1320

tatttcacta agagaggtta tgcattgggat ggcaaaagtg tggttccaga aaagccaaag  
1380

aaagtaaagg atcctcttat taagaaaaac aacacttacg ctccaacagc aaccagctac  
1440

accctaatt tggccagggg cgacccgggc ttagccacca ttgctaaaag tgcaaccata  
1500

gaacctaaag aggtcaagcc cgaaacaaaa ccaccagaac ccaagaaaac ctttaacagt  
1560

gtcagcaaaa ttgaccgact gtcaagaata gccttccgcg tgctatttgg aatctttaac  
1620

ttagtctact gggctacgta tttaaacaga gagcctcagc taaaagcccc cacaccacat  
1680

caatagatct tttactcaca ttctgttggt cagttcctct gcactgggaa tttatttatg  
1740

ttctcaacgc agtaattccc atctgccttt attgcctctg tcttaaagaa tttgaaagtt  
1800

tccttatttt cataattcat ttaagacaag agaccctgt ctg  
1843

<210> 47  
<211> 2189  
<212> DNA  
<213> Homo sapiens

<400> 47  
cctagcgtc ctctccggct tccaccagcc catcgctcca cgctctcttg gctgctgcag  
60

tctcgggtct tctctctctc tctctctctc tctctctctc tctctctctc tctctctctc  
120

tctctctctc tctctcccaa gtttcctatc tcgtcaagat cagggcaaaa gaagaaaaca  
180

ccgaattctg cttgccgttt cagagcggcg gtgatgaaga caaaattgaa catctacaac  
240

SequencesSSCPre-file7August03.ST25.txt

atcgagttcc tgctttttgt tttcttggtg tgggaccctg ccagggttggg gctggctaac  
300

atccaagaag atgaggctaa aaataacatt accatcttta cgagaattct tgacagactt  
360

ctggatgggtt acgataatcg gcttagacca ggactgggag acagtattac tgaagtcttc  
420

actaacatct acgtgaccag ttttggccct gtctcagata cagatatgga atatacaatt  
480

gatgttttct ttcgacaaaa atggaaagat gaacgtttta aatttaaagg tcctatgaat  
540

atccttcgac taaacaattt aatggctagc aaaatctgga ctccagatac cttttttcac  
600

aatgggaaga aatcagtagc tcataatatg acaatgccaa ataagttgct tcgaattcag  
660

gatgatggga ctctgctgta taccatgagg cttacagttc aagctgaatg cccaatgca  
720

ttggaggatt tcccaatgga tgctcattca tgtcctctga aatttggcag ctatgcatat  
780

acaacttcag aggtcactta tatttggact tacaatgcat ctgattcagt acaggttgct  
840

cctgatggct ctaggttaaa tcaatatgac ctgctgggcc aatcaatcgg aaaggagaca  
900

attaaatcca gtacaggtga atatactgta atgacagctc atttccacct gaaaagaaaa  
960

attgggtatt ttgtgattca aacctatctg ccttgcata tgactgtcat tctctcccaa  
1020

gtttcattct ggcttaacag agaatctgtg cctgcaagaa ctgtgtttgg agtaacaact  
1080

gtcctaacaa tgacaactct aagcatcagt gctcggaatt ctctcccaa agtggcttat  
1140

gcaactgcca tggactgggt tatttctgtt tgttatgcat ttgtgttctc tgcctaatt  
1200

gaatttgcaa ctgttaatta cttcaccaaa agaggatgga cttgggatgg gaagagtgt  
1260

gtaaatgaca agaaaaaaga aaaggcttcc gttatgatac agaacaacgc ttatgcagt  
1320

gctgttgcca attatgcccc gaatctttca aaagatccag ttctctccac catctccaag

SequencesSSCPre-file7August03.ST25.txt

1380

agtgcaacca cgccagaacc caacaagaag ccagaaaaca agccagctga agcaaagaaa  
1440

actttcaaca gtgtagcaa aattgacaga atgtccagaa tagtttttcc agttttgttt  
1500

ggtaccttta atttagttta ctgggctaca tatttaaaca gagaacctgt attaggggtc  
1560

agtccttgaa ttgagacca tggtatcttt gggatgtata gcaacattaa atttggtttg  
1620

ttttgctatg tacagtctga ctaataactg ctaatttgtg atccaacatg tacagtatgt  
1680

atatagtac atagcttacc agtagacctt taatggagac atgcatttgc taactcatgg  
1740

aactgcagac agaaagcact ccatgcgaaa acagccattg ctttttttaa agatttacc  
1800

taggacctga tttaaagtga atttcaaag acctgattaa ttccctattc ttccaaatga  
1860

gatgaaaatg gggatcctgt acaacccttt gtggaccctt ttggtttagc tcttaagtag  
1920

gggtattttc tactgttgct taattatgat ggaagataac attgtcattc ctagatgaat  
1980

cctttgaagt aacaaacatt gtatctgaca tcagctctgt tcatgagtgc tcagagtccc  
2040

tgctaagtga attggaagct tggtagacat aagaaaaact agagatttga aatctagcta  
2100

tgaattactc tatatagtat ctatagccat gtacatatta cagcatgaca agctcgaaat  
2160

aattatgagt cagcccgaaa gatgttaat  
2189

<210> 48

<211> 2352

<212> DNA

<213> Homo sapiens

<400> 48

gaagatgctg ttgagggccc tggagaaact tcagcagAAC agggcctctc cccttgCagg  
60

ccgagccgcg gccctgcgcg ctccccctcc gccagctcg gccAagggcg catttgctga



SequencesSSCPre-file7August03.ST25.txt

120

gcgtctggcg gcctctaccg gagcacctct gcagagggcc gatcctccag cccagagacg  
180

acatgtggcg ctcgggcgag tgccttgcag agagaggagt agcttgctgg ctttgaacgc  
240

gtggcgtggc agatatttca gaaagcttca agaacaagct ggagaaggga agagttattc  
300

ctccatattc acctgcttca actactattc ttattgggaa tggacaatgg aatgttctct  
360

ggttttatca tgatcaaaaa cctccttctc ttttgtattt ccatgaactt atccagtcac  
420

tttggtttt cacagatgcc aaccagttca gtgaaagatg agaccaatga caacatcacg  
480

atatttacca ggatcttggg tgggctcttg gatggctacg acaacagact tcggcccggg  
540

ctgggagagc gcatcactca ggtgaggacc gacatctacg tcaccagctt cggcccggtg  
600

tccgacacgg aaatggagta caccatagac gtgtttttcc gacaaagctg gaaagatgaa  
660

aggcttcggt ttaagggggc catgcagcgc ctccctctca acaacctctt tgccagcaag  
720

atctggaccc cagacacgtt ctccacaac ggaagaagt ccatcgctca caacatgacc  
780

acgccaaca agctgctgcg gctggaggac gacggcacc tgctctacac catgcgcttg  
840

accatctctg cagagtgcgc catgcagctt gaggacttcc cgatggatgc gcacgcttgc  
900

cctctgaaat ttggcagcta tgcgtaccct aattctgaag tcgtttacgt ctggaccaac  
960

ggctccacca agtcggtggt ggtggcggaa gatggctcca gactgaacca gtaccacctg  
1020

atggggcaga cggtgggcac tgagaacatc agcaccagca caggcgaata cacaatcatg  
1080

acagctcact tccacctgaa aaggaagatt ggctactttg tcatccagac ctaccttccc  
1140

tgcataatga ccgtgatctt atcacaggtg tccttttggc tgaaccggga atcagtccca  
1200

SequencesSSCPre-file7August03.ST25.txt

gccaggacag tttttggggt caccacgggtg ctgaccatga cgaccctcag catcagcgcc  
1260

aggaactctc tgcccaaagt ggcctacgcc accgccatgg actggttcat agctgtgtgc  
1320

tatgccttcg tcttctcggc gctgatagag tttgccacgg tcaattactt taccaagaga  
1380

ggctgggcct gggatggcaa aaaagccttg gaagcagcca agatcaagaa aaagcgtgaa  
1440

gtcatactaa ataagtcaac aaacgctttt acaactggga agatgtctca ccccccaaac  
1500

attccgaagg aacagacccc agcagggacg tcgaatacaa cctcagtctc agtaaaaccc  
1560

tctgaagaga agacttctga aagcaaaaag acttacaaca gtatcagcaa aattgacaaa  
1620

atgtcccgaa tcgtattccc agtcttggtc ggcactttca acttagttta ctgggcaacg  
1680

tatttgaata gggagccggt gataaaagga gccgcctctc caaaataacc ggccacactc  
1740

ccaaactcca agacagccat acttccagcg aatgggtacc aaggagaggt tttgctcaca  
1800

gggactctcc atatgtgagc actatctttc aggaaatttt tgcattgttta ataatatgta  
1860

caaataatat tgccttgatg tttctatatg taacttcaga tgtttccaag atgtcccatt  
1920

gataattcga gcaaacaact ttctggaaaa acaggatacg atgactgaca ctcagatgcc  
1980

cagtatcata cgttgatagt ttacaaacaa gatacgtata tttttaactg cttcaagtgt  
2040

tacctaacaa tgttttttat acttcaaagt tcatttcata caaattttcc cagtgaataa  
2100

atattttagg aaactctcca tgattattag aagaccaact atattgagag aacagagat  
2160

cataaagagc acgtttttcca ttatgaggaa acttggacat ttatgtacaa aatgaattgc  
2220

ctttgataat tcttactgtt ctgaaattag gaaagtactt gcatgatctt acacgaagaa  
2280

SequencesSSCPre-file7August03.ST25.txt

atagaatagg caaactttta tgtaggcaga ttaataacag aaatacatca tatgttagat  
2340

acacaaaata tt  
2352

<210> 49  
<211> 2352  
<212> DNA  
<213> Homo sapiens

<400> 49  
gaagatgctg ttgagggccc tggagaaact tcagcagaac agggcctctc cccttgcagg  
60

ccgagccggg gccctgcgcc ctccccctcc gccagctcg gccaaaggcg cgtttgctga  
120

gcgtctggcg gcctctaccg gagcacctct gcagagggcc gatcctccag ccagagacg  
180

acatgtggcg ctcgggcgag tgccttgcag agagaggagt agcttgctgg ctttgaacgc  
240

gtggcggtggc agatatttca gaaagcttca agaacaagct ggagaaggga agagttattc  
300

ctccatattc acctgcttca actactattc ttattgggaa tggacaatgg aatgttctct  
360

ggttttatca tgatcaaaaa cctccttctc ttttgtattt ccatgaactt atccagtcac  
420

tttggtttt cacagatgcc aaccagttca gtgaaagatg agaccaatga caacatcacg  
480

atatttacca ggatcttgga tgggctcttg gatggctacg acaacagact tcggcccggg  
540

ctgggagagc gcatcactca ggtgaggacc gacatctacg tcaccagctt cggcccgggtg  
600

tccgacacgg aaatggagta caccatagac gtgtttttcc gacaaagctg gaaagatgaa  
660

aggcttcggt ttaaggggcc catgcagcgc ctccctctca acaacctctt tgccagcaag  
720

atctggaccc cagacacgtt ctccacaac gggaagaagt ccatcgctca caacatgacc  
780

acgccaaca agctgctgcg gctggaggac gacggcacc tgctctacac catgcgcttg  
840

SequencesSSCPre-file7August03.ST25.txt

accatctctg cagagtgcc catgcagctt gaggacttcc cgatggatgc gcacgcttgc  
900

cctctgaaat ttggcagcta tgcgtaccct aattctgaag tcgtttacgt ctggaccaac  
960

ggctccacca agtcggtggt ggtggcggaa gatggctcca gactgaacca gtaccacctg  
1020

atggggcaga cgggtgggcac tgagaacatc agcaccagca caggcgaata cacaatcatg  
1080

acagctcact tccacctgaa aaggaagatt ggctactttg tcatccagac ctaccttccc  
1140

tgcataatga cctgatctt atcacagggt tccttttggc tgaaccggga atcagtccca  
1200

gccaggacag tttttggggt caccacgggt ctgaccatga cgaccctcag catcagcgcc  
1260

aggaactctc tgcccaaagt ggctacgcc accgccatgg actggttcat agctgtgtgc  
1320

tatgccttcg tcttctcggc gctgatagag ttgcccagg tcaattactt taccaagaga  
1380

ggctgggcct gggatggcaa aaaagccttg gaagcagcca agatcaagaa aaagcgtgaa  
1440

gtcatactaa ataagtcaac aaacgctttt acaactggga agatgtctca cccccaaac  
1500

attccgaagg aacagacccc agcagggacg tcgaatacaa cctcagtctc agtaaaaccc  
1560

tctgaagaga agacttctga aagcaaaaag acttacaaca gtatcagcaa aattgacaaa  
1620

atgtcccga tcttattccc agtcttggtc ggcactttca acttagttta ctgggcaacg  
1680

tatttgaata gggagccggt gataaaagga gccgcctctc caaaataacc ggccacactc  
1740

ccaaactcca agacagccat acttccagcg aaatgggtacc aaggagaggt tttgctcaca  
1800

gggactctcc atatgtgagc actatctttc aggaaatfff tgcattgtta ataatatgta  
1860

caaataatat tgccttgatg tttctatatg taacttcaga tgtttccaag atgtcccatt  
1920

gataattcga gcaaacaact ttctggaaaa acaggatagc atgactgaca ctcagatgcc

SequencesSSCPre-file7August03.ST25.txt

1980

cagtatcata cgttgatagt ttacaaacaa gatacgtata tttttaactg cttcaagtgt  
2040

tacctaacaa tgttttttat acttcaaagt tcatttcata caaatTTTcc cagtgaataa  
2100

atattttagg aaactctcca tgattattag aagaccaact atattgagag aaacagagat  
2160

cataaagagc acgttttcca ttatgaggaa acttggacat ttatgtacaa aatgaattgc  
2220

ctttgataat tcttactggt ctgaaattag gaaagtactt gcatgatctt acacgaagaa  
2280

atagaatagg caaactttta tgtaggcaga ttaataacag aaatacatca tatgttagat  
2340

acacaaaata tt  
2352

<210> 50  
<211> 2373  
<212> DNA  
<213> Homo sapiens

<400> 50  
gcgcgcggcc cgggggcgcgg cgcgagcgg agctgcaggg cggcggcggg agcgcggggc  
60

gcaagagccg ctccgcgggg agtgccgggg aagttcgcgc tggcagcatg gggcggtgac  
120

gccgcaccgg ccttcgcgc ctgccagccg ggcgagagca ggcggaggag aaggaggatg  
180

catcctcacc gacggctcgc ctcccggggc ccgcgcgcag gtgccttgca gagagaggag  
240

tagcttgctg gctttgaacg cgtggcgtgg cagatatttc agaaagcttc aagaacaagc  
300

tggagaaggg aagagttatt cctccatatt cacctgcttc aactactatt cttattggga  
360

atggacaatg gaatgttctc tggttttatc atgatcaaaa acctccttct cttttgtatt  
420

tccatgaact tatccagtc ctttggtttt tcacagatgc caaccagttc agtgaaagat  
480

gagaccaatg acaacatcac gatatttacc aggatcttgg atgggctctt ggatggctac

SequencesSSCPre-file7August03.ST25.txt

540

gacaacagac ttcggcccgg gctgggagag cgcatactc aggtgaggac cgacatctac  
600

gtcaccagct tcggcccggg gtccgacacg gaaatggagt acaccataga cgtgtttttc  
660

cgacaaagct ggaaagatga aaggcttcgg tttaaggggc ccatgcagcg cctccctctc  
720

aacaacctcc ttgccagcaa gatctggacc ccagacacgt tcttccacaa cgggaagaag  
780

tccatcgctc acaacatgac cagcccaac aagctgctgc ggctggagga cgacggcacc  
840

ctgctctaca ccatgcgctt gaccatctct gcagagtgcc ccatgcagct tgaggacttc  
900

ccgatggatg cgcacgcttg ccctctgaaa ttggcagct atgcgtaccc taattctgaa  
960

gtcgtttacg tctggaccaa cggctccacc aagtcggttg tggcggcgga agatggctcc  
1020

agactgaacc agtaccacct gatggggcag acggtgggca ctgagaacat cagcaccagc  
1080

acaggcgaat acacaatcat gacagctcac ttccacctga aaaggaagat tggctacttt  
1140

gtcatccaga cctaccttcc ctgcataatg accgtgatct tatcacaggt gtccttttgg  
1200

ctgaaccggg aatcagtccc agccaggaca gtttttgggg tcaccacggg gctgaccatg  
1260

acgacctca gcatcagcgc caggaactct ctgccc aaag tggcctacgc caccgccatg  
1320

gactggttca tagctgtgtg ctatgccttc gtcttctcgg cgctgataga gtttgccacg  
1380

gtcaattact ttaccaagag aggctgggccc tgggatggca aaaaagcctt ggaagcagcc  
1440

aagatcaaga aaaagcgtga agtcatacta aataagtcaa caaacgcttt tacaactggg  
1500

aagatgtctc accccccaaa cattccgaag gaacagaccc cagcagggac gtcgaataca  
1560

acctcagtct cagtaaaacc ctctgaagag aagacttctg aaagcaaaaa gacttacaac  
1620

SequencesSSCPre-file7August03.ST25.txt

agtatcagca aaattgacaa aatgtcccga atcgtattcc cagtcttggt cggcactttc  
1680

aacttagttt actgggcaac gtatttgaat agggagccgg tgataaaagg agccgcctct  
1740

ccaaaataac cggccacact cccaaactcc aagacagcca tacttccage gaaatggtag  
1800

caaggagagg ttttgctcac agggactctc catatgtgag cactatcttt caggaaattt  
1860

ttgcatgttt aataatatgt acaaataata ttgccttgat gtttctatat gtaacttcag  
1920

atgtttccaa gatgtcccat tgataattcg agcaaacaac tttctggaaa aacaggatac  
1980

gatgactgac actcagatgc ccagtatcat acgttgatag tttacaaaca agatacgtat  
2040

atttttaact gcttcaagtg ttacctaaca atgtttttta tacttcaaatt gtcatttcat  
2100

acaaattttc ccagtgaata aatatttttag gaaactctcc atgattatta gaagaccaac  
2160

tatattgcca gaaacagaga tcataaagag cacgttttcc attatgagga aacttggaca  
2220

tttatgtaca aaatgaattg cctttgataa ttcttactgt tctgaaatta ggaaagtact  
2280

tgcattgatc tacacgaaga aatagaatag gcaaactttt atgtaggcag attaataaca  
2340

gaaatacatc atatgttaga tacacaaaat att  
2373

<210> 51  
<211> 1974  
<212> DNA  
<213> Homo sapiens

<400> 51  
cgcgcgggga agggaagaag aggacgaggt ggcgcagaga ccgcgggaga acacagtgct  
60

tccggaggaa atctgctcgg tccccggcag ccgcgcttcc cctttgatgt tttggtacgc  
120

cgtggccatg cgcctcacat tagaattact gcaactggga gactaagttg gatctcctct  
180



SequencesSSCPre-file7August03.ST25.txt

cttcagtga accctcaatt ccatcaaaaa ctaaagggat gtggagagtc cggaaaaggg  
240

gctactttgg gatttgggtcc ttcccccttaa taatcgccgc tgtctgtgcg cagagtgtca  
300

atgaccctag taatatgtcg ctggttaaag agacggtgga tagactcctg aaaggctatg  
360

acattcgtct gagaccagat ttgggaggtc cccccgtggc tgtgggggatg aacattgaca  
420

ttgccagcat cgatatgggt tctgaagtca atatggatta taccttgaca atgtactttc  
480

aacaagcctg gagagataag aggctgtcct ataatgtaat acctttaaac ttgactctgg  
540

acaacagagt ggcagaccag ctctgggtgc ctgataccta tttcctgaac gataagaagt  
600

catttgtgca cggagtgact gttaagaacc gcatgattcg cctgcacct gatggcaccg  
660

tcctttatgg actcagaatc acaaccacag ctgcctgcat gatggaccta aggaggtacc  
720

cactggatga acaaaactgc accttgga aa ttgagagcta tggatacaca actgatgaca  
780

ttgagtttta ctggcgtggc gatgataatg cagtaacagg agtaacgaaa attgaacttc  
840

cacagttctc tattgtagat tacaaactta tcaccaagaa ggttgttttt tccacagggt  
900

cctatcccag gttatccctc agctttaagc ttaagagaaa cattggctac tttatcctgc  
960

aaacatacat gccttccatc ctgattacca tcctctcctg ggtctccttc tggattaatt  
1020

acgatgcttc agctgcaagg gtggcattag gaatcacaac tgtcctcaca atgaccacaa  
1080

tcaacacca cctccgggaa actctcccta aaatcccta tgtgaaggcc attgacatgt  
1140

acctgatggg gtgctttgtc ttcgttttca tggcccttct ggaatatgcc ctagtcaact  
1200

acatcttctt tgggaggggg ccccaacgcc aaaagaaagc agctgagaag gctgccagtg  
1260

SequencesSSCPre-file7August03.ST25.txt

ccaacaatga gaagatgcgc ctggatgtca acaagatttt ttataaagat attaaacaaa  
1320

atgggaccca atatcgatcc ttgtgggacc ctactggaaa cctctcccca actagacgga  
1380

ctaccaatta cgattttctct ctgtatacga tggaccccca tgagaacatc ttactgagca  
1440

ctctcgagat aaaaaatgaa atggccacat ctgaggctgt gatgggactt ggagacccca  
1500

gaagcacaat gctagcctat gatgcctcca gcatccagta tcggaaagct gggttgcccc  
1560

ggcatagttt tggccgaaat gctctggaac gacatgtggc gcaaaagaaa agtcgcctga  
1620

ggagacgcgc ctcccaactg aaaatcacca tccctgactt gactgatgtg aatgccatag  
1680

atcgggtggtc ccgcatattc tccccagtgg ttttttctt cttcaacatc gtctattggc  
1740

tttactatgt gaactaaaca tggcctccca ctggaagcaa ggactagatt cctcctcaaa  
1800

ccagttgtac agcctgatgt aggacttggg aaacacatca atccaggaca aaagtgacgc  
1860

taaaatacct tagttgctgg cctatcctgt ggtccatttc ataccatttg ggttgcttct  
1920

gctaagtaat gaatacacta aggtccttgt ggttttccag ttaaaacgca agta  
1974

<210> 52  
<211> 1974  
<212> DNA  
<213> Homo sapiens

<400> 52  
cgcgcgggga agggaagaag aggacgaggt ggcgcagaga ccgcgggaga acacagtgcc  
60

tccggaggaa atctgctcgg tccccggcag ccgcgcttcc cctttgatgt tttgggtacgc  
120

cgtggccatg cgcctcacat tagaattact gcactgggca gactaagttg gatctcctct  
180

cttcagtga accctcaatt ccatcaaaaa ctaaagggat gtggagagtc cggaaaaggg  
240

SequencesSSCPre-file7August03.ST25.txt

gctacttttg gatttgggtcc ttcccccttaa taatcgccgc tgtctgtgcg cagagtgtca  
300

atgaccctag taatatgtcg ctgggttaaag agacgggtgga tagactcctg aaaggctatg  
360

acattcgtct gagaccagat tttggaggtc cccccgtggc tgtgggggatg aacattgaca  
420

ttgccagcat cgatatgggt tctgaagtca atatggatta taccttgaca atgtactttc  
480

aacaagcctg gagagataag aggctgtcct ataatgtaat acctttaaac ttgactctgg  
540

acaacagagt ggcagaccag ctctgggtgc ctgataccta tttcctgaac gataagaagt  
600

catttgtgca cggagtgact gttaagaacc gcatgattcg cctgcatcct gatggcaccg  
660

tcctttatgg actcagaatc acaaccacag ctgcctgcat gatggacctt aggaggtacc  
720

cactggatga acaaaactgc accttggaaa ttgagagcta tggatacaca actgatgaca  
780

ttgagtttta ctggcgtggc gatgataatg cagtaacagg agtaacgaaa attgaacttc  
840

cacagttctc tattgtagat tacaactta tcaccaagaa gggtgttttt tccacagggt  
900

cctatcccag gttatccctc agctttaagc ttaagagaaa cattggctac tttatcctgc  
960

aaacatacat gccttccatc ctgattacca tcctctcctg ggtctccttc tggattaatt  
1020

acgatgcttc agctgcaagg gtggcattag gaatcacaac tgtcctcaca atgaccacaa  
1080

tcaacacca cctccgggaa actctcccta aaatcccta tgtgaaggcc attgacatgt  
1140

acctgatggg gtgctttgtc ttcgttttca tggcccttct ggaatatgcc ctagtcaact  
1200

acatcttctt tgggaggggg cccaacgcc aaaagaaagc agctgagaag gctgccagtg  
1260

ccaacaatga gaagatgcgc ctggatgtca acaagatttt ttataaagat attaaacaaa  
1320

atgggacca atatcgatcc ttgtgggacc ctactggaaa cctctcccca actagacgga

SequencesSSCPre-file7August03.ST25.txt

1380

ctaccaatta cgatttctct ctgtatacga tggaccccca tgagaacatc ttactgagca  
1440

ctctcgagat aaaaaatgaa atggccacat ctgaggctgt gatgggactt ggagacccca  
1500

gaagcacaat gctagcctat gatgcctcca gcatccagta tcggaaagct gggttgcca  
1560

ggcatagttt tggccgaaat gctctggaac gacatgtggc gcaaaagaaa agtcgcctga  
1620

ggagacgcgc ctcccaactg aaaatcacca tccctgactt gactgatgtg aatgccatag  
1680

atcgggtggc cgcataatc ttcccagtgg ttttttcctt cttcaacatc gtctattggc  
1740

tttactatgt gaactaaaca tggcctccca ctggaagcaa ggactagatt cctcctcaaa  
1800

ccagttgtac agcctgatgt aggacttggg aaacacatca atccaggaca aaagtgcgc  
1860

taaaatacct tagttgctgg cctatcctgt ggtccatttc ataccatttg ggttgcttct  
1920

gctaagtaat gaatacacta aggtccttgt ggttttccag ttaaaatgca agta  
1974

<210> 53  
<211> 3282  
<212> DNA  
<213> Homo sapiens

<400> 53  
gggacagggc tgaggatgag gagaaccctg gggacccaga agaccgtgcc ttgcctggaa  
60

gtcctgcctg taggcctgaa ggacttgccc taacagagcc tcaacaacta cctgggtgatt  
120

cctacttcag ccccttggtg tgagcagctt ctcaacatga actacagcct ccacttggcc  
180

ttcgtgtgtc tgagtctctt cactgagagg atgtgcatcc aggggagtcg gttcaacgtc  
240

gaggtcggca gaagtgacaa gctttccctg cctggccttg agaacctcac agcaggatat  
300

aacaaatttc tcaggcccaa ttttggtgga gaaccgtac agatagcgct gactctggac

SequencesSSCPre-file7August03.ST25.txt

360

attgcaagta tctctagcat ttcagagagt aacatggact acacagccac catatacctc  
420

cgacagcgct ggatggacca gcggctgggtg tttgaaggca acaagagctt cactctggat  
480

gcccgcctcg tggagttcct ctgggtgcca gatacttaca ttgtggagtc caagaagtcc  
540

ttcctccatg aagtcactgt gggaaacagg ctcacccgcc tcttctccaa tggcacggtc  
600

ctgtatgcc tcagaatcac gacaactgtt gcatgtaaca tggatctgtc taaatacccc  
660

atggacacac agacatgcaa gttgcagctg gaaagctggg gctatgatgg aaatgatgtg  
720

gagttcacct ggctgagagg gaacgactct gtgcgtggac tggaacacct gcggcttgct  
780

cagtacacca tagagcggta tttcacctta gtcaccagat cgcagcagga gacaggaaat  
840

tacactagat tggctcttaca gtttgagctt cggaggaatg ttctgtatct cattttggaa  
900

acctacgttc ctccacttt cctgggtgggtg ttgtcctggg ttccattttg gatctctctc  
960

gattcagtcc ctgcaagaac ctgcattgga gtgacgaccg tgttatcaat gaccacactg  
1020

atgatcgggt cccgcacttc tcttcccaac accaactgct tcatcaaggc catcgatgtg  
1080

tacctgggga tctgctttag ctttgtgttt ggggccttgc tagaatatgc agttgctcac  
1140

tacagttcct tacagcagat ggcagccaaa gataggggga caacaaagga agtagaagaa  
1200

gtcagtatta ctaatatcat caacagctcc atctccagct ttaaaccggaa gatcagcttt  
1260

gccagcattg aaatttccag cgacaacggt gactacagtg acttgacaat gaaaaccagc  
1320

gacaagttca agtttgtctt ccgagaaaag atgggcagga ttgttgatta tttcacaatt  
1380

caaaacccca gtaatgttga tcaactattcc aaactactgt ttcctttgat ttttatgcta  
1440

SequencesSSCPre-file7August03.ST25.txt

gccaatgtat tttactgggc atactacatg tatttttgag tcaatgttaa atttcttgca  
1500

tgccataggt cttcaacagg acaagataat gatgtaaatg gtattttagg ccaagtgtgc  
1560

accacatcc aatggtgcta caagtgactg aaataatatt tgagtctttc tgctcaaaga  
1620

atgaagctcc aaccattggt ctaagctgtg tagaagtcct agcattatag gatcttgtaa  
1680

tagaaacatc agtccattcc tctttcatct taatcaagga cattcccatg gagcccaaga  
1740

ttacaaatgt actcagggct gtttattcgg tggctccctg gtttgcattt acctcatata  
1800

aagaatggga aggagaccat tgggtaacc tcaagtgtca gaagttgttt ctaaagtaac  
1860

tatacatgtt ttttactaaa tctctgcagt gcttataaaa tacattgttg cctatttagg  
1920

gagtaacatt ttctagtttt tgtttctggt taaaatgaaa tatgggctta tgtcaattca  
1980

ttggaagtca atgcactaac tcaataccaa gatgagtttt taaataatga atattattta  
2040

ataccacaac agaattatcc ccaatttcca ataagtccta tcattgaaaa ttcaaata  
2100

agtgaagaaa aaattagtag atcaacaatc taaacaaatc cctcggttct aagatacaat  
2160

ggattcccca tactggaagg actctgagge tttattcccc cactatgcat atcttatcat  
2220

tttattatta tacacacatc catcctaaac tataactaaag cccttttccc atgcatggat  
2280

ggaaatggaa gatttttttg taacttggtc tagaagtctt aatatgggct gttgccatga  
2340

aggcttgag aattgagtcc attttctage tgcctttatt cacatagtga tggggacta  
2400

aaagtactgg gttgactcag agagtcgctg tcattctgtc attgctgcta ctctaacact  
2460

gagcaacact ctcccagtgg cagatccct gtatcattcc aagaggagca ttcacccctt  
2520

SequencesSSCPre-file7August03.ST25.txt

tgctctaata atcaggaatg atgcttatta gaaaacaaac tgcttgaccc aggaacaagt  
2580

ggcttagctt aagtaaactt ggctttgctc agatccctga tccttccagc tggctctgctc  
2640

tgagtggctt atcccgcag agcaggagcg tgctggccct gagtactgaa ctttctgagt  
2700

aacaatgaga cacgttacag aacctatggt cagggttgagg gtgagctgcc ctctccaaat  
2760

ccagccagag atgcacattc ctgggccagt ctgagccaac agtaccaaaa gtgatttttg  
2820

agtgtgccag ggtaaaggct tccagttcag cctcagttat tttagacaat ctgcccattc  
2880

ttaatttctt agcttcctgt tctaataaat gcaaggcttt acctttcctg tcagaaataa  
2940

accaaggctc taaaagatga tttcccttct gtaactccct agagccacag gttctcattc  
3000

cttttcccat tatacttctc acaattcagt ttctatgagt ttgatcacct gattttttta  
3060

acaaaatatt tctaacggga atgggtggga gtgctgggta aaagagatga aatgtgggtg  
3120

tatgagccaa tcatatttgt gattttttta aaaaagtta aaaggaaata tctgttctga  
3180

aacccactt aagcattggt tttatataaa aacaatgata aagatgtgaa ctgtgaaata  
3240

aatataccat attagctacc caccaaaaaa aaaaaaaaaa aa  
3282

<210> 54  
<211> 270  
<212> DNA  
<213> Homo sapiens

<400> 54  
ggtccattcg ggaattactg ccagcagcc gactaagttg cattccttga atcttcgcag  
60

aaaagacaat tcttttaatc agagttagta atgtggacag tacaaaatcg agagagtctg  
120

gggcttctct ctttccctgt gatgattacc atgggtctgt gtgcacacag gtgagctgct  
180



SequencesSSCPre-file7August03.ST25.txt

gttggtgaat ctcgctctct ctctctcttt ttttcttggt atgtttcttt ttacgtgtct  
240

gctggatcat gtatcttggt gtttgggggt  
270

<210> 55  
<211> 238  
<212> DNA  
<213> Homo sapiens

<400> 55  
atggctatac cactgatgac attgaatttt actggaatgg aggagaaggg gcagtcactg  
60

gtgttaataa aatcgaactt cctcaatttt caattgttga ctacaagatg gtgtctaaga  
120

aggtggagtt cacaacaggt gaggttggtt ccccaaaaat gtactagggg tgctgtgaaa  
180

ggaagaagat ggttccaacc aaataatggg ctgattactt gtcttttggt tctcaact  
238

<210> 56  
<211> 345  
<212> DNA  
<213> Homo sapiens

<400> 56  
gcaccaataa ggaagtggca aatggcatct gtctctctcaa tcttgaaaaa ggaacttaat  
60

agtggcgctt tcagetaagt gttgtctttc tctttcacag gaatcacgac agtgcttaca  
120

atgacaacca tcagcaccca cctcaggag accctgccaa agatccctta tgtcaaagcg  
180

attgatattt atctgatggg ttgctttgtg tttgtgttcc tggctctgct ggagtatgcc  
240

tttgtaaatt acatcttctt tgggaaaggc cctcagaaaa agggagctag caaacaagac  
300

cagagtgcc aatgagaagaa taaactggag atgaataaag tccag  
345

<210> 57  
<211> 190  
<212> DNA  
<213> Homo sapiens

SequencesSSCPre-file7August03.ST25.txt

<400> 57  
gggtgggccc gcgggcggcg ggcagggcgc ggggtgcgcg gggcgctggc ggctgagccg  
60  
ccctgaccc cgtcttttgt gtcctctgtc cctccccag tgtgaacgat cccgggaaca  
120  
tgtcctttgt gaaggagacg gtggacaagc tgttgaaagg ctacgacatt cgcctaagac  
180  
ccgacttcgg  
190

<210> 58  
<211> 253  
<212> DNA  
<213> Homo sapiens

<400> 58  
gtgcctatcc tcgactgtca ctgagcttcc ggttgaagag gaacattgga tacttcattc  
60  
ttcagactta tatgcctct atactgataa cgattctgtc gtgggtgtcc ttctggatca  
120  
attatgatgc atctgctgct agagttgccc tcggtatgtg ctatttttaa gtgatattta  
180  
aatgtaaagt aaccgtatca ttacagtatt gagagttcaa aggctgtagt tcaactacca  
240  
ttttttgaca gcg  
253

<210> 59  
<211> 288  
<212> DNA  
<213> Homo sapiens

<400> 59  
acggttactc atcggaggac atcgtctact actggtcgga gagccaggag cacatccacg  
60  
ggctggacaa gctgcagctg gcgcagttca ccatcaccag ctaccgcttc accacggagc  
120  
tgatgaactt caagtccggt aacatatgcc cgccgcccct tccgcatgtg cccgcccgc  
180  
cttccgcgcg cgcccaccgc ccttccgcg cgcccccacc gcccttccg cgtgcgcccg  
240

SequencesSSCPre-file7August03.ST25.txt  
cctgtggttt tcatgctttt tagtcaagcc gcccgaggg ccccaggg  
288

<210> 60  
<211> 288  
<212> DNA  
<213> Homo sapiens

<400> 60  
acggttactc atcggaggac atcgtctact actggtcgga gagccaggag cacatccacg  
60  
ggctggacaa gctgcagctg ggcagttca ccataccag ctaccgcttc accacggagc  
120  
tgatgaactt caagtccggt aacatatgcc cgccgccct tccgcatgtg cccgccgcc  
180  
cttcgcgcg cgccaccgc cccttcgcg cgcccccacc gcccttccg cgtgcgccg  
240  
cctgtggttt tcatgctttt tagtcaagc gcccgaggg ccccaggg  
288

<210> 61  
<211> 288  
<212> DNA  
<213> Homo sapiens

<400> 61  
acggttactc atcggaggac atcgtctact actggtcgga gagccaggag cacatccacg  
60  
ggctggacaa gctgcagctg ggcagttca ccataccag ctaccgcttc accacggagc  
120  
tgatgaactt caagtccggt aacatatgcc cgccgccct tccgcatgtg cccgccgcc  
180  
cttcgcgcg cgccaccgc cccttcgcg tgcgccgcc tgtggttttc atgttttta  
240  
gtcaagcgcc cgcaggcccc cagggcctct ggggatgcag ctgggacg  
288

<210> 62  
<211> 170  
<212> DNA  
<213> Homo sapiens

<400> 62  
accggtgatg tggcttggtt tagtcatacc ctaaagattg ctcttaagag tgatcttgga

SequencesSSCPre-file7August03.ST25.txt

60

tgcaaagtgt catgacagtt tcctagttat tttttcttct tttcttgtag ttactacatc  
120

cagattcctc aagatggatt cctgagcgaa taagcctaca agccccttcc  
170

<210> 63  
<211> 218  
<212> PRT  
<213> Homo sapiens

<400> 63

Met Gly Arg Leu Leu Ala Leu Val Val Gly Ala Ala Leu Val Ser Ser  
1 5 10 15

Ala Cys Gly Gly Cys Val Glu Val Asp Ser Glu Thr Glu Ala Val Tyr  
20 25 30

Gly Met Thr Phe Lys Ile Leu Cys Ile Ser Cys Lys Arg Arg Ser Glu  
35 40 45

Thr Asn Ala Glu Thr Phe Thr Glu Trp Thr Phe Arg Gln Lys Gly Thr  
50 55 60

Glu Glu Phe Val Lys Ile Leu Arg Tyr Glu Asn Glu Val Leu Gln Leu  
65 70 75 80

Glu Glu Asp Glu His Phe Glu Gly Arg Val Val Trp Asn Gly Ser Arg  
85 90 95

Gly Thr Lys Asp Leu Gln Asp Leu Ser Ile Phe Ile Thr Asn Val Thr  
100 105 110

Tyr Asn His Ser Gly Asp Tyr Glu Cys His Val Tyr Arg Leu Leu Phe  
115 120 125

Phe Glu Asn Tyr Glu His Asn Thr Ser Val Val Lys Lys Ile His Ile  
130 135 140

Glu Val Val Asp Lys Ala Asn Arg Asp Met Ala Ser Ile Val Ser Glu  
145 150 155 160

SequencesSSCPre-file7August03.ST25.txt

Ile Met Met Tyr Val Leu Ile Val Val Leu Thr Ile Trp Leu Val Ala  
165 170 175

Glu Met Ile Tyr Cys Tyr Lys Lys Ile Ala Ala Ala Thr Glu Thr Ala  
180 185 190

Ala Gln Glu Asn Ala Ser Glu Tyr Leu Ala Ile Thr Ser Glu Ser Lys  
195 200 205

Glu Asn Cys Thr Gly Val Gln Val Ala Glu  
210 215

<210> 64  
<211> 2005  
<212> PRT  
<213> Homo sapiens.

<400> 64

Met Ala Gln Ser Val Leu Val Pro Pro Gly Pro Asp Ser Phe Arg Phe  
1 5 10 15

Phe Thr Arg Glu Ser Leu Ala Ala Ile Glu Gln Arg Ile Ala Glu Glu  
20 25 30

Lys Ala Lys Arg Pro Lys Gln Glu Arg Lys Asp Glu Asp Asp Glu Asn  
35 40 45

Gly Pro Lys Pro Asn Ser Asp Leu Glu Ala Gly Lys Ser Leu Pro Phe  
50 55 60

Ile Tyr Gly Asp Ile Pro Pro Glu Met Val Ser Val Pro Leu Glu Asp  
65 70 75 80

Leu Asp Pro Tyr Tyr Ile Asn Lys Lys Thr Phe Ile Val Leu Asn Lys  
85 90 95

Gly Lys Ala Ile Ser Arg Phe Ser Ala Thr Pro Ala Leu Tyr Ile Leu  
100 105 110

Thr Pro Phe Asn Pro Ile Arg Lys Leu Ala Ile Lys Ile Leu Val His  
115 120 125

SequencesSSCPre-file7August03.ST25.txt

Ser	Leu	Phe	Asn	Met	Leu	Ile	Met	Cys	Thr	Ile	Leu	Thr	Asn	Cys	Val	130	135	140
Phe	Met	Thr	Met	Ser	Asn	Pro	Pro	Asp	Trp	Thr	Lys	Asn	Val	Glu	Tyr	145	150	155
Thr	Phe	Thr	Gly	Ile	Tyr	Thr	Phe	Glu	Ser	Leu	Ile	Lys	Ile	Leu	Ala	165	170	175
Arg	Gly	Phe	Cys	Leu	Glu	Asp	Phe	Thr	Phe	Leu	Arg	Asp	Pro	Trp	Asn	180	185	190
Trp	Leu	Asp	Phe	Thr	Val	Ile	Thr	Phe	Ala	Tyr	Val	Thr	Glu	Phe	Val	195	200	205
Asp	Leu	Gly	Asn	Val	Ser	Ala	Leu	Arg	Thr	Phe	Arg	Val	Leu	Gln	Ala	210	215	220
Leu	Lys	Thr	Ile	Ser	Val	Ile	Pro	Gly	Leu	Lys	Thr	Ile	Val	Gly	Ala	225	230	235
Leu	Ile	Gln	Ser	Val	Lys	Lys	Leu	Ser	Asp	Val	Met	Ile	Leu	Thr	Val	245	250	255
Phe	Cys	Leu	Ser	Val	Phe	Ala	Leu	Ile	Gly	Leu	Gln	Leu	Phe	Met	Gly	260	265	270
Asn	Leu	Arg	Asn	Lys	Cys	Leu	Gln	Trp	Pro	Pro	Asp	Asn	Ser	Ser	Phe	275	280	285
Glu	Ile	Asn	Ile	Thr	Ser	Phe	Phe	Asn	Asn	Ser	Leu	Asp	Gly	Asn	Gly	290	295	300
Thr	Thr	Phe	Asn	Arg	Thr	Val	Ser	Ile	Phe	Asn	Trp	Asp	Glu	Tyr	Ile	305	310	315
Glu	Asp	Lys	Ser	His	Phe	Tyr	Phe	Leu	Glu	Gly	Gln	Asn	Asp	Ala	Leu	325	330	335
Leu	Cys	Gly	Asn	Ser	Ser	Asp	Ala	Gly	Gln	Cys	Pro	Glu	Gly	Tyr	Ile	340	345	350

SequencesSSCPre-file7August03..ST25.txt

Cys Val Lys Ala Gly Arg Asn Pro Asn Tyr Gly Tyr Thr Ser Phe Asp  
355 360 365

Thr Phe Ser Trp Ala Phe Leu Ser Leu Phe Arg Leu Met Thr Gln Asp  
370 375 380

Phe Trp Glu Asn Leu Tyr Gln Leu Thr Leu Arg Ala Ala Gly Lys Thr  
385 390 395 400

Tyr Met Ile Phe Phe Val Leu Val Ile Phe Leu Gly Ser Phe Tyr Leu  
405 410 415

Ile Asn Leu Ile Leu Ala Val Val Ala Met Ala Tyr Glu Glu Gln Asn  
420 425 430

Gln Ala Thr Leu Glu Glu Ala Glu Gln Lys Glu Ala Glu Phe Gln Gln  
435 440 445

Met Leu Glu Gln Leu Lys Lys Gln Gln Glu Glu Ala Gln Ala Ala Ala  
450 455 460

Ala Ala Ala Ser Ala Glu Ser Arg Asp Phe Ser Gly Ala Gly Gly Ile  
465 470 475 480

Gly Val Phe Ser Glu Ser Ser Ser Val Ala Ser Lys Leu Ser Ser Lys  
485 490 495

Ser Glu Lys Glu Leu Lys Asn Arg Arg Lys Lys Lys Lys Gln Lys Glu  
500 505 510

Gln Ser Gly Glu Glu Glu Lys Asn Asp Arg Val Leu Lys Ser Glu Ser  
515 520 525

Glu Asp Ser Ile Arg Arg Lys Gly Phe Arg Phe Ser Leu Glu Gly Ser  
530 535 540

Arg Leu Thr Tyr Glu Lys Arg Phe Ser Ser Pro His Gln Ser Leu Leu  
545 550 555 560

Ser Ile Arg Gly Ser Leu Phe Ser Pro Arg Arg Asn Ser Arg Ala Ser



Leu Phe Ser Phe Arg Gly Arg Ala Lys Asp Ile Gly Ser Glu Asn Asp  
580 585 590

Phe Ala Asp Asp Glu His Ser Thr Phe Glu Asp Asn Asp Ser Arg Arg  
595 600 605

Asp Ser Leu Phe Val Pro His Arg His Gly Glu Arg Arg His Ser Asn  
610 615 620

Val Ser Gln Ala Ser Arg Ala Ser Arg Val Leu Pro Ile Leu Pro Met  
625 630 635 640

Asn Gly Lys Met His Ser Ala Val Asp Cys Asn Gly Val Val Ser Leu  
645 650 655

Val Gly Gly Pro Ser Thr Leu Thr Ser Ala Gly Gln Leu Leu Pro Glu  
660 665 670

Gly Thr Thr Thr Glu Thr Glu Ile Arg Lys Arg Arg Ser Ser Ser Tyr  
675 680 685

His Val Ser Met Asp Leu Leu Glu Asp Pro Thr Ser Arg Gln Arg Ala  
690 695 700

Met Ser Ile Ala Ser Ile Leu Thr Asn Thr Met Glu Glu Leu Glu Glu  
705 710 715 720

Ser Arg Gln Lys Cys Pro Pro Cys Trp Tyr Lys Phe Ala Asn Met Cys  
725 730 735

Leu Ile Trp Asp Cys Cys Lys Pro Trp Leu Lys Val Lys His Leu Val  
740 745 750

Asn Leu Val Val Met Asp Pro Phe Val Asp Leu Ala Ile Thr Ile Cys  
755 760 765

Ile Val Leu Asn Thr Leu Phe Met Ala Met Glu His Tyr Pro Met Thr  
770 775 780

SequencesSSCPre-file7August03.ST25.txt

Glu Gln Phe Ser Ser Val Leu Ser Val Gly Asn Leu Val Phe Thr Gly  
785 790 795 800

Ile Phe Thr Ala Glu Met Phe Leu Lys Ile Ile Ala Met Asp Pro Tyr  
805 810 815

Tyr Tyr Phe Gln Glu Gly Trp Asn Ile Phe Asp Gly Phe Ile Val Ser  
820 825 830

Leu Ser Leu Met Glu Leu Gly Leu Ala Asn Val Glu Gly Leu Ser Val  
835 840 845

Leu Arg Ser Phe Arg Leu Leu Arg Val Phe Lys Leu Ala Lys Ser Trp  
850 855 860

Pro Thr Leu Asn Met Leu Ile Lys Ile Ile Gly Asn Ser Val Gly Ala  
865 870 875 880

Leu Gly Asn Leu Thr Leu Val Leu Ala Ile Ile Val Phe Ile Phe Ala  
885 890 895

Val Val Gly Met Gln Leu Phe Gly Lys Ser Tyr Lys Glu Cys Val Cys  
900 905 910

Lys Ile Ser Asn Asp Cys Glu Leu Pro Arg Trp His Met His Asp Phe  
915 920 925

Phe His Ser Phe Leu Ile Val Phe Arg Val Leu Cys Gly Glu Trp Ile  
930 935 940

Glu Thr Met Trp Asp Cys Met Glu Val Ala Gly Gln Thr Met Cys Leu  
945 950 955 960

Thr Val Phe Met Met Val Met Val Ile Gly Asn Leu Val Val Leu Asn  
965 970 975

Leu Phe Leu Ala Leu Leu Leu Ser Ser Phe Ser Ser Asp Asn Leu Ala  
980 985 990

Ala Thr Asp Asp Asp Asn Glu Met Asn Asn Leu Gln Ile Ala Val Gly  
995 1000 1005

SequencesSSCPre-file7August03.ST25.txt

Arg Met 1010	Gln Lys Gly Ile Asp 1015	Phe Val Lys Arg Lys 1020	Ile Arg Glu
Phe Ile 1025	Gln Lys Ala Phe Val 1030	Arg Lys Gln Lys Ala 1035	Leu Asp Glu
Ile Lys 1040	Pro Leu Glu Asp Leu 1045	Asn Asn Lys Lys Asp 1050	Ser Cys Ile
Ser Asn 1055	His Thr Thr Ile Glu 1060	Ile Gly Lys Asp Leu 1065	Asn Tyr Leu
Lys Asp 1070	Gly Asn Gly Thr Thr 1075	Ser Gly Ile Gly Ser 1080	Ser Val Glu
Lys Tyr 1085	Val Val Asp Glu Ser 1090	Asp Tyr Met Ser Phe 1095	Ile Asn Asn
Pro Ser 1100	Leu Thr Val Thr Val 1105	Pro Ile Ala Val Gly 1110	Glu Ser Asp
Phe Glu 1115	Asn Leu Asn Thr Glu 1120	Glu Phe Ser Ser Glu 1125	Ser Asp Met
Glu Glu 1130	Ser Lys Glu Lys Leu 1135	Asn Ala Thr Ser Ser 1140	Ser Glu Gly
Ser Thr 1145	Val Asp Ile Gly Ala 1150	Pro Ala Glu Gly Glu 1155	Gln Pro Glu
Val Glu 1160	Pro Glu Glu Ser Leu 1165	Glu Pro Glu Ala Cys 1170	Phe Thr Glu
Asp Cys 1175	Val Arg Lys Phe Lys 1180	Cys Cys Gln Ile Ser 1185	Ile Glu Glu
Gly Lys 1190	Gly Lys Leu Trp Trp 1195	Asn Leu Arg Lys Thr 1200	Cys Tyr Lys
Ile Val 1205	Glu His Asn Trp Phe 1210	Glu Thr Phe Ile Val 1215	Phe Met Ile

SequencesSSCPre-file7August03.ST25.txt

Leu 1220	Leu	Ser	Ser	Gly	Ala	Leu 1225	Ala	Phe	Glu	Asp	Ile 1230	Tyr	Ile	Glu
Gln 1235	Arg	Lys	Thr	Ile	Lys	Thr 1240	Met	Leu	Glu	Tyr	Ala 1245	Asp	Lys	Val
Phe 1250	Thr	Tyr	Ile	Phe	Ile	Leu 1255	Glu	Met	Leu	Leu	Lys 1260	Trp	Val	Ala
Tyr 1265	Gly	Phe	Gln	Val	Tyr	Phe 1270	Thr	Asn	Ala	Trp	Cys 1275	Trp	Leu	Asp
Phe 1280	Leu	Ile	Val	Asp	Val	Ser 1285	Leu	Val	Ser	Leu	Thr 1290	Ala	Asn	Ala
Leu 1295	Gly	Tyr	Ser	Glu	Leu	Gly 1300	Ala	Ile	Lys	Ser	Leu 1305	Arg	Thr	Leu
Arg 1310	Ala	Leu	Arg	Pro	Leu	Arg 1315	Ala	Leu	Ser	Arg	Phe 1320	Glu	Gly	Met
Arg 1325	Val	Val	Val	Asn	Ala	Leu 1330	Leu	Gly	Ala	Ile	Pro 1335	Ser	Ile	Met
Asn 1340	Val	Leu	Leu	Val	Cys	Leu 1345	Ile	Phe	Trp	Leu	Ile 1350	Phe	Ser	Ile
Met 1355	Gly	Val	Asn	Leu	Phe	Ala 1360	Gly	Lys	Phe	Tyr	His 1365	Cys	Ile	Asn
Tyr 1370	Thr	Thr	Gly	Glu	Met	Phe 1375	Asp	Val	Ser	Val	Val 1380	Asn	Asn	Tyr
Ser 1385	Glu	Cys	Lys	Ala	Leu	Ile 1390	Glu	Ser	Asn	Gln	Thr 1395	Ala	Arg	Trp
Lys 1400	Asn	Val	Lys	Val	Asn	Phe 1405	Asp	Asn	Val	Gly	Leu 1410	Gly	Tyr	Leu
Ser	Leu	Leu	Gln	Val	Ala	Thr	Phe	Lys	Gly	Trp	Met	Asp	Ile	Met

## SequencesSSCPre-file7August03.ST25.txt

1415														
	Tyr	Ala	Ala	Val	Asp	Ser	Arg	Asn	Val	Glu	Leu	Gln	Pro	Lys
	1430						1435					1440		
	Glu	Asp	Asn	Leu	Tyr	Met	Tyr	Leu	Tyr	Phe	Val	Ile	Phe	Ile
	1445						1450					1455		
	Phe	Gly	Ser	Phe	Phe	Thr	Leu	Asn	Leu	Phe	Ile	Gly	Val	Ile
	1460						1465					1470		
	Asp	Asn	Phe	Asn	Gln	Gln	Lys	Lys	Lys	Phe	Gly	Gly	Gln	Asp
	1475						1480					1485		
	Phe	Met	Thr	Glu	Glu	Gln	Lys	Lys	Tyr	Tyr	Asn	Ala	Met	Lys
	1490						1495					1500		
	Leu	Gly	Ser	Lys	Lys	Pro	Gln	Lys	Pro	Ile	Pro	Arg	Pro	Ala
	1505						1510					1515		
	Lys	Phe	Gln	Gly	Met	Val	Phe	Asp	Phe	Val	Thr	Lys	Gln	Val
	1520						1525					1530		
	Asp	Ile	Ser	Ile	Met	Ile	Leu	Ile	Cys	Leu	Asn	Met	Val	Thr
	1535						1540					1545		
	Met	Val	Glu	Thr	Asp	Asp	Gln	Ser	Gln	Glu	Met	Thr	Asn	Ile
	1550						1555					1560		
	Tyr	Trp	Ile	Asn	Leu	Val	Phe	Ile	Val	Leu	Phe	Thr	Gly	Glu
	1565						1570					1575		
	Val	Leu	Lys	Leu	Ile	Ser	Leu	Arg	Tyr	Tyr	Tyr	Phe	Thr	Ile
	1580						1585					1590		
	Trp	Asn	Ile	Phe	Asp	Phe	Val	Val	Val	Ile	Leu	Ser	Ile	Val
	1595						1600					1605		
	Met	Phe	Leu	Ala	Glu	Leu	Ile	Glu	Lys	Tyr	Phe	Val	Ser	Pro
	1610						1615					1620		

SequencesSSCPre-file7August03.ST25.txt

Leu Phe	Arg Val	Ile Arg	Leu	Ala Arg	Ile Gly	Arg	Ile	Leu Arg	
1625			1630			1635			
Leu Ile	Lys Gly	Ala Lys	Gly	Ile Arg	Thr Leu	Leu	Phe Ala	Leu	
1640			1645			1650			
Met Met	Ser Leu	Pro Ala	Leu	Phe Asn	Ile Gly	Leu	Leu Leu	Phe	
1655			1660			1665			
Leu Val	Met Phe	Ile Tyr	Ala	Ile Phe	Gly Met	Ser	Asn Phe	Ala	
1670			1675			1680			
Tyr Val	Lys Arg	Glu Val	Gly	Ile Asp	Asp Met	Phe	Asn Phe	Glu	
1685			1690			1695			
Thr Phe	Gly Asn	Ser Met	Ile	Cys Leu	Phe Gln	Ile	Thr Thr	Ser	
1700			1705			1710			
Ala Gly	Trp Asp	Gly Leu	Leu	Ala Pro	Ile Leu	Asn	Ser Gly	Pro	
1715			1720			1725			
Pro Asp	Cys Asp	Pro Asp	Lys	Asp His	Pro Gly	Ser	Ser Val	Lys	
1730			1735			1740			
Gly Asp	Cys Gly	Asn Pro	Ser	Val Gly	Ile Phe	Phe	Phe Val	Ser	
1745			1750			1755			
Tyr Ile	Ile Ile	Ser Phe	Leu	Val Val	Leu Asn	Met	Tyr Ile	Ala	
1760			1765			1770			
Val Ile	Leu Glu	Asn Phe	Ser	Val Ala	Thr Glu	Glu	Ser Ala	Glu	
1775			1780			1785			
Pro Leu	Ser Glu	Asp Asp	Phe	Glu Met	Phe Tyr	Glu	Val Trp	Glu	
1790			1795			1800			
Lys Phe	Asp Pro	Asp Ala	Thr	Gln Phe	Ile Glu	Phe	Ala Lys	Leu	
1805			1810			1815			
Ser Asp	Phe Ala	Asp Ala	Leu	Asp Pro	Pro Leu	Leu	Ile Ala	Lys	
1820			1825			1830			

SequencesSSCPre-file7August03.ST25.txt

Pro	Asn	Lys	Val	Gln	Leu	Ile	Ala	Met	Asp	Leu	Pro	Met	Val	Ser
1835						1840					1845			
Gly	Asp	Arg	Ile	His	Cys	Leu	Asp	Ile	Leu	Phe	Ala	Phe	Thr	Lys
1850						1855					1860			
Arg	Val	Leu	Gly	Glu	Ser	Gly	Glu	Met	Asp	Ala	Leu	Arg	Ile	Gln
1865						1870					1875			
Met	Glu	Glu	Arg	Phe	Met	Ala	Ser	Asn	Pro	Ser	Lys	Val	Ser	Tyr
1880						1885					1890			
Glu	Pro	Ile	Thr	Thr	Thr	Leu	Lys	Arg	Lys	Gln	Glu	Glu	Val	Ser
1895						1900					1905			
Ala	Ile	Ile	Ile	Gln	Arg	Ala	Tyr	Arg	Arg	Tyr	Leu	Leu	Lys	Gln
1910						1915					1920			
Lys	Val	Lys	Lys	Val	Ser	Ser	Ile	Tyr	Lys	Lys	Asp	Lys	Gly	Lys
1925						1930					1935			
Glu	Cys	Asp	Gly	Thr	Pro	Ile	Lys	Glu	Asp	Thr	Leu	Ile	Asp	Lys
1940						1945					1950			
Leu	Asn	Glu	Asn	Ser	Thr	Pro	Glu	Lys	Thr	Asp	Met	Thr	Pro	Ser
1955						1960					1965			
Thr	Thr	Ser	Pro	Pro	Ser	Tyr	Asp	Ser	Val	Thr	Lys	Pro	Glu	Lys
1970						1975					1980			
Glu	Lys	Phe	Glu	Lys	Asp	Lys	Ser	Glu	Lys	Glu	Asp	Lys	Gly	Lys
1985						1990					1995			
Asp	Ile	Arg	Glu	Ser	Lys	Lys								
2000						2005								

<210> 65  
 <211> 2005  
 <212> PRT  
 <213> Homo sapiens  
 <400> 65



SequencesSSCPre-file7August03.ST25.txt

Met	Ala	Gln	Ser	Val	Leu	Val	Pro	Pro	Gly	Pro	Asp	Ser	Phe	Arg	Phe	1	5	10	15
Phe	Thr	Arg	Glu	Ser	Leu	Ala	Ala	Ile	Glu	Gln	Arg	Ile	Ala	Glu	Glu	20	25	30	
Lys	Ala	Lys	Arg	Pro	Lys	Gln	Glu	Arg	Lys	Asp	Glu	Asp	Asp	Glu	Asn	35	40	45	
Gly	Pro	Lys	Pro	Asn	Ser	Asp	Leu	Glu	Ala	Gly	Lys	Ser	Leu	Pro	Phe	50	55	60	
Ile	Tyr	Gly	Asp	Ile	Pro	Pro	Glu	Met	Val	Ser	Val	Pro	Leu	Glu	Asp	65	70	75	80
Leu	Asp	Pro	Tyr	Tyr	Ile	Asn	Lys	Lys	Thr	Phe	Ile	Val	Leu	Asn	Lys	85	90	95	
Gly	Lys	Ala	Ile	Ser	Arg	Phe	Ser	Ala	Thr	Pro	Ala	Leu	Tyr	Ile	Leu	100	105	110	
Thr	Pro	Phe	Asn	Pro	Ile	Arg	Lys	Leu	Ala	Ile	Lys	Ile	Leu	Val	His	115	120	125	
Ser	Leu	Phe	Asn	Met	Leu	Ile	Met	Cys	Thr	Ile	Leu	Thr	Asn	Cys	Val	130	135	140	
Phe	Met	Thr	Met	Ser	Asn	Pro	Pro	Asp	Trp	Thr	Lys	Asn	Val	Glu	Tyr	145	150	155	160
Thr	Phe	Thr	Gly	Ile	Tyr	Thr	Phe	Glu	Ser	Leu	Ile	Lys	Ile	Leu	Ala	165	170	175	
Arg	Gly	Phe	Cys	Leu	Glu	Asp	Phe	Thr	Phe	Leu	Arg	Asp	Pro	Trp	Asn	180	185	190	
Trp	Leu	Asp	Phe	Thr	Val	Ile	Thr	Phe	Ala	Tyr	Val	Thr	Glu	Phe	Val	195	200	205	
Asp	Leu	Gly	Asn	Val	Ser	Ala	Leu	Arg	Thr	Phe	Arg	Val	Leu	Arg	Ala	210	215	220	

SequencesSSCPre-file7August03.ST25.txt

Leu Lys Thr Ile Ser Val Ile Pro Gly Leu Lys Thr Ile Val Gly Ala  
225 230 235 240

Leu Ile Gln Ser Val Lys Lys Leu Ser Asp Val Met Ile Leu Thr Val  
245 250 255

Phe Cys Leu Ser Val Phe Ala Leu Ile Gly Leu Gln Leu Phe Met Gly  
260 265 270

Asn Leu Arg Asn Lys Cys Leu Gln Trp Pro Pro Asp Asn Ser Ser Phe  
275 280 285

Glu Ile Asn Ile Thr Ser Phe Phe Asn Asn Ser Leu Asp Gly Asn Gly  
290 295 300

Thr Thr Phe Asn Arg Thr Val Ser Ile Phe Asn Trp Asp Glu Tyr Ile  
305 310 315 320

Glu Asp Lys Ser His Phe Tyr Phe Leu Glu Gly Gln Asn Asp Ala Leu  
325 330 335

Leu Cys Gly Asn Ser Ser Asp Ala Gly Gln Cys Pro Glu Gly Tyr Ile  
340 345 350

Cys Val Lys Ala Gly Arg Asn Pro Asn Tyr Gly Tyr Thr Ser Phe Asp  
355 360 365

Thr Phe Ser Trp Ala Phe Leu Ser Leu Phe Arg Leu Met Thr Gln Asp  
370 375 380

Phe Trp Glu Asn Leu Tyr Gln Leu Thr Leu Arg Ala Ala Gly Lys Thr  
385 390 395 400

Tyr Met Ile Phe Phe Val Leu Val Ile Phe Leu Gly Ser Phe Tyr Leu  
405 410 415

Ile Asn Leu Ile Leu Ala Val Val Ala Met Ala Tyr Glu Glu Gln Asn  
420 425 430

Gln Ala Thr Leu Glu Glu Ala Glu Gln Lys Glu Ala Glu Phe Gln Gln

SequencesSSCPre-file7August03.ST25.txt

435

440

445

Met Leu Glu Gln Leu Lys Lys Gln Gln Glu Glu Ala Gln Ala Ala Ala  
450 455 460

Ala Ala Ala Ser Ala Glu Ser Arg Asp Phe Ser Gly Ala Gly Gly Ile  
465 470 475 480

Gly Val Phe Ser Glu Ser Ser Ser Val Ala Ser Lys Leu Ser Ser Lys  
485 490 495

Ser Glu Lys Glu Leu Lys Asn Arg Arg Lys Lys Lys Lys Gln Lys Glu  
500 505 510

Gln Ser Gly Glu Glu Glu Lys Asn Asp Arg Val Leu Lys Ser Glu Ser  
515 520 525

Glu Asp Ser Ile Arg Arg Lys Gly Phe Arg Phe Ser Leu Glu Gly Ser  
530 535 540

Arg Leu Thr Tyr Glu Lys Arg Phe Ser Ser Pro His Gln Ser Leu Leu  
545 550 555 560

Ser Ile Arg Gly Ser Leu Phe Ser Pro Arg Arg Asn Ser Arg Ala Ser  
565 570 575

Leu Phe Ser Phe Arg Gly Arg Ala Lys Asp Ile Gly Ser Glu Asn Asp  
580 585 590

Phe Ala Asp Asp Glu His Ser Thr Phe Glu Asp Asn Asp Ser Arg Arg  
595 600 605

Asp Ser Leu Phe Val Pro His Arg His Gly Glu Arg Arg His Ser Asn  
610 615 620

Val Ser Gln Ala Ser Arg Ala Ser Arg Val Leu Pro Ile Leu Pro Met  
625 630 635 640

Asn Gly Lys Met His Ser Ala Val Asp Cys Asn Gly Val Val Ser Leu  
645 650 655

SequencesSSCPre-file7August03.ST25.txt

Val Gly Gly Pro Ser Thr Leu Thr Ser Ala Gly Gln Leu Leu Pro Glu  
660 665 670

Gly Thr Thr Thr Glu Thr Glu Ile Arg Lys Arg Arg Ser Ser Ser Tyr  
675 680 685

His Val Ser Met Asp Leu Leu Glu Asp Pro Thr Ser Arg Gln Arg Ala  
690 695 700

Met Ser Ile Ala Ser Ile Leu Thr Asn Thr Met Glu Glu Leu Glu Glu  
705 710 715 720

Ser Arg Gln Lys Cys Pro Pro Cys Trp Tyr Lys Phe Ala Asn Met Cys  
725 730 735

Leu Ile Trp Asp Cys Cys Lys Pro Trp Leu Lys Val Lys His Leu Val  
740 745 750

Asn Leu Val Val Met Asp Pro Phe Val Asp Leu Ala Ile Thr Ile Cys  
755 760 765

Ile Val Leu Asn Thr Leu Phe Met Ala Met Glu His Tyr Pro Met Thr  
770 775 780

Glu Gln Phe Ser Ser Val Leu Ser Val Gly Asn Leu Val Phe Thr Gly  
785 790 795 800

Ile Phe Thr Ala Glu Met Phe Leu Lys Ile Ile Ala Met Asp Pro Tyr  
805 810 815

Tyr Tyr Phe Gln Glu Gly Trp Asn Ile Phe Asp Gly Phe Ile Val Ser  
820 825 830

Leu Ser Leu Met Glu Leu Gly Leu Ala Asn Val Glu Gly Leu Ser Val  
835 840 845

Leu Arg Ser Phe Arg Leu Leu Arg Val Phe Lys Leu Ala Lys Ser Trp  
850 855 860

Pro Thr Leu Asn Met Leu Ile Lys Ile Ile Gly Asn Ser Val Gly Ala  
865 870 875 880

SequencesSSCPre-file7August03.ST25.txt

Leu Gly Asn Leu Thr Leu Val Leu Ala Ile Ile Ile Phe Ile Phe Ala  
885 890 895

Val Val Gly Met Gln Leu Phe Gly Lys Ser Tyr Lys Glu Cys Val Cys  
900 905 910

Lys Ile Ser Asn Asp Cys Glu Leu Pro Arg Trp His Met His Asp Phe  
915 920 925

Phe His Ser Phe Leu Ile Val Phe Arg Val Leu Cys Gly Glu Trp Ile  
930 935 940

Glu Thr Met Trp Asp Cys Met Glu Val Ala Gly Gln Thr Met Cys Leu  
945 950 955 960

Thr Val Phe Met Met Val Met Val Ile Gly Asn Leu Val Val Leu Asn  
965 970 975

Leu Phe Leu Ala Leu Leu Leu Ser Ser Phe Ser Ser Asp Asn Leu Ala  
980 985 990

Ala Thr Asp Asp Asp Asn Glu Met Asn Asn Leu Gln Ile Ala Val Gly  
995 1000 1005

Arg Met Gln Lys Gly Ile Asp Phe Val Lys Arg Lys Ile Arg Glu  
1010 1015 1020

Phe Ile Gln Lys Ala Phe Val Arg Lys Gln Lys Ala Leu Asp Glu  
1025 1030 1035

Ile Lys Pro Leu Glu Asp Leu Asn Asn Lys Lys Asp Ser Cys Ile  
1040 1045 1050

Ser Asn His Thr Thr Ile Glu Ile Gly Lys Asp Leu Asn Tyr Leu  
1055 1060 1065

Lys Asp Gly Asn Gly Thr Thr Ser Gly Ile Gly Ser Ser Val Glu  
1070 1075 1080

Lys Tyr Val Val Asp Glu Ser Asp Tyr Met Ser Phe Ile Asn Asn  
1085 1090 1095

SequencesSSCPre-file7August03.ST25.txt

Pro Ser Leu Thr Val Thr Val Pro Ile Ala Val Gly Glu Ser Asp  
1100 1105 1110

Phe Glu Asn Leu Asn Thr Glu Glu Phe Ser Ser Glu Ser Asp Met  
1115 1120 1125

Glu Glu Ser Lys Glu Lys Leu Asn Ala Thr Ser Ser Ser Glu Gly  
1130 1135 1140

Ser Thr Val Asp Ile Gly Ala Pro Ala Glu Gly Glu Gln Pro Glu  
1145 1150 1155

Val Glu Pro Glu Glu Ser Leu Glu Pro Glu Ala Cys Phe Thr Glu  
1160 1165 1170

Asp Cys Val Arg Lys Phe Lys Cys Cys Gln Ile Ser Ile Glu Glu  
1175 1180 1185

Gly Lys Gly Lys Leu Trp Trp Asn Leu Arg Lys Thr Cys Tyr Lys  
1190 1195 1200

Ile Val Glu His Asn Trp Phe Glu Thr Phe Ile Val Phe Met Ile  
1205 1210 1215

Leu Leu Ser Ser Gly Ala Leu Ala Phe Glu Asp Ile Tyr Ile Glu  
1220 1225 1230

Gln Arg Lys Thr Ile Lys Thr Met Leu Glu Tyr Ala Asp Lys Val  
1235 1240 1245

Phe Thr Tyr Ile Phe Ile Leu Glu Met Leu Leu Lys Trp Val Ala  
1250 1255 1260

Tyr Gly Phe Gln Val Tyr Phe Thr Asn Ala Trp Cys Trp Leu Asp  
1265 1270 1275

Phe Leu Ile Val Asp Val Ser Leu Val Ser Leu Thr Ala Asn Ala  
1280 1285 1290

Leu Gly Tyr Ser Glu Leu Gly Ala Ile Lys Ser Leu Arg Thr Leu

## SequencesSSCPre-file7August03.ST25.txt

1295

1300

1305

Arg Ala Leu Arg Pro Leu Arg Ala Leu Ser Arg Phe Glu Gly Met  
 1310 1315 1320

Arg Val Val Val Asn Ala Leu Leu Gly Ala Ile Pro Ser Ile Met  
 1325 1330 1335

Asn Val Leu Leu Val Cys Leu Ile Phe Trp Leu Ile Phe Ser Ile  
 1340 1345 1350

Met Gly Val Asn Leu Phe Ala Gly Lys Phe Tyr His Cys Ile Asn  
 1355 1360 1365

Tyr Thr Thr Gly Glu Met Phe Asp Val Ser Val Val Asn Asn Tyr  
 1370 1375 1380

Ser Glu Cys Lys Ala Leu Ile Glu Ser Asn Gln Thr Ala Arg Trp  
 1385 1390 1395

Lys Asn Val Lys Val Asn Phe Asp Asn Val Gly Leu Gly Tyr Leu  
 1400 1405 1410

Ser Leu Leu Gln Val Ala Thr Phe Lys Gly Trp Met Asp Ile Met  
 1415 1420 1425

Tyr Ala Ala Val Asp Ser Arg Asn Val Glu Leu Gln Pro Lys Tyr  
 1430 1435 1440

Glu Asp Asn Leu Tyr Met Tyr Leu Tyr Phe Val Ile Phe Ile Ile  
 1445 1450 1455

Phe Gly Ser Phe Phe Thr Leu Asn Leu Phe Ile Gly Val Ile Ile  
 1460 1465 1470

Asp Asn Phe Asn Gln Gln Lys Lys Lys Phe Gly Gly Gln Asp Ile  
 1475 1480 1485

Phe Met Thr Glu Glu Gln Lys Lys Tyr Tyr Asn Ala Met Lys Lys  
 1490 1495 1500



SequencesSSCPre-file7August03.ST25.txt

Leu Gly 1505	Ser Lys Lys Pro Gln 1510	Lys Pro Ile Pro Arg 1515	Pro Ala Asn
Lys Phe 1520	Gln Gly Met Val Phe 1525	Asp Phe Val Thr Lys 1530	Gln Val Phe
Asp Ile 1535	Ser Ile Met Ile Leu 1540	Ile Cys Leu Asn Met 1545	Val Thr Met
Met Val 1550	Glu Thr Asp Asp Gln 1555	Ser Gln Glu Met Thr 1560	Asn Ile Leu
Tyr Trp 1565	Ile Asn Leu Val Phe 1570	Ile Val Leu Phe Thr 1575	Gly Glu Cys
Val Leu 1580	Lys Leu Ile Ser Leu 1585	Arg Tyr Tyr Tyr Phe 1590	Thr Ile Gly
Trp Asn 1595	Ile Phe Asp Phe Val 1600	Val Val Ile Leu Ser 1605	Ile Val Gly
Met Phe 1610	Leu Ala Glu Leu Ile 1615	Glu Lys Tyr Phe Val 1620	Ser Pro Thr
Leu Phe 1625	Arg Val Ile Arg Leu 1630	Ala Arg Ile Gly Arg 1635	Ile Leu Arg
Leu Ile 1640	Lys Gly Ala Lys Gly 1645	Ile Arg Thr Leu Leu 1650	Phe Ala Leu
Met Met 1655	Ser Leu Pro Ala Leu 1660	Phe Asn Ile Gly Leu 1665	Leu Leu Phe
Leu Val 1670	Met Phe Ile Tyr Ala 1675	Ile Phe Gly Met Ser 1680	Asn Phe Ala
Tyr Val 1685	Lys Arg Glu Val Gly 1690	Ile Asp Asp Met Phe 1695	Asn Phe Glu
Thr Phe 1700	Gly Asn Ser Met Ile 1705	Cys Leu Phe Gln Ile 1710	Thr Thr Ser

SequencesSSCPre-file7August03.ST25.txt

Ala Gly 1715	Trp Asp Gly Leu Leu 1720	Ala Pro Ile Leu Asn 1725	Ser Gly Pro
Pro Asp 1730	Cys Asp Pro Asp Lys 1735	Asp His Pro Gly Ser 1740	Ser Val Lys
Gly Asp 1745	Cys Gly Asn Pro Ser 1750	Val Gly Ile Phe Phe 1755	Phe Val Ser
Tyr Ile 1760	Ile Ile Ser Phe Leu 1765	Val Val Leu Asn Met 1770	Tyr Ile Ala
Val Ile 1775	Leu Glu Asn Phe Ser 1780	Val Ala Thr Glu Glu 1785	Ser Ala Glu
Pro Leu 1790	Ser Glu Asp Asp Phe 1795	Glu Met Phe Tyr Glu 1800	Val Trp Glu
Lys Phe 1805	Asp Pro Asp Ala Thr 1810	Gln Phe Ile Glu Phe 1815	Ala Lys Leu
Ser Asp 1820	Phe Ala Asp Ala Leu 1825	Asp Pro Pro Leu Leu 1830	Ile Ala Lys
Pro Asn 1835	Lys Val Gln Leu Ile 1840	Ala Met Asp Leu Pro 1845	Met Val Ser
Gly Asp 1850	Arg Ile His Cys Leu 1855	Asp Ile Leu Phe Ala 1860	Phe Thr Lys
Arg Val 1865	Leu Gly Glu Ser Gly 1870	Glu Met Asp Ala Leu 1875	Arg Ile Gln
Met Glu 1880	Glu Arg Phe Met Ala 1885	Ser Asn Pro Ser Lys 1890	Val Ser Tyr
Glu Pro 1895	Ile Thr Thr Thr Leu 1900	Lys Arg Lys Gln Glu 1905	Glu Val Ser
Ala Ile 1910	Ile Ile Gln Arg Ala 1915	Tyr Arg Arg Tyr Leu 1920	Leu Lys Gln

SequencesSSCPre-file7August03.ST25.txt

Lys Val Lys Lys Val Ser Ser Ile Tyr Lys Lys Asp Lys Gly Lys  
1925 1930 1935

Glu Cys Asp Gly Thr Pro Ile Lys Glu Asp Thr Leu Ile Asp Lys  
1940 1945 1950

Leu Asn Glu Asn Ser Thr Pro Glu Lys Thr Asp Met Thr Pro Ser  
1955 1960 1965

Thr Thr Ser Pro Pro Ser Tyr Asp Ser Val Thr Lys Pro Glu Lys  
1970 1975 1980

Glu Lys Phe Glu Lys Asp Lys Ser Glu Lys Glu Asp Lys Gly Lys  
1985 1990 1995

Asp Ile Arg Glu Ser Lys Lys  
2000 2005

<210> 66  
<211> 2005  
<212> PRT  
<213> Homo sapiens

<400> 66

Met Ala Gln Ser Val Leu Val Pro Pro Gly Pro Asp Ser Phe Arg Phe  
1 5 10 15

Phe Thr Arg Glu Ser Leu Ala Ala Ile Glu Gln Arg Ile Ala Glu Glu  
20 25 30

Lys Ala Lys Arg Pro Lys Gln Glu Arg Lys Asp Glu Asp Asp Glu Asn  
35 40 45

Gly Pro Lys Pro Asn Ser Asp Leu Glu Ala Gly Lys Ser Leu Pro Phe  
50 55 60

Ile Tyr Gly Asp Ile Pro Pro Glu Met Val Ser Val Pro Leu Glu Asp  
65 70 75 80

Leu Asp Pro Tyr Tyr Ile Asn Lys Lys Thr Phe Ile Val Leu Asn Lys  
85 90 95

SequencesSSCPre-file7August03.ST25.txt

Gly	Lys	Ala	Ile	Ser	Arg	Phe	Ser	Ala	Thr	Pro	Ala	Leu	Tyr	Ile	Leu
			100					105					110		
Thr	Pro	Phe	Asn	Pro	Ile	Arg	Lys	Leu	Ala	Ile	Lys	Ile	Leu	Val	His
		115					120					125			
Ser	Leu	Phe	Asn	Met	Leu	Ile	Met	Cys	Thr	Ile	Leu	Thr	Asn	Cys	Val
	130					135					140				
Phe	Met	Thr	Met	Ser	Asn	Pro	Pro	Asp	Trp	Thr	Lys	Asn	Val	Glu	Tyr
145					150					155					160
Thr	Phe	Thr	Gly	Ile	Tyr	Thr	Phe	Glu	Ser	Leu	Ile	Lys	Ile	Leu	Ala
				165					170					175	
Arg	Gly	Phe	Cys	Leu	Glu	Asp	Phe	Thr	Phe	Leu	Arg	Asp	Pro	Trp	Asn
			180					185					190		
Trp	Leu	Asp	Phe	Thr	Val	Ile	Thr	Phe	Ala	Tyr	Val	Thr	Glu	Phe	Val
		195					200					205			
Asp	Leu	Gly	Asn	Val	Ser	Ala	Leu	Arg	Thr	Phe	Arg	Val	Leu	Arg	Ala
	210					215					220				
Leu	Lys	Thr	Ile	Ser	Val	Ile	Pro	Gly	Leu	Lys	Thr	Ile	Val	Gly	Ala
225					230					235					240
Leu	Ile	Gln	Ser	Val	Lys	Lys	Leu	Ser	Asp	Val	Met	Ile	Leu	Thr	Val
				245					250					255	
Phe	Cys	Leu	Ser	Val	Phe	Ala	Leu	Ile	Gly	Leu	Gln	Leu	Phe	Met	Gly
			260					265					270		
Asn	Leu	Arg	Asn	Lys	Cys	Leu	Gln	Trp	Pro	Pro	Asp	Asn	Ser	Ser	Phe
		275					280					285			
Glu	Ile	Asn	Ile	Thr	Ser	Phe	Phe	Asn	Asn	Ser	Leu	Asp	Gly	Asn	Gly
	290					295					300				
Thr	Thr	Phe	Asn	Arg	Thr	Val	Ser	Ile	Phe	Asn	Trp	Asp	Glu	Tyr	Ile

SequencesSSCPPre~file7August03.ST25.txt

305

310

315

320

Glu Asp Lys Ser His Phe Tyr Phe Leu Glu Gly Gln Asn Asp Ala Leu  
325 330 335

Leu Cys Gly Asn Ser Ser Asp Ala Gly Gln Cys Pro Glu Gly Tyr Ile  
340 345 350

Cys Val Lys Ala Gly Arg Asn Pro Asn Tyr Gly Tyr Thr Ser Phe Asp  
355 360 365

Thr Phe Ser Trp Ala Phe Leu Ser Leu Phe Arg Leu Met Thr Gln Asp  
370 375 380

Phe Trp Glu Asn Leu Tyr Gln Leu Thr Leu Arg Ala Ala Gly Lys Thr  
385 390 395 400

Tyr Met Ile Phe Phe Val Leu Val Ile Phe Leu Gly Ser Phe Tyr Leu  
405 410 415

Ile Asn Leu Ile Leu Ala Val Val Ala Met Ala Tyr Glu Glu Gln Asn  
420 425 430

Gln Ala Thr Leu Glu Glu Ala Glu Gln Lys Glu Ala Glu Phe Gln Gln  
435 440 445

Met Leu Glu Gln Leu Lys Lys Gln Gln Glu Glu Ala Gln Ala Ala Ala  
450 455 460

Ala Ala Ala Ser Ala Glu Ser Arg Asp Phe Ser Gly Ala Gly Gly Ile  
465 470 475 480

Gly Val Phe Ser Glu Ser Ser Ser Val Ala Ser Lys Leu Ser Ser Lys  
485 490 495

Ser Glu Lys Glu Leu Lys Asn Arg Arg Lys Lys Lys Lys Gln Lys Glu  
500 505 510

Gln Ser Gly Glu Glu Glu Lys Asn Asp Arg Val Leu Lys Ser Glu Ser  
515 520 525

SequencesSSCPre-file7August03.ST25.txt

Glu Asp Ser Ile Arg Arg Lys Gly Phe Arg Phe Ser Leu Glu Gly Ser  
530 535 540

Arg Leu Thr Tyr Glu Lys Arg Phe Ser Ser Pro His Gln Ser Leu Leu  
545 550 555 560

Ser Ile Arg Gly Ser Leu Phe Ser Pro Arg Arg Asn Ser Arg Ala Ser  
565 570 575

Leu Phe Ser Phe Arg Gly Arg Ala Lys Asp Ile Gly Ser Glu Asn Asp  
580 585 590

Phe Ala Asp Asp Glu His Ser Thr Phe Glu Asp Asn Asp Ser Arg Arg  
595 600 605

Asp Ser Leu Phe Val Pro His Arg His Gly Glu Arg Arg His Ser Asn  
610 615 620

Val Ser Gln Ala Ser Arg Ala Ser Arg Val Leu Pro Ile Leu Pro Met  
625 630 635 640

Asn Gly Lys Met His Ser Ala Val Asp Cys Asn Gly Val Val Ser Leu  
645 650 655

Val Gly Gly Pro Ser Thr Leu Thr Ser Ala Gly Gln Leu Leu Pro Glu  
660 665 670

Gly Thr Thr Thr Glu Thr Glu Ile Arg Lys Arg Arg Ser Ser Ser Tyr  
675 680 685

His Val Ser Met Asp Leu Leu Glu Asp Pro Thr Ser Arg Gln Arg Ala  
690 695 700

Met Ser Ile Ala Ser Ile Leu Thr Asn Thr Met Glu Glu Leu Glu Glu  
705 710 715 720

Ser Arg Gln Lys Cys Pro Pro Cys Trp Tyr Lys Phe Ala Asn Met Cys  
725 730 735

Leu Ile Trp Asp Cys Cys Lys Pro Trp Leu Lys Val Lys His Leu Val  
740 745 750

SequencesSSCPre-file7August03.ST25.txt

Asn Leu Val Val Met Asp Pro Phe Val Asp Leu Ala Ile Thr Ile Cys  
755 760 765

Ile Val Leu Asn Thr Leu Phe Met Ala Met Glu His Tyr Pro Met Thr  
770 775 780

Glu Gln Phe Ser Ser Val Leu Ser Val Gly Asn Leu Val Phe Thr Gly  
785 790 795 800

Ile Phe Thr Ala Glu Met Phe Leu Lys Ile Ile Ala Met Asp Pro Tyr  
805 810 815

Tyr Tyr Phe Gln Glu Gly Trp Asn Ile Phe Asp Gly Phe Ile Val Ser  
820 825 830

Leu Ser Leu Met Glu Leu Gly Leu Ala Asn Val Glu Gly Leu Ser Val  
835 840 845

Leu Arg Ser Phe Arg Leu Leu Arg Val Phe Lys Leu Ala Lys Ser Trp  
850 855 860

Pro Thr Leu Asn Met Leu Ile Lys Ile Ile Gly Asn Ser Val Gly Ala  
865 870 875 880

Leu Gly Asn Leu Thr Leu Val Leu Ala Ile Ile Val Phe Ile Phe Ala  
885 890 895

Val Val Gly Met Gln Leu Phe Gly Lys Ser Tyr Lys Glu Cys Val Cys  
900 905 910

Lys Ile Ser Asn Asp Cys Glu Leu Pro Arg Trp His Met His Asp Phe  
915 920 925

Phe His Ser Phe Leu Ile Val Phe Arg Val Leu Cys Gly Glu Trp Ile  
930 935 940

Glu Thr Met Trp Asp Cys Met Glu Val Ala Gly Gln Thr Met Cys Leu  
945 950 955 960

Thr Val Phe Met Met Val Met Val Ile Gly Asn Leu Val Val Leu Asn  
965 970 975



SequencesSSCPre-file7August03.ST25.txt

Leu Phe Leu Ala Leu Leu Leu Ser Ser Phe Ser Ser Asp Asn Leu Ala  
 980 985 990

Ala Thr Asp Asp Asp Asn Glu Met Asn Asn Ile Gln Ile Ala Val Gly  
 995 1000 1005

Arg Met Gln Lys Gly Ile Asp Phe Val Lys Arg Lys Ile Arg Glu  
 1010 1015 1020

Phe Ile Gln Lys Ala Phe Val Arg Lys Gln Lys Ala Leu Asp Glu  
 1025 1030 1035

Ile Lys Pro Leu Glu Asp Leu Asn Asn Lys Lys Asp Ser Cys Ile  
 1040 1045 1050

Ser Asn His Thr Thr Ile Glu Ile Gly Lys Asp Leu Asn Tyr Leu  
 1055 1060 1065

Lys Asp Gly Asn Gly Thr Thr Ser Gly Ile Gly Ser Ser Val Glu  
 1070 1075 1080

Lys Tyr Val Val Asp Glu Ser Asp Tyr Met Ser Phe Ile Asn Asn  
 1085 1090 1095

Pro Ser Leu Thr Val Thr Val Pro Ile Ala Val Gly Glu Ser Asp  
 1100 1105 1110

Phe Glu Asn Leu Asn Thr Glu Glu Phe Ser Ser Glu Ser Asp Met  
 1115 1120 1125

Glu Glu Ser Lys Glu Lys Leu Asn Ala Thr Ser Ser Ser Glu Gly  
 1130 1135 1140

Ser Thr Val Asp Ile Gly Ala Pro Ala Glu Gly Glu Gln Pro Glu  
 1145 1150 1155

Val Glu Pro Glu Glu Ser Leu Glu Pro Glu Ala Cys Phe Thr Glu  
 1160 1165 1170

Asp Cys Val Arg Lys Phe Lys Cys Cys Gln Ile Ser Ile Glu Glu  
 Page 175

SequencesSSCPre-file7August03.ST25.txt

1175		1180		1185
Gly Lys 1190	Gly Lys Leu Trp	Trp 1195	Asn Leu Arg Lys	Thr 1200 Cys Tyr Lys
Ile Val 1205	Glu His Asn Trp	Phe 1210	Glu Thr Phe Ile	Val 1215 Phe Met Ile
Leu Leu 1220	Ser Ser Gly Ala	Leu 1225	Ala Phe Glu Asp	Ile 1230 Tyr Ile Glu
Gln Arg 1235	Lys Thr Ile Lys	Thr 1240	Met Leu Glu Tyr	Ala 1245 Asp Lys Val
Phe Thr 1250	Tyr Ile Phe Ile	Leu 1255	Glu Met Leu Leu	Lys 1260 Trp Val Ala
Tyr Gly 1265	Phe Gln Val Tyr	Phe 1270	Thr Asn Ala Trp	Cys 1275 Trp Leu Asp
Phe Leu 1280	Ile Val Asp Val	Ser 1285	Leu Val Ser Leu	Thr 1290 Ala Asn Ala
Leu Gly 1295	Tyr Ser Glu Leu	Gly 1300	Ala Ile Lys Ser	Leu 1305 Arg Thr Leu
Arg Ala 1310	Leu Arg Pro Leu	Arg 1315	Ala Leu Ser Arg	Phe 1320 Glu Gly Met
Arg Val 1325	Val Val Asn Ala	Leu 1330	Leu Gly Ala Ile	Pro 1335 Ser Ile Met
Asn Val 1340	Leu Leu Val Cys	Leu 1345	Ile Phe Trp Leu	Ile 1350 Phe Ser Ile
Met Gly 1355	Val Asn Leu Phe	Ala 1360	Gly Lys Phe Tyr	His 1365 Cys Ile Asn
Tyr Thr 1370	Thr Gly Glu Met	Phe 1375	Asp Val Ser Val	Val 1380 Asn Asn Tyr

SequencesSSCPre-file7August03.ST25.txt

Ser	Glu	Cys	Lys	Ala	Leu	Ile	Glu	Ser	Asn	Gln	Thr	Ala	Arg	Trp
1385						1390					1395			
Lys	Asn	Val	Lys	Val	Asn	Phe	Asp	Asn	Val	Gly	Leu	Gly	Tyr	Leu
1400						1405					1410			
Ser	Leu	Leu	Gln	Val	Ala	Thr	Phe	Lys	Gly	Trp	Met	Asp	Ile	Met
1415						1420					1425			
Tyr	Ala	Ala	Val	Asp	Ser	Arg	Asn	Val	Glu	Leu	Gln	Pro	Lys	Tyr
1430						1435					1440			
Glu	Asp	Asn	Leu	Tyr	Met	Tyr	Leu	Tyr	Phe	Val	Ile	Phe	Ile	Ile
1445						1450					1455			
Phe	Gly	Ser	Phe	Phe	Thr	Leu	Asn	Leu	Phe	Ile	Gly	Val	Ile	Ile
1460						1465					1470			
Asp	Asn	Phe	Asn	Gln	Gln	Lys	Lys	Lys	Phe	Gly	Gly	Gln	Asp	Ile
1475						1480					1485			
Phe	Met	Thr	Glu	Glu	Gln	Lys	Lys	Tyr	Tyr	Asn	Ala	Met	Lys	Lys
1490						1495					1500			
Leu	Gly	Ser	Lys	Lys	Pro	Gln	Lys	Pro	Ile	Pro	Arg	Pro	Ala	Asn
1505						1510					1515			
Lys	Phe	Gln	Gly	Met	Val	Phe	Asp	Phe	Val	Thr	Lys	Gln	Val	Phe
1520						1525					1530			
Asp	Ile	Ser	Ile	Met	Ile	Leu	Ile	Cys	Leu	Asn	Met	Val	Thr	Met
1535						1540					1545			
Met	Val	Glu	Thr	Asp	Asp	Gln	Ser	Gln	Glu	Met	Thr	Asn	Ile	Leu
1550						1555					1560			
Tyr	Trp	Ile	Asn	Leu	Val	Phe	Ile	Val	Leu	Phe	Thr	Gly	Glu	Cys
1565						1570					1575			
Val	Leu	Lys	Leu	Ile	Ser	Leu	Arg	Tyr	Tyr	Tyr	Phe	Thr	Ile	Gly
1580						1585					1590			

SequencesSSCPre-file7August03.ST25.txt

Trp	Asn	Ile	Phe	Asp	Phe	Val	Val	Val	Ile	Leu	Ser	Ile	Val	Gly
1595						1600					1605			
Met	Phe	Leu	Ala	Glu	Leu	Ile	Glu	Lys	Tyr	Phe	Val	Ser	Pro	Thr
1610						1615					1620			
Leu	Phe	Arg	Val	Ile	Arg	Leu	Ala	Arg	Ile	Gly	Arg	Ile	Leu	Arg
1625						1630					1635			
Leu	Ile	Lys	Gly	Ala	Lys	Gly	Ile	Arg	Thr	Leu	Leu	Phe	Ala	Leu
1640						1645					1650			
Met	Met	Ser	Leu	Pro	Ala	Leu	Phe	Asn	Ile	Gly	Leu	Leu	Leu	Phe
1655						1660					1665			
Leu	Val	Met	Phe	Ile	Tyr	Ala	Ile	Phe	Gly	Met	Ser	Asn	Phe	Ala
1670						1675					1680			
Tyr	Val	Lys	Arg	Glu	Val	Gly	Ile	Asp	Asp	Met	Phe	Asn	Phe	Glu
1685						1690					1695			
Thr	Phe	Gly	Asn	Ser	Met	Ile	Cys	Leu	Phe	Gln	Ile	Thr	Thr	Ser
1700						1705					1710			
Ala	Gly	Trp	Asp	Gly	Leu	Leu	Ala	Pro	Ile	Leu	Asn	Ser	Gly	Pro
1715						1720					1725			
Pro	Asp	Cys	Asp	Pro	Asp	Lys	Asp	His	Pro	Gly	Ser	Ser	Val	Lys
1730						1735					1740			
Gly	Asp	Cys	Gly	Asn	Pro	Ser	Val	Gly	Ile	Phe	Phe	Phe	Val	Ser
1745						1750					1755			
Tyr	Ile	Ile	Ile	Ser	Phe	Leu	Val	Val	Leu	Asn	Met	Tyr	Ile	Ala
1760						1765					1770			
Val	Ile	Leu	Glu	Asn	Phe	Ser	Val	Ala	Thr	Glu	Glu	Ser	Ala	Glu
1775						1780					1785			
Pro	Leu	Ser	Glu	Asp	Asp	Phe	Glu	Met	Phe	Tyr	Glu	Val	Trp	Glu
1790						1795					1800			

SequencesSSCPre-file7August03.ST25.txt

Lys	Phe	Asp	Pro	Asp	Ala	Thr	Gln	Phe	Ile	Glu	Phe	Ala	Lys	Leu
1805						1810					1815			
Ser	Asp	Phe	Ala	Asp	Ala	Leu	Asp	Pro	Pro	Leu	Leu	Ile	Ala	Lys
1820						1825					1830			
Pro	Asn	Lys	Val	Gln	Leu	Ile	Ala	Met	Asp	Leu	Pro	Met	Val	Ser
1835						1840					1845			
Gly	Asp	Arg	Ile	His	Cys	Leu	Asp	Ile	Leu	Phe	Ala	Phe	Thr	Lys
1850						1855					1860			
Arg	Val	Leu	Gly	Glu	Ser	Gly	Glu	Met	Asp	Ala	Leu	Arg	Ile	Gln
1865						1870					1875			
Met	Glu	Glu	Arg	Phe	Met	Ala	Ser	Asn	Pro	Ser	Lys	Val	Ser	Tyr
1880						1885					1890			
Glu	Pro	Ile	Thr	Thr	Thr	Leu	Lys	Arg	Lys	Gln	Glu	Glu	Val	Ser
1895						1900					1905			
Ala	Ile	Ile	Ile	Gln	Arg	Ala	Tyr	Arg	Arg	Tyr	Leu	Leu	Lys	Gln
1910						1915					1920			
Lys	Val	Lys	Lys	Val	Ser	Ser	Ile	Tyr	Lys	Lys	Asp	Lys	Gly	Lys
1925						1930					1935			
Glu	Cys	Asp	Gly	Thr	Pro	Ile	Lys	Glu	Asp	Thr	Leu	Ile	Asp	Lys
1940						1945					1950			
Leu	Asn	Glu	Asn	Ser	Thr	Pro	Glu	Lys	Thr	Asp	Met	Thr	Pro	Ser
1955						1960					1965			
Thr	Thr	Ser	Pro	Pro	Ser	Tyr	Asp	Ser	Val	Thr	Lys	Pro	Glu	Lys
1970						1975					1980			
Glu	Lys	Phe	Glu	Lys	Asp	Lys	Ser	Glu	Lys	Glu	Asp	Lys	Gly	Lys
1985						1990					1995			
Asp	Ile	Arg	Glu	Ser	Lys	Lys								

2000

SequencesSSCPre-file7August03.ST25.txt  
2005

<210> 67  
<211> 2005  
<212> PRT  
<213> Homo sapiens

&lt;400&gt; 67

Met Ala Gln Ser Val Leu Val Pro Pro Gly Pro Asp Ser Phe Arg Phe  
1 5 10 15

Phe Thr Arg Glu Ser Leu Ala Ala Ile Glu Gln Arg Ile Ala Glu Glu  
20 25 30

Lys Ala Lys Arg Pro Lys Gln Glu Arg Lys Asp Glu Asp Asp Glu Asn  
35 40 45

Gly Pro Lys Pro Asn Ser Asp Leu Glu Ala Gly Lys Ser Leu Pro Phe  
50 55 60

Ile Tyr Gly Asp Ile Pro Pro Glu Met Val Ser Val Pro Leu Glu Asp  
65 70 75 80

Leu Asp Pro Tyr Tyr Ile Asn Lys Lys Thr Phe Ile Val Leu Asn Lys  
85 90 95

Gly Lys Ala Ile Ser Arg Phe Ser Ala Thr Pro Ala Leu Tyr Ile Leu  
100 105 110

Thr Pro Phe Asn Pro Ile Arg Lys Leu Ala Ile Lys Ile Leu Val His  
115 120 125

Ser Leu Phe Asn Met Leu Ile Met Cys Thr Ile Leu Thr Asn Cys Val  
130 135 140

Phe Met Thr Met Ser Asn Pro Pro Asp Trp Thr Lys Asn Val Glu Tyr  
145 150 155 160

Thr Phe Thr Gly Ile Tyr Thr Phe Glu Ser Leu Ile Lys Ile Leu Ala  
165 170 175

Arg Gly Phe Cys Leu Glu Asp Phe Thr Phe Leu Arg Asp Pro Trp Asn

Trp Leu Asp Phe Thr Val Ile Thr Phe Ala Tyr Val Thr Glu Phe Val  
195 200 205

Asp Leu Gly Asn Val Ser Ala Leu Arg Thr Phe Arg Val Leu Arg Ala  
210 215 220

Leu Lys Thr Ile Ser Val Ile Pro Gly Leu Lys Thr Ile Val Gly Ala  
225 230 235 240

Leu Ile Gln Ser Val Lys Lys Leu Ser Asp Val Met Ile Leu Thr Val  
245 250 255

Phe Cys Leu Ser Val Phe Ala Leu Ile Gly Leu Gln Leu Phe Met Gly  
260 265 270

Asn Leu Arg Asn Lys Cys Leu Gln Trp Pro Pro Asp Asn Ser Ser Phe  
275 280 285

Glu Ile Asn Ile Thr Ser Phe Phe Asn Asn Ser Leu Asp Gly Asn Gly  
290 295 300

Thr Thr Phe Asn Arg Thr Val Ser Ile Phe Asn Trp Asp Glu Tyr Ile  
305 310 315 320

Glu Asp Lys Ser His Phe Tyr Phe Leu Glu Gly Gln Asn Asp Ala Leu  
325 330 335

Leu Cys Gly Asn Ser Ser Asp Ala Gly Gln Cys Pro Glu Gly Tyr Ile  
340 345 350

Cys Val Lys Ala Gly Arg Asn Pro Asn Tyr Gly Tyr Thr Ser Phe Asp  
355 360 365

Thr Phe Ser Trp Ala Phe Leu Ser Leu Phe Arg Leu Met Thr Gln Asp  
370 375 380

Phe Trp Glu Asn Leu Tyr Gln Leu Thr Leu Arg Ala Ala Gly Lys Thr  
385 390 395 400



SequencesSSCPre-file7August03.ST25.txt

Tyr Met Ile Phe Phe Val Leu Val Ile Phe Leu Gly Ser Phe Tyr Leu  
405 410 415

Ile Asn Leu Ile Leu Ala Val Val Ala Met Ala Tyr Glu Glu Gln Asn  
420 425 430

Gln Ala Thr Leu Glu Glu Ala Glu Gln Lys Glu Ala Glu Phe Gln Gln  
435 440 445

Met Leu Glu Gln Leu Lys Lys Gln Gln Glu Glu Ala Gln Ala Ala Ala  
450 455 460

Ala Ala Ala Ser Ala Glu Ser Arg Asp Phe Ser Gly Ala Gly Gly Ile  
465 470 475 480

Gly Val Phe Ser Glu Ser Ser Ser Val Ala Ser Lys Leu Ser Ser Lys  
485 490 495

Ser Glu Lys Glu Leu Lys Asn Arg Arg Lys Lys Lys Lys Gln Lys Glu  
500 505 510

Gln Ser Gly Glu Glu Glu Lys Asn Asp Arg Val Leu Lys Ser Glu Ser  
515 520 525

Glu Asp Ser Ile Arg Arg Lys Gly Phe Arg Phe Ser Leu Glu Gly Ser  
530 535 540

Arg Leu Thr Tyr Glu Lys Arg Phe Ser Ser Pro His Gln Ser Leu Leu  
545 550 555 560

Ser Ile Arg Gly Ser Leu Phe Ser Pro Arg Arg Asn Ser Arg Ala Ser  
565 570 575

Leu Phe Ser Phe Arg Gly Arg Ala Lys Asp Ile Gly Ser Glu Asn Asp  
580 585 590

Phe Ala Asp Asp Glu His Ser Thr Phe Glu Asp Asn Asp Ser Arg Arg  
595 600 605

Asp Ser Leu Phe Val Pro His Arg His Gly Glu Arg Arg His Ser Asn  
610 615 620

SequencesSSCPre-file7August03.ST25.txt

Val 625	Ser	Gln	Ala	Ser	Arg 630	Ala	Ser	Arg	Val	Leu 635	Pro	Ile	Leu	Pro	Met 640
Asn	Gly	Lys	Met	His 645	Ser	Ala	Val	Asp	Cys 650	Asn	Gly	Val	Val	Ser	Leu 655
Val	Gly	Gly	Pro 660	Ser	Thr	Leu	Thr	Ser 665	Ala	Gly	Gln	Leu	Leu 670	Pro	Glu
Gly	Thr 675	Thr	Thr	Glu	Thr	Glu	Ile 680	Arg	Lys	Arg	Arg	Ser 685	Ser	Ser	Tyr
His 690	Val	Ser	Met	Asp	Leu	Leu 695	Glu	Asp	Pro	Thr	Ser 700	Arg	Gln	Arg	Ala
Met 705	Ser	Ile	Ala	Ser	Ile 710	Leu	Thr	Asn	Thr	Met 715	Glu	Glu	Leu	Glu	Glu 720
Ser	Arg	Gln	Lys	Cys 725	Pro	Pro	Cys	Trp	Tyr 730	Lys	Phe	Ala	Asn	Met 735	Cys
Leu	Ile	Trp	Asp 740	Cys	Cys	Lys	Pro	Trp 745	Leu	Lys	Val	Lys	His 750	Leu	Val
Asn	Leu 755	Val	Val	Met	Asp	Pro	Phe 760	Val	Asp	Leu	Ala	Ile 765	Thr	Ile	Cys
Ile 770	Val	Leu	Asn	Thr	Leu	Phe 775	Met	Ala	Met	Glu	His 780	Tyr	Pro	Met	Thr
Glu 785	Gln	Phe	Ser	Ser	Val 790	Leu	Ser	Val	Gly	Asn 795	Leu	Val	Phe	Thr	Gly 800
Ile	Phe	Thr	Ala	Glu 805	Met	Phe	Leu	Lys	Ile 810	Ile	Ala	Met	Asp	Pro 815	Tyr
Tyr	Tyr	Phe	Gln 820	Glu	Gly	Trp	Asn	Ile 825	Phe	Asp	Gly	Phe	Ile 830	Val	Ser
Leu	Ser 835	Leu	Met	Glu	Leu	Gly	Leu 840	Ala	Asn	Val	Glu	Gly 845	Leu	Ser	Val

SequencesSSCPre-file7August03.ST25.txt

Leu Arg Ser Phe Arg Leu Leu Arg Val Phe Lys Leu Ala Lys Ser Trp  
850 855 860

Pro Thr Leu Asn Met Leu Ile Lys Ile Ile Gly Asn Ser Val Gly Ala  
865 870 875 880

Leu Gly Asn Leu Thr Leu Val Leu Ala Ile Ile Val Phe Ile Phe Ala  
885 890 895

Val Val Gly Met Gln Leu Phe Gly Lys Ser Tyr Lys Glu Cys Val Cys  
900 905 910

Lys Ile Ser Asn Asp Cys Glu Leu Pro Arg Trp His Met His Asp Phe  
915 920 925

Phe His Ser Phe Leu Ile Val Phe Arg Val Leu Cys Gly Glu Trp Ile  
930 935 940

Glu Thr Met Trp Asp Cys Met Glu Val Ala Gly Gln Thr Met Cys Leu  
945 950 955 960

Thr Val Phe Met Met Val Met Val Ile Gly Asn Leu Val Val Leu Asn  
965 970 975

Leu Phe Leu Ala Leu Leu Leu Ser Ser Phe Ser Ser Asp Asn Leu Ala  
980 985 990

Ala Thr Asp Asp Asp Asn Glu Met Asn Asn Leu Gln Ile Ala Val Gly  
995 1000 1005

Arg Met Gln Lys Gly Ile Asp Phe Val Lys Arg Lys Ile Arg Glu  
1010 1015 1020

Phe Ile Gln Lys Ala Phe Val Arg Lys Gln Lys Ala Leu Asp Glu  
1025 1030 1035

Ile Lys Pro Leu Glu Asp Leu Asn Asn Lys Lys Asp Ser Cys Ile  
1040 1045 1050

Ser Asn His Thr Thr Ile Glu Ile Gly Lys Asp Leu Asn Tyr Leu

## SequencesSSCPre-file7August03.ST25.txt

1055														
Lys	Asp	Gly	Asn	Gly	Thr	Thr	Ser	Gly	Ile	Gly	Ser	Ser	Val	Glu
1070						1075					1080			
Lys	Tyr	Val	Val	Asp	Glu	Ser	Asp	Tyr	Met	Ser	Phe	Ile	Asn	Asn
1085						1090					1095			
Pro	Ser	Leu	Thr	Val	Thr	Val	Pro	Ile	Ala	Val	Gly	Glu	Ser	Asp
1100						1105					1110			
Phe	Glu	Asn	Leu	Asn	Thr	Glu	Glu	Phe	Ser	Ser	Glu	Ser	Asp	Met
1115						1120					1125			
Glu	Glu	Ser	Lys	Glu	Lys	Leu	Asn	Ala	Thr	Ser	Ser	Ser	Glu	Gly
1130						1135					1140			
Ser	Thr	Val	Asp	Ile	Gly	Ala	Pro	Ala	Glu	Gly	Glu	Gln	Pro	Glu
1145						1150					1155			
Val	Glu	Pro	Glu	Glu	Ser	Leu	Glu	Pro	Glu	Ala	Cys	Phe	Thr	Glu
1160						1165					1170			
Asp	Cys	Val	Arg	Lys	Phe	Lys	Cys	Cys	Gln	Ile	Ser	Ile	Glu	Glu
1175						1180					1185			
Gly	Lys	Gly	Lys	Leu	Trp	Trp	Asn	Leu	Arg	Lys	Ala	Cys	Tyr	Lys
1190						1195					1200			
Ile	Val	Glu	His	Asn	Trp	Phe	Glu	Thr	Phe	Ile	Val	Phe	Met	Ile
1205						1210					1215			
Leu	Leu	Ser	Ser	Gly	Ala	Leu	Ala	Phe	Glu	Asp	Ile	Tyr	Ile	Glu
1220						1225					1230			
Gln	Arg	Lys	Thr	Ile	Lys	Thr	Met	Leu	Glu	Tyr	Ala	Asp	Lys	Val
1235						1240					1245			
Phe	Thr	Tyr	Ile	Phe	Ile	Leu	Glu	Met	Leu	Leu	Lys	Trp	Val	Ala
1250						1255					1260			

SequencesSSCPre-file7August03.ST25.txt

Tyr Gly Phe Gln Val Tyr Phe Thr Asn Ala Trp Cys Trp Leu Asp  
1265 1270 1275

Phe Leu Ile Val Asp Val Ser Leu Val Ser Leu Thr Ala Asn Ala  
1280 1285 1290

Leu Gly Tyr Ser Glu Leu Gly Ala Ile Lys Ser Leu Arg Thr Leu  
1295 1300 1305

Arg Ala Leu Arg Pro Leu Arg Ala Leu Ser Arg Phe Glu Gly Met  
1310 1315 1320

Arg Val Val Val Asn Ala Leu Leu Gly Ala Ile Pro Ser Ile Met  
1325 1330 1335

Asn Val Leu Leu Val Cys Leu Ile Phe Trp Leu Ile Phe Ser Ile  
1340 1345 1350

Met Gly Val Asn Leu Phe Ala Gly Lys Phe Tyr His Cys Ile Asn  
1355 1360 1365

Tyr Thr Thr Gly Glu Met Phe Asp Val Ser Val Val Asn Asn Tyr  
1370 1375 1380

Ser Glu Cys Lys Ala Leu Ile Glu Ser Asn Gln Thr Ala Arg Trp  
1385 1390 1395

Lys Asn Val Lys Val Asn Phe Asp Asn Val Gly Leu Gly Tyr Leu  
1400 1405 1410

Ser Leu Leu Gln Val Ala Thr Phe Lys Gly Trp Met Asp Ile Met  
1415 1420 1425

Tyr Ala Ala Val Asp Ser Arg Asn Val Glu Leu Gln Pro Lys Tyr  
1430 1435 1440

Glu Asp Asn Leu Tyr Met Tyr Leu Tyr Phe Val Ile Phe Ile Ile  
1445 1450 1455

Phe Gly Ser Phe Phe Thr Leu Asn Leu Phe Ile Gly Val Ile Ile  
1460 1465 1470

SequencesSSCPre-file7August03.ST25.txt

Asp	Asn	Phe	Asn	Gln	Gln	Lys	Lys	Lys	Phe	Gly	Gly	Gln	Asp	Ile
1475						1480					1485			
Phe	Met	Thr	Glu	Glu	Gln	Lys	Lys	Tyr	Tyr	Asn	Ala	Met	Lys	Lys
1490						1495					1500			
Leu	Gly	Ser	Lys	Lys	Pro	Gln	Lys	Pro	Ile	Pro	Arg	Pro	Ala	Asn
1505						1510					1515			
Lys	Phe	Gln	Gly	Met	Val	Phe	Asp	Phe	Val	Thr	Lys	Gln	Val	Phe
1520						1525					1530			
Asp	Ile	Ser	Ile	Met	Ile	Leu	Ile	Cys	Leu	Asn	Met	Val	Thr	Met
1535						1540					1545			
Met	Val	Glu	Thr	Asp	Asp	Gln	Ser	Gln	Glu	Met	Thr	Asn	Ile	Leu
1550						1555					1560			
Tyr	Trp	Ile	Asn	Leu	Val	Phe	Ile	Val	Leu	Phe	Thr	Gly	Glu	Cys
1565						1570					1575			
Val	Leu	Lys	Leu	Ile	Ser	Leu	Arg	Tyr	Tyr	Tyr	Phe	Thr	Ile	Gly
1580						1585					1590			
Trp	Asn	Ile	Phe	Asp	Phe	Val	Val	Val	Ile	Leu	Ser	Ile	Val	Gly
1595						1600					1605			
Met	Phe	Leu	Ala	Glu	Leu	Ile	Glu	Lys	Tyr	Phe	Val	Ser	Pro	Thr
1610						1615					1620			
Leu	Phe	Arg	Val	Ile	Arg	Leu	Ala	Arg	Ile	Gly	Arg	Ile	Leu	Arg
1625						1630					1635			
Leu	Ile	Lys	Gly	Ala	Lys	Gly	Ile	Arg	Thr	Leu	Leu	Phe	Ala	Leu
1640						1645					1650			
Met	Met	Ser	Leu	Pro	Ala	Leu	Phe	Asn	Ile	Gly	Leu	Leu	Leu	Phe
1655						1660					1665			
Leu	Val	Met	Phe	Ile	Tyr	Ala	Ile	Phe	Gly	Met	Ser	Asn	Phe	Ala
1670						1675					1680			

SequencesSSCPre-file7August03.ST25.txt

Tyr	Val	Lys	Arg	Glu	Val	Gly	Ile	Asp	Asp	Met	Phe	Asn	Phe	Glu
1685						1690					1695			
Thr	Phe	Gly	Asn	Ser	Met	Ile	Cys	Leu	Phe	Gln	Ile	Thr	Thr	Ser
1700						1705					1710			
Ala	Gly	Trp	Asp	Gly	Leu	Leu	Ala	Pro	Ile	Leu	Asn	Ser	Gly	Pro
1715						1720					1725			
Pro	Asp	Cys	Asp	Pro	Asp	Lys	Asp	His	Pro	Gly	Ser	Ser	Val	Lys
1730						1735					1740			
Gly	Asp	Cys	Gly	Asn	Pro	Ser	Val	Gly	Ile	Phe	Phe	Phe	Val	Ser
1745						1750					1755			
Tyr	Ile	Ile	Ile	Ser	Phe	Leu	Val	Val	Leu	Asn	Met	Tyr	Ile	Ala
1760						1765					1770			
Val	Ile	Leu	Glu	Asn	Phe	Ser	Val	Ala	Thr	Glu	Glu	Ser	Ala	Glu
1775						1780					1785			
Pro	Leu	Ser	Glu	Asp	Asp	Phe	Glu	Met	Phe	Tyr	Glu	Val	Trp	Glu
1790						1795					1800			
Lys	Phe	Asp	Pro	Asp	Ala	Thr	Gln	Phe	Ile	Glu	Phe	Ala	Lys	Leu
1805						1810					1815			
Ser	Asp	Phe	Ala	Asp	Ala	Leu	Asp	Pro	Pro	Leu	Leu	Ile	Ala	Lys
1820						1825					1830			
Pro	Asn	Lys	Val	Gln	Leu	Ile	Ala	Met	Asp	Leu	Pro	Met	Val	Ser
1835						1840					1845			
Gly	Asp	Arg	Ile	His	Cys	Leu	Asp	Ile	Leu	Phe	Ala	Phe	Thr	Lys
1850						1855					1860			
Arg	Val	Leu	Gly	Glu	Ser	Gly	Glu	Met	Asp	Ala	Leu	Arg	Ile	Gln
1865						1870					1875			
Met	Glu	Glu	Arg	Phe	Met	Ala	Ser	Asn	Pro	Ser	Lys	Val	Ser	Tyr



SequencesSSCPre-file7August03.ST25.txt

1880

1885

1890

Glu Pro Ile Thr Thr Thr Leu Lys Arg Lys Gln Glu Glu Val Ser  
1895 1900 1905

Ala Ile Ile Ile Gln Arg Ala Tyr Arg Arg Tyr Leu Leu Lys Gln  
1910 1915 1920

Lys Val Lys Lys Val Ser Ser Ile Tyr Lys Lys Asp Lys Gly Lys  
1925 1930 1935

Glu Cys Asp Gly Thr Pro Ile Lys Glu Asp Thr Leu Ile Asp Lys  
1940 1945 1950

Leu Asn Glu Asn Ser Thr Pro Glu Lys Thr Asp Met Thr Pro Ser  
1955 1960 1965

Thr Thr Ser Pro Pro Ser Tyr Asp Ser Val Thr Lys Pro Glu Lys  
1970 1975 1980

Glu Lys Phe Glu Lys Asp Lys Ser Glu Lys Glu Asp Lys Gly Lys  
1985 1990 1995

Asp Ile Arg Glu Ser Lys Lys  
2000 2005

<210> 68  
<211> 2005  
<212> PRT  
<213> Homo sapiens

<400> 68

Met Ala Gln Ser Val Leu Val Pro Pro Gly Pro Asp Ser Phe Arg Phe  
1 5 10 15

Phe Thr Arg Glu Ser Leu Ala Ala Ile Glu Gln Arg Ile Ala Glu Glu  
20 25 30

Lys Ala Lys Arg Pro Lys Gln Glu Arg Lys Asp Glu Asp Asp Glu Asn  
35 40 45

Gly Pro Lys Pro Asn Ser Asp Leu Glu Ala Gly Lys Ser Leu Pro Phe

## SequencesSSCPre-file7August03.ST25.txt

50

55

60

Ile Tyr Gly Asp Ile Pro Pro Glu Met Val Ser Val Pro Leu Glu Asp  
65 70 75 80

Leu Asp Pro Tyr Tyr Ile Asn Lys Lys Thr Phe Ile Val Leu Asn Lys  
85 90 95

Gly Lys Ala Ile Ser Arg Phe Ser Ala Thr Pro Ala Leu Tyr Ile Leu  
100 105 110

Thr Pro Phe Asn Pro Ile Arg Lys Leu Ala Ile Lys Ile Leu Val His  
115 120 125

Ser Leu Phe Asn Met Leu Ile Met Cys Thr Ile Leu Thr Asn Cys Val  
130 135 140

Phe Met Thr Met Ser Asn Pro Pro Asp Trp Thr Lys Asn Val Glu Tyr  
145 150 155 160

Thr Phe Thr Gly Ile Tyr Thr Phe Glu Ser Leu Ile Lys Ile Leu Ala  
165 170 175

Arg Gly Phe Cys Leu Glu Asp Phe Thr Phe Leu Arg Asp Pro Trp Asn  
180 185 190

Trp Leu Asp Phe Thr Val Ile Thr Phe Ala Tyr Val Thr Glu Phe Val  
195 200 205

Asp Leu Gly Asn Val Ser Ala Leu Arg Thr Phe Arg Val Leu Arg Ala  
210 215 220

Leu Lys Thr Ile Ser Val Ile Pro Gly Leu Lys Thr Ile Val Gly Ala  
225 230 235 240

Leu Ile Gln Ser Val Lys Lys Leu Ser Asp Val Met Ile Leu Thr Val  
245 250 255

Phe Cys Leu Ser Val Phe Ala Leu Ile Gly Leu Gln Leu Phe Met Gly  
260 265 270

SequencesSSCPre-file7August03.ST25.txt

Asn Leu Arg Asn Lys Cys Leu Gln Trp Pro Pro Asp Asn Ser Ser Phe  
275 280 285

Glu Ile Asn Ile Thr Ser Phe Phe Asn Asn Ser Leu Asp Gly Asn Gly  
290 295 300

Thr Thr Phe Asn Arg Thr Val Ser Ile Phe Asn Trp Asp Glu Tyr Ile  
305 310 315 320

Glu Asp Lys Ser His Phe Tyr Phe Leu Glu Gly Gln Asn Asp Ala Leu  
325 330 335

Leu Cys Gly Asn Ser Ser Asp Ala Gly Gln Cys Pro Glu Gly Tyr Ile  
340 345 350

Cys Val Lys Ala Gly Arg Asn Pro Asn Tyr Gly Tyr Thr Ser Phe Asp  
355 360 365

Thr Phe Ser Trp Ala Phe Leu Ser Leu Phe Arg Leu Met Thr Gln Asp  
370 375 380

Phe Trp Glu Asn Leu Tyr Gln Leu Thr Leu Arg Ala Ala Gly Lys Thr  
385 390 395 400

Tyr Met Ile Phe Phe Val Leu Val Ile Phe Leu Gly Ser Phe Tyr Leu  
405 410 415

Ile Asn Leu Ile Leu Ala Val Val Ala Met Ala Tyr Glu Glu Gln Asn  
420 425 430

Gln Ala Thr Leu Glu Glu Ala Glu Gln Lys Glu Ala Glu Phe Gln Gln  
435 440 445

Met Leu Glu Gln Leu Lys Lys Gln Gln Glu Glu Ala Gln Ala Ala Ala  
450 455 460

Ala Ala Ala Ser Ala Glu Ser Arg Asp Phe Ser Gly Ala Gly Gly Ile  
465 470 475 480

Gly Val Phe Ser Glu Ser Ser Ser Val Ala Ser Lys Leu Ser Ser Lys  
485 490 495

SequencesSSCPre-file7August03.ST25.txt

Ser Glu Lys Glu Leu Lys Asn Arg Arg Lys Lys Lys Lys Gln Lys Glu  
500 505 510

Gln Ser Gly Glu Glu Glu Lys Asn Asp Arg Val Leu Lys Ser Glu Ser  
515 520 525

Glu Asp Ser Ile Arg Arg Lys Gly Phe Arg Phe Ser Leu Glu Gly Ser  
530 535 540

Arg Leu Thr Tyr Glu Lys Arg Phe Ser Ser Pro His Gln Ser Leu Leu  
545 550 555 560

Ser Ile Arg Gly Ser Leu Phe Ser Pro Arg Arg Asn Ser Arg Ala Ser  
565 570 575

Leu Phe Ser Phe Arg Gly Arg Ala Lys Asp Ile Gly Ser Glu Asn Asp  
580 585 590

Phe Ala Asp Asp Glu His Ser Thr Phe Glu Asp Asn Asp Ser Arg Arg  
595 600 605

Asp Ser Leu Phe Val Pro His Arg His Gly Glu Arg Arg His Ser Asn  
610 615 620

Val Ser Gln Ala Ser Arg Ala Ser Arg Val Leu Pro Ile Leu Pro Met  
625 630 635 640

Asn Gly Lys Met His Ser Ala Val Asp Cys Asn Gly Val Val Ser Leu  
645 650 655

Val Gly Gly Pro Ser Thr Leu Thr Ser Ala Gly Gln Leu Leu Pro Glu  
660 665 670

Gly Thr Thr Thr Glu Thr Glu Ile Arg Lys Arg Arg Ser Ser Ser Tyr  
675 680 685

His Val Ser Met Asp Leu Leu Glu Asp Pro Thr Ser Arg Gln Arg Ala  
690 695 700

Met Ser Ile Ala Ser Ile Leu Thr Asn Thr Met Glu Glu Leu Glu Glu  
705 710 715 720

SequencesSSCPre-file7August03.ST25.txt

Ser Arg Gln Lys Cys Pro Pro Cys Trp Tyr Lys Phe Ala Asn Met Cys  
725 730 735

Leu Ile Trp Asp Cys Cys Lys Pro Trp Leu Lys Val Lys His Leu Val  
740 745 750

Asn Leu Val Val Met Asp Pro Phe Val Asp Leu Ala Ile Thr Ile Cys  
755 760 765

Ile Val Leu Asn Thr Leu Phe Met Ala Met Glu His Tyr Pro Met Thr  
770 775 780

Glu Gln Phe Ser Ser Val Leu Ser Val Gly Asn Leu Val Phe Thr Gly  
785 790 795 800

Ile Phe Thr Ala Glu Met Phe Leu Lys Ile Ile Ala Met Asp Pro Tyr  
805 810 815

Tyr Tyr Phe Gln Glu Gly Trp Asn Ile Phe Asp Gly Phe Ile Val Ser  
820 825 830

Leu Ser Leu Met Glu Leu Gly Leu Ala Asn Val Glu Gly Leu Ser Val  
835 840 845

Leu Arg Ser Phe Arg Leu Leu Arg Val Phe Lys Leu Ala Lys Ser Trp  
850 855 860

Pro Thr Leu Asn Met Leu Ile Lys Ile Ile Gly Asn Ser Val Gly Ala  
865 870 875 880

Leu Gly Asn Leu Thr Leu Val Leu Ala Ile Ile Val Phe Ile Phe Ala  
885 890 895

Val Val Gly Met Gln Leu Phe Gly Lys Ser Tyr Lys Glu Cys Val Cys  
900 905 910

Lys Ile Ser Asn Asp Cys Glu Leu Pro Arg Trp His Met His Asp Phe  
915 920 925

Phe His Ser Phe Leu Ile Val Phe Arg Val Leu Cys Gly Glu Trp Ile

SequencesSSCPre-file7August03.ST25.txt

930	935	940
Glu Thr Met Trp Asp Cys Met Glu Val Ala Gly Gln Thr Met Cys Leu 945 950 955 960		
Thr Val Phe Met Met Val Met Val Ile Gly Asn Leu Val Val Leu Asn 965 970 975		
Leu Phe Leu Ala Leu Leu Leu Ser Ser Phe Ser Ser Asp Asn Leu Ala 980 985 990		
Ala Thr Asp Asp Asp Asn Glu Met Asn Asn Leu Gln Ile Ala Val Gly 995 1000 1005		
Arg Met Gln Lys Gly Ile Asp Phe Val Lys Arg Lys Ile Arg Glu 1010 1015 1020		
Phe Ile Gln Lys Ala Phe Val Arg Lys Gln Lys Ala Leu Asp Glu 1025 1030 1035		
Ile Lys Pro Leu Glu Asp Leu Asn Asn Lys Lys Asp Ser Cys Ile 1040 1045 1050		
Ser Asn His Thr Thr Ile Glu Ile Gly Lys Asp Leu Asn Tyr Leu 1055 1060 1065		
Lys Asp Gly Asn Gly Thr Thr Ser Gly Ile Gly Ser Ser Val Glu 1070 1075 1080		
Lys Tyr Val Val Asp Glu Ser Asp Tyr Met Ser Phe Ile Asn Asn 1085 1090 1095		
Pro Ser Leu Thr Val Thr Val Pro Ile Ala Val Gly Glu Ser Asp 1100 1105 1110		
Phe Glu Asn Leu Asn Thr Glu Glu Phe Ser Ser Glu Ser Asp Met 1115 1120 1125		
Glu Glu Ser Lys Glu Lys Leu Asn Ala Thr Ser Ser Ser Glu Gly 1130 1135 1140		

SequencesSSCPre-file7August03.ST25.txt

Ser Thr Val Asp Ile Gly Ala Pro Ala Glu Gly Glu Gln Pro Glu  
1145 1150 1155

Val Glu Pro Glu Glu Ser Leu Glu Pro Glu Ala Cys Phe Thr Glu  
1160 1165 1170

Asp Cys Val Arg Lys Phe Lys Cys Cys Gln Ile Ser Ile Glu Glu  
1175 1180 1185

Gly Lys Gly Lys Leu Trp Trp Asn Leu Arg Lys Thr Cys Tyr Lys  
1190 1195 1200

Ile Val Glu His Asn Trp Phe Glu Thr Phe Ile Val Phe Met Ile  
1205 1210 1215

Leu Leu Ser Ser Gly Ala Leu Ala Phe Glu Asp Ile Tyr Ile Glu  
1220 1225 1230

Gln Arg Lys Thr Ile Lys Thr Met Leu Glu Tyr Ala Asp Lys Val  
1235 1240 1245

Phe Thr Tyr Ile Phe Ile Leu Glu Met Leu Leu Lys Trp Val Ala  
1250 1255 1260

Tyr Gly Phe Gln Val Tyr Phe Thr Asn Ala Trp Cys Trp Leu Asp  
1265 1270 1275

Phe Leu Ile Val Asp Val Ser Leu Val Ser Leu Thr Ala Asn Ala  
1280 1285 1290

Leu Gly Tyr Ser Glu Leu Gly Ala Ile Lys Ser Leu Arg Thr Leu  
1295 1300 1305

Arg Ala Leu Arg Pro Leu Arg Ala Leu Ser Gln Phe Glu Gly Met  
1310 1315 1320

Arg Val Val Val Asn Ala Leu Leu Gly Ala Ile Pro Ser Ile Met  
1325 1330 1335

Asn Val Leu Leu Val Cys Leu Ile Phe Trp Leu Ile Phe Ser Ile  
1340 1345 1350



SequencesSSCPre-file7August03.ST25.txt

Met Gly 1355	Val Asn Leu Phe Ala 1360	Gly Lys Phe Tyr His 1365	Cys Ile Asn
Tyr Thr 1370	Thr Gly Glu Met Phe 1375	Asp Val Ser Val Val 1380	Asn Asn Tyr
Ser Glu 1385	Cys Lys Ala Leu Ile 1390	Glu Ser Asn Gln Thr 1395	Ala Arg Trp
Lys Asn 1400	Val Lys Val Asn Phe 1405	Asp Asn Val Gly Leu 1410	Gly Tyr Leu
Ser Leu 1415	Leu Gln Val Ala Thr 1420	Phe Lys Gly Trp Met 1425	Asp Ile Met
Tyr Ala 1430	Ala Val Asp Ser Arg 1435	Asn Val Glu Leu Gln 1440	Pro Lys Tyr
Glu Asp 1445	Asn Leu Tyr Met Tyr 1450	Leu Tyr Phe Val Ile 1455	Phe Ile Ile
Phe Gly 1460	Ser Phe Phe Thr Leu 1465	Asn Leu Phe Ile Gly 1470	Val Ile Ile
Asp Asn 1475	Phe Asn Gln Gln Lys 1480	Lys Lys Phe Gly Gly 1485	Gln Asp Ile
Phe Met 1490	Thr Glu Glu Gln Lys 1495	Lys Tyr Tyr Asn Ala 1500	Met Lys Lys
Leu Gly 1505	Ser Lys Lys Pro Gln 1510	Lys Pro Ile Pro Arg 1515	Pro Ala Asn
Lys Phe 1520	Gln Gly Met Val Phe 1525	Asp Phe Val Thr Lys 1530	Gln Val Phe
Asp Ile 1535	Ser Ile Met Ile Leu 1540	Ile Cys Leu Asn Met 1545	Val Thr Met
Met Val 1550	Glu Thr Asp Asp Gln 1555	Ser Gln Glu Met Thr 1560	Asn Ile Leu

SequencesSSCPre-file7August03.ST25.txt

Tyr	Trp	Ile	Asn	Leu	Val	Phe	Ile	Val	Leu	Phe	Thr	Gly	Glu	Cys
1565						1570					1575			
Val	Leu	Lys	Leu	Ile	Ser	Leu	Arg	Tyr	Tyr	Tyr	Phe	Thr	Ile	Gly
1580						1585					1590			
Trp	Asn	Ile	Phe	Asp	Phe	Val	Val	Val	Ile	Leu	Ser	Ile	Val	Gly
1595						1600					1605			
Met	Phe	Leu	Ala	Glu	Leu	Ile	Glu	Lys	Tyr	Phe	Val	Ser	Pro	Thr
1610						1615					1620			
Leu	Phe	Arg	Val	Ile	Arg	Leu	Ala	Arg	Ile	Gly	Arg	Ile	Leu	Arg
1625						1630					1635			
Leu	Ile	Lys	Gly	Ala	Lys	Gly	Ile	Arg	Thr	Leu	Leu	Phe	Ala	Leu
1640						1645					1650			
Met	Met	Ser	Leu	Pro	Ala	Leu	Phe	Asn	Ile	Gly	Leu	Leu	Leu	Phe
1655						1660					1665			
Leu	Val	Met	Phe	Ile	Tyr	Ala	Ile	Phe	Gly	Met	Ser	Asn	Phe	Ala
1670						1675					1680			
Tyr	Val	Lys	Arg	Glu	Val	Gly	Ile	Asp	Asp	Met	Phe	Asn	Phe	Glu
1685						1690					1695			
Thr	Phe	Gly	Asn	Ser	Met	Ile	Cys	Leu	Phe	Gln	Ile	Thr	Thr	Ser
1700						1705					1710			
Ala	Gly	Trp	Asp	Gly	Leu	Leu	Ala	Pro	Ile	Leu	Asn	Ser	Gly	Pro
1715						1720					1725			
Pro	Asp	Cys	Asp	Pro	Asp	Lys	Asp	His	Pro	Gly	Ser	Ser	Val	Lys
1730						1735					1740			
Gly	Asp	Cys	Gly	Asn	Pro	Ser	Val	Gly	Ile	Phe	Phe	Phe	Val	Ser
1745						1750					1755			
Tyr	Ile	Ile	Ile	Ser	Phe	Leu	Val	Val	Leu	Asn	Met	Tyr	Ile	Ala

## SequencesSSCPre-file7August03.ST25.txt

1760		1765		1770
Val Ile Leu Glu Asn Phe Ser	Val Ala Thr Glu Glu Ser Ala Glu			
1775	1780		1785	
Pro Leu Ser Glu Asp Asp Phe	Glu Met Phe Tyr Glu Val Trp Glu			
1790	1795		1800	
Lys Phe Asp Pro Asp Ala Thr	Gln Phe Ile Glu Phe Ala Lys Leu			
1805	1810		1815	
Ser Asp Phe Ala Asp Ala Leu	Asp Pro Pro Leu Leu Ile Ala Lys			
1820	1825		1830	
Pro Asn Lys Val Gln Leu Ile	Ala Met Asp Leu Pro Met Val Ser			
1835	1840		1845	
Gly Asp Arg Ile His Cys Leu	Asp Ile Leu Phe Ala Phe Thr Lys			
1850	1855		1860	
Arg Val Leu Gly Glu Ser Gly	Glu Met Asp Ala Leu Arg Ile Gln			
1865	1870		1875	
Met Glu Glu Arg Phe Met Ala	Ser Asn Pro Ser Lys Val Ser Tyr			
1880	1885		1890	
Glu Pro Ile Thr Thr Thr Leu	Lys Arg Lys Gln Glu Glu Val Ser			
1895	1900		1905	
Ala Ile Ile Ile Gln Arg Ala	Tyr Arg Arg Tyr Leu Leu Lys Gln			
1910	1915		1920	
Lys Val Lys Lys Val Ser Ser	Ile Tyr Lys Lys Asp Lys Gly Lys			
1925	1930		1935	
Glu Cys Asp Gly Thr Pro Ile	Lys Glu Asp Thr Leu Ile Asp Lys			
1940	1945		1950	
Leu Asn Glu Asn Ser Thr Pro	Glu Lys Thr Asp Met Thr Pro Ser			
1955	1960		1965	

SequencesSSCPre-file7August03.ST25.txt

Thr Thr Ser Pro Pro Ser Tyr Asp Ser Val Thr Lys Pro Glu Lys  
1970 1975 1980

Glu Lys Phe Glu Lys Asp Lys Ser Glu Lys Glu Asp Lys Gly Lys  
1985 1990 1995

Asp Ile Arg Glu Ser Lys Lys  
2000 2005

<210> 69  
<211> 468  
<212> PRT  
<213> Homo sapiens

<400> 69

Met Ala Ala Arg Gly Ser Gly Pro Arg Ala Leu Arg Leu Leu Leu Leu  
1 5 10 15

Val Gln Leu Val Ala Gly Ala Leu Arg Ser Ser Arg Ala Arg Arg Ala  
20 25 30

Ala Arg Arg Gly Leu Ser Glu Pro Ser Ser Ile Ala Lys His Glu Asp  
35 40 45

Ser Leu Leu Lys Asp Leu Phe Gln Asp Tyr Glu Arg Trp Val Arg Pro  
50 55 60

Val Glu His Leu Asn Asp Lys Ile Lys Ile Lys Phe Gly Leu Ala Ile  
65 70 75 80

Ser Gln Leu Val Asp Val Asp Glu Lys Asn Gln Leu Met Thr Thr Asn  
85 90 95

Val Trp Leu Lys Gln Glu Trp Ile Asp Val Lys Leu Arg Trp Asn Pro  
100 105 110

Asp Asp Tyr Gly Gly Ile Lys Val Ile Arg Val Pro Ser Asp Ser Ser  
115 120 125

Trp Thr Pro Asp Ile Ile Leu Phe Asp Asn Ala Asp Gly Arg Phe Glu  
130 135 140

SequencesSSCPre-file7August03.ST25.txt

Gly	Thr	Ser	Thr	Lys	Thr	Val	Ile	Arg	Tyr	Asn	Gly	Thr	Val	Thr	Trp
145					150					155					160
Thr	Pro	Pro	Ala	Asn	Tyr	Lys	Ser	Ser	Cys	Thr	Ile	Asp	Val	Thr	Phe
				165					170					175	
Phe	Pro	Phe	Asp	Leu	Gln	Asn	Cys	Ser	Met	Lys	Phe	Gly	Ser	Trp	Thr
			180					185					190		
Tyr	Asp	Gly	Ser	Gln	Val	Asp	Ile	Ile	Leu	Glu	Asp	Gln	Asp	Val	Asp
		195					200					205			
Lys	Arg	Asp	Phe	Phe	Asp	Asn	Gly	Glu	Trp	Glu	Ile	Val	Ser	Ala	Thr
	210					215					220				
Gly	Ser	Lys	Gly	Asn	Arg	Thr	Asp	Ser	Cys	Cys	Trp	Tyr	Pro	Tyr	Val
225					230					235					240
Thr	Tyr	Ser	Phe	Val	Ile	Lys	Arg	Leu	Pro	Leu	Phe	Tyr	Thr	Leu	Phe
				245					250					255	
Leu	Ile	Ile	Pro	Cys	Ile	Gly	Leu	Ser	Phe	Leu	Thr	Val	Leu	Val	Phe
			260					265					270		
Tyr	Leu	Pro	Ser	Asn	Glu	Gly	Glu	Lys	Ile	Cys	Leu	Cys	Thr	Ser	Val
		275					280					285			
Leu	Val	Ser	Leu	Thr	Val	Phe	Leu	Leu	Val	Ile	Glu	Glu	Ile	Ile	Pro
	290					295					300				
Ser	Ser	Ser	Lys	Val	Ile	Pro	Leu	Ile	Gly	Glu	Tyr	Leu	Val	Phe	Thr
305					310					315					320
Met	Ile	Phe	Val	Thr	Leu	Ser	Ile	Met	Val	Thr	Val	Phe	Ala	Ile	Asn
				325					330					335	
Ile	His	His	Arg	Ser	Ser	Ser	Thr	His	Asn	Ala	Met	Ala	Pro	Leu	Val
			340					345					350		
Arg	Lys	Ile	Phe	Leu	His	Thr	Leu	Pro	Lys	Leu	Leu	Ser	Met	Arg	Ser
		355					360					365			

SequencesSSCPre-file7August03.ST25.txt

His Val Asp Arg Tyr Phe Thr Gln Lys Glu Glu Thr Glu Ser Gly Ser  
370 375 380

Gly Pro Lys Ser Ser Arg Asn Thr Leu Glu Ala Ala Leu Asp Ser Ile  
385 390 395 400

Arg Tyr Ile Thr Thr His Ile Met Lys Glu Asn Asp Val Arg Glu Val  
405 410 415

Val Glu Asp Trp Lys Phe Ile Ala Gln Val Leu Asp Arg Met Phe Leu  
420 425 430

Trp Thr Phe Leu Phe Val Ser Ile Val Gly Ser Leu Gly Leu Phe Val  
435 440 445

Pro Val Ile Tyr Lys Trp Ala Asn Ile Leu Ile Pro Val His Ile Gly  
450 455 460

Asn Ala Asn Lys  
465

<210> 70  
<211> 529  
<212> PRT  
<213> Homo sapiens

<400> 70

Met Gly Pro Ser Cys Pro Val Phe Leu Ser Phe Thr Lys Leu Ser Leu  
1 5 10 15

Trp Trp Leu Leu Leu Thr Pro Ala Gly Gly Glu Glu Ala Lys Arg Pro  
20 25 30

Pro Pro Arg Ala Pro Gly Asp Pro Leu Ser Ser Pro Ser Pro Thr Ala  
35 40 45

Leu Pro Gln Gly Gly Ser His Thr Glu Thr Glu Asp Arg Leu Phe Lys  
50 55 60

His Leu Phe Arg Gly Tyr Asn Arg Trp Ala Arg Pro Val Pro Asn Thr  
65 70 75 80

SequencesSSCPre-file7August03.ST25.txt

Ser Asp Val Val Ile Val Arg Phe Gly Leu Ser Ile Ala Gln Leu Ile  
85 90 95

Asp Val Asp Glu Lys Asn Gln Met Met Thr Thr Asn Val Trp Leu Lys  
100 105 110

Gln Glu Trp Ser Asp Tyr Lys Leu Arg Trp Asn Pro Thr Asp Phe Gly  
115 120 125

Asn Ile Thr Ser Leu Arg Val Pro Ser Glu Met Ile Trp Ile Pro Asp  
130 135 140

Ile Val Leu Tyr Asn Asn Ala Asp Gly Glu Phe Ala Val Thr His Met  
145 150 155 160

Thr Lys Ala His Leu Phe Ser Thr Gly Thr Val His Trp Val Pro Pro  
165 170 175

Ala Ile Tyr Lys Ser Ser Cys Ser Ile Asp Val Thr Phe Phe Pro Phe  
180 185 190

Asp Gln Gln Asn Cys Lys Met Lys Phe Gly Ser Trp Thr Tyr Asp Lys  
195 200 205

Ala Lys Ile Asp Leu Glu Gln Met Glu Gln Thr Val Asp Leu Lys Asp  
210 215 220

Tyr Trp Glu Ser Gly Glu Trp Ala Ile Val Asn Ala Thr Gly Thr Tyr  
225 230 235 240

Asn Ser Lys Lys Tyr Asp Cys Cys Ala Glu Ile Tyr Pro Asp Val Thr  
245 250 255

Tyr Ala Phe Val Ile Arg Arg Leu Pro Leu Phe Tyr Thr Ile Asn Leu  
260 265 270

Ile Ile Pro Cys Leu Leu Ile Ser Cys Leu Thr Val Leu Val Phe Tyr  
275 280 285

Leu Pro Ser Asp Cys Gly Glu Lys Ile Thr Leu Cys Ile Ser Val Leu  
290 295 300



SequencesSSCPre-file7August03.ST25.txt

Leu Ser Leu Thr Val Phe Leu Leu Leu Ile Thr Glu Ile Ile Pro Ser  
 305 310 315 320  
 Thr Ser Leu Val Ile Pro Leu Ile Gly Glu Tyr Leu Leu Phe Thr Met  
 325 330 335  
 Ile Phe Val Thr Leu Ser Ile Val Ile Thr Val Phe Val Leu Asn Val  
 340 345 350  
 His His Arg Ser Pro Ser Thr His Thr Met Pro His Trp Val Arg Gly  
 355 360 365  
 Ala Leu Leu Gly Cys Val Pro Arg Trp Leu Leu Met Asn Arg Pro Pro  
 370 375 380  
 Pro Pro Val Glu Leu Cys His Pro Leu Arg Leu Lys Leu Ser Pro Ser  
 385 390 395 400  
 Tyr His Trp Leu Glu Ser Asn Val Asp Ala Glu Glu Arg Glu Val Val  
 405 410 415  
 Val Glu Glu Glu Asp Arg Trp Ala Cys Ala Gly His Val Ala Pro Ser  
 420 425 430  
 Val Gly Thr Leu Cys Ser His Gly His Leu His Ser Gly Ala Ser Gly  
 435 440 445  
 Pro Lys Ala Glu Ala Leu Leu Gln Glu Gly Glu Leu Leu Leu Ser Pro  
 450 455 460  
 His Met Gln Lys Ala Leu Glu Gly Val His Tyr Ile Ala Asp His Leu  
 465 470 475 480  
 Arg Ser Glu Asp Ala Asp Ser Ser Val Lys Glu Asp Trp Lys Tyr Val  
 485 490 495  
 Ala Met Val Ile Asp Arg Ile Phe Leu Trp Leu Phe Ile Ile Val Cys  
 500 505 510  
 Phe Leu Gly Thr Ile Gly Leu Phe Leu Pro Pro Phe Leu Ala Gly Met

515

520

525

Ile

<210> 71  
 <211> 505  
 <212> PRT  
 <213> Homo sapiens

&lt;400&gt; 71

Met Gly Ser Gly Pro Leu Ser Leu Pro Leu Ala Leu Ser Pro Pro Arg  
 1 5 10 15

Leu Leu Leu Leu Leu Leu Leu Ser Leu Leu Pro Val Ala Arg Ala Ser  
 20 25 30

Glu Ala Glu His His Leu Phe Glu Arg Leu Phe Glu Asp Tyr Asn Glu  
 35 40 45

Ile Ile Arg Pro Val Ala Asn Val Ser Asp Pro Val Ile Ile His Phe  
 50 55 60

Glu Val Ser Met Ser Gln Leu Val Lys Val Asp Glu Val Asn Gln Ile  
 65 70 75 80

Met Glu Thr Asn Leu Trp Leu Lys Gln Ile Trp Asn Asp Tyr Lys Leu  
 85 90 95

Lys Trp Asn Pro Ser Asp Tyr Gly Gly Ala Glu Phe Met Arg Val Pro  
 100 105 110

Ala Gln Lys Ile Trp Lys Pro Asp Ile Val Leu Tyr Asn Asn Ala Val  
 115 120 125

Gly Asp Phe Gln Val Asp Asp Lys Thr Lys Ala Leu Leu Lys Tyr Thr  
 130 135 140

Gly Glu Val Thr Trp Ile Pro Pro Ala Ile Phe Lys Ser Ser Cys Lys  
 145 150 155 160

Ile Asp Val Thr Tyr Phe Pro Phe Asp Tyr Gln Asn Cys Thr Met Lys

## SequencesSSCPre-file7August03.ST25.txt

165

170

175

Phe Gly Ser Trp Ser Tyr Asp Lys Ala Lys Ile Asp Leu Val Leu Ile  
180 185 190

Gly Ser Ser Met Asn Leu Lys Asp Tyr Trp Glu Ser Gly Glu Trp Ala  
195 200 205

Ile Ile Lys Ala Pro Gly Tyr Lys His Asp Ile Lys Tyr Asn Cys Cys  
210 215 220

Glu Glu Ile Tyr Pro Asp Ile Thr Tyr Ser Leu Tyr Ile Arg Arg Leu  
225 230 235 240

Pro Leu Phe Tyr Thr Ile Asn Leu Ile Ile Pro Cys Leu Leu Ile Ser  
245 250 255

Phe Leu Thr Val Leu Val Phe Tyr Leu Pro Ser Asp Cys Gly Glu Lys  
260 265 270

Val Thr Leu Cys Ile Ser Val Leu Leu Ser Leu Thr Val Phe Leu Leu  
275 280 285

Val Ile Thr Glu Thr Ile Pro Ser Thr Ser Leu Val Ile Pro Leu Ile  
290 295 300

Gly Glu Tyr Leu Leu Phe Thr Met Ile Phe Val Thr Leu Ser Ile Val  
305 310 315 320

Ile Thr Val Phe Val Leu Asn Val His Tyr Arg Thr Pro Thr Thr His  
325 330 335

Thr Met Pro Ser Trp Val Lys Thr Val Phe Leu Asn Leu Leu Pro Arg  
340 345 350

Val Met Phe Met Thr Arg Pro Thr Ser Asn Glu Gly Asn Ala Gln Lys  
355 360 365

Pro Arg Pro Leu Tyr Gly Ala Glu Leu Ser Asn Leu Asn Cys Phe Ser  
370 375 380

SequencesSSCPre-file7August03.ST25.txt

Arg Ala Glu Ser Lys Gly Cys Lys Glu Gly Tyr Pro Cys Gln Asp Gly  
385 390 395 400

Met Cys Gly Tyr Cys His His Arg Arg Ile Lys Ile Ser Asn Phe Ser  
405 410 415

Ala Asn Leu Thr Arg Ser Ser Ser Ser Glu Ser Val Asp Ala Val Leu  
420 425 430

Ser Leu Ser Ala Leu Ser Pro Glu Ile Lys Glu Ala Ile Gln Ser Val  
435 440 445

Lys Tyr Ile Ala Glu Asn Met Lys Ala Gln Asn Glu Ala Lys Glu Ile  
450 455 460

Gln Asp Asp Trp Lys Tyr Val Ala Met Val Ile Asp Arg Ile Phe Leu  
465 470 475 480

Trp Val Phe Thr Leu Val Cys Ile Leu Gly Thr Ala Gly Leu Phe Leu  
485 490 495

Gln Pro Leu Met Ala Arg Glu Asp Ala  
500 505

<210> 72  
<211> 118  
<212> PRT  
<213> Homo sapiens

<400> 72

Met Val Gln Lys Ser Arg Asn Gly Gly Val Tyr Pro Gly Pro Ser Gly  
1 5 10 15

Glu Lys Lys Leu Lys Val Gly Phe Val Gly Leu Asp Pro Gly Ala Pro  
20 25 30

Asp Ser Thr Arg Asp Gly Ala Leu Leu Ile Ala Gly Ser Glu Ala Pro  
35 40 45

Lys Arg Gly Ser Ile Leu Ser Lys Pro Arg Ala Gly Gly Ala Gly Ala  
50 55 60

SequencesSSCPre-file7August03.ST25.txt

Gly Lys Pro Pro Gln Ala Gln Arg Leu Leu Pro Gln Ala Ala Glu Phe  
65 70 75 80

Pro Leu Gln Arg Ala Gly Ala Ala Ala Arg Leu Gly Val His Leu Pro  
85 90 95

Arg Leu Arg Val Pro Pro Gly Phe Leu Leu Pro Arg Ala Val Cys Val  
100 105 110

Phe His His Gln Gly Val  
115

<210> 73  
<211> 854  
<212> PRT  
<213> Homo sapiens

<400> 73

Met Val Gln Lys Ser Arg Asn Gly Gly Val Tyr Pro Gly Pro Ser Gly  
1 5 10 15

Glu Lys Lys Leu Lys Val Gly Phe Val Gly Leu Asp Pro Gly Ala Pro  
20 25 30

Asp Ser Thr Arg Asp Gly Ala Leu Leu Ile Ala Gly Ser Glu Ala Pro  
35 40 45

Lys Arg Gly Ser Ile Leu Ser Lys Pro Arg Ala Gly Gly Ala Gly Ala  
50 55 60

Gly Lys Pro Pro Lys Arg Asn Ala Phe Tyr Arg Lys Leu Gln Asn Phe  
65 70 75 80

Leu Tyr Asn Val Leu Glu Arg Pro Arg Gly Trp Ala Phe Ile Tyr His  
85 90 95

Ala Tyr Val Phe Leu Leu Val Phe Ser Cys Leu Val Leu Ser Val Phe  
100 105 110

Ser Thr Ile Lys Glu Tyr Glu Lys Ser Ser Glu Gly Ala Leu Tyr Ile  
115 120 125

SequencesSSCPre-file7August03.ST25.txt

Leu Glu Ile Val Thr Ile Val Val Phe Gly Val Glu Tyr Phe Val Arg  
130 135 140

Ile Trp Ala Ala Gly Cys Cys Cys Arg Tyr Arg Gly Trp Arg Gly Arg  
145 150 155 160

Leu Lys Phe Ala Arg Lys Pro Phe Cys Val Ile Asp Ile Met Val Leu  
165 170 175

Ile Ala Ser Ile Ala Val Leu Ala Ala Gly Ser Gln Gly Asn Val Phe  
180 185 190

Ala Thr Ser Ala Leu Arg Ser Leu Arg Phe Leu Gln Ile Leu Arg Met  
195 200 205

Ile Arg Met Asp Arg Arg Gly Gly Thr Trp Lys Leu Leu Gly Ser Val  
210 215 220

Val Tyr Ala His Ser Lys Glu Leu Val Thr Ala Trp Tyr Ile Gly Phe  
225 230 235 240

Leu Cys Leu Ile Leu Ala Ser Phe Leu Val Tyr Leu Ala Glu Lys Gly  
245 250 255

Glu Asn Asp His Phe Asp Thr Tyr Ala Asp Ala Leu Trp Trp Gly Leu  
260 265 270

Ile Thr Leu Thr Thr Ile Gly Tyr Gly Asp Lys Tyr Pro Gln Thr Trp  
275 280 285

Asn Gly Arg Leu Leu Ala Ala Thr Phe Thr Leu Ile Gly Val Ser Phe  
290 295 300

Phe Ala Leu Pro Ala Gly Ile Leu Gly Ser Gly Phe Ala Leu Lys Val  
305 310 315 320

Gln Glu Gln His Arg Gln Lys His Phe Glu Lys Arg Arg Asn Pro Ala  
325 330 335

Ala Gly Leu Ile Gln Ser Ala Trp Arg Phe Tyr Ala Thr Asn Leu Ser  
340 345 350

SequencesSSCPre-file7August03.ST25.txt

Gly Thr Asp Leu His Ser Thr Trp Gln Tyr Tyr Glu Arg Thr Val Thr  
355 360 365

Val Pro Met Tyr Ser Ser Gln Thr Gln Thr Tyr Gly Ala Ser Arg Leu  
370 375 380

Ile Pro Pro Leu Asn Gln Leu Glu Leu Leu Arg Asn Leu Lys Ser Lys  
385 390 395 400

Ser Gly Leu Ala Phe Arg Lys Asp Pro Pro Pro Glu Pro Ser Pro Ser  
405 410 415

Gln Lys Val Ser Leu Lys Asp Arg Val Phe Ser Ser Pro Arg Gly Val  
420 425 430

Ala Ala Lys Gly Lys Gly Ser Pro Gln Ala Gln Thr Val Arg Arg Ser  
435 440 445

Pro Ser Ala Asp Gln Ser Leu Glu Asp Ser Pro Ser Lys Val Pro Lys  
450 455 460

Ser Trp Ser Phe Gly Asp Arg Ser Arg Ala Arg Gln Ala Phe Arg Ile  
465 470 475 480

Lys Gly Ala Ala Ser Arg Gln Asn Ser Glu Glu Ala Ser Leu Pro Gly  
485 490 495

Glu Asp Ile Val Asp Asp Lys Ser Cys Pro Cys Glu Phe Val Thr Glu  
500 505 510

Asp Leu Thr Pro Gly Leu Lys Val Ser Ile Arg Ala Val Cys Val Met  
515 520 525

Arg Phe Leu Val Ser Lys Arg Lys Phe Lys Glu Ser Leu Arg Pro Tyr  
530 535 540

Asp Val Met Asp Val Ile Glu Gln Tyr Ser Ala Gly His Leu Asp Met  
545 550 555 560

Leu Ser Arg Ile Lys Ser Leu Gln Ser Arg Val Asp Gln Ile Val Gly  
565 570 575



SequencesSSCPre-file7August03.ST25.txt

Arg Gly Pro Ala Ile Thr Asp Lys Asp Arg Thr Lys Gly Pro Ala Glu  
580 585 590

Ala Glu Leu Pro Glu Asp Pro Ser Met Met Gly Arg Leu Gly Lys Val  
595 600 605

Glu Lys Gln Val Leu Ser Met Glu Lys Lys Leu Asp Phe Leu Val Asn  
610 615 620

Ile Tyr Met Gln Arg Met Gly Ile Pro Pro Thr Glu Thr Glu Ala Tyr  
625 630 635 640

Phe Gly Ala Lys Glu Pro Glu Pro Ala Pro Pro Tyr His Ser Pro Glu  
645 650 655

Asp Ser Arg Glu His Val Asp Arg His Gly Cys Ile Val Lys Ile Val  
660 665 670

Arg Ser Ser Ser Ser Thr Gly Gln Lys Asn Phe Ser Ala Pro Pro Ala  
675 680 685

Ala Pro Pro Val Gln Cys Pro Pro Ser Thr Ser Trp Gln Pro Gln Ser  
690 695 700

His Pro Arg Gln Gly His Gly Thr Ser Pro Val Gly Asp His Gly Ser  
705 710 715 720

Leu Val Arg Ile Pro Pro Pro Pro Ala His Glu Arg Ser Leu Ser Ala  
725 730 735

Tyr Gly Gly Gly Asn Arg Ala Ser Met Glu Phe Leu Arg Gln Glu Asp  
740 745 750

Thr Pro Gly Cys Arg Pro Pro Glu Gly Thr Leu Arg Asp Ser Asp Thr  
755 760 765

Ser Ile Ser Ile Pro Ser Val Asp His Glu Glu Leu Glu Arg Ser Phe  
770 775 780

Ser Gly Phe Ser Ile Ser Gln Ser Lys Glu Asn Leu Asp Ala Leu Asn

SequencesSSCPre-file7August03.ST25.txt

785

790

795

800

Ser Cys Tyr Ala Ala Val Ala Pro Cys Ala Lys Val Arg Pro Tyr Ile  
805 810 815

Ala Glu Gly Glu Ser Asp Thr Asp Ser Asp Leu Cys Thr Pro Cys Gly  
820 825 830

Pro Pro Pro Arg Ser Ala Thr Gly Glu Gly Pro Phe Gly Asp Val Gly  
835 840 845

Trp Ala Gly Pro Arg Lys  
850

<210> 74  
<211> 429  
<212> PRT  
<213> Homo sapiens

<400> 74

Met Val Gln Lys Ser Arg Asn Gly Gly Val Tyr Pro Gly Pro Ser Gly  
1 5 10 15

Glu Lys Lys Leu Lys Val Gly Phe Val Gly Leu Asp Pro Gly Ala Pro  
20 25 30

Asp Ser Thr Arg Asp Gly Ala Leu Leu Ile Ala Gly Ser Glu Ala Pro  
35 40 45

Lys Arg Gly Ser Ile Leu Ser Lys Pro Arg Ala Gly Gly Ala Gly Ala  
50 55 60

Gly Lys Pro Pro Lys Arg Asn Ala Phe Tyr Arg Lys Leu Gln Asn Phe  
65 70 75 80

Leu Tyr Asn Val Leu Glu Arg Pro Arg Gly Trp Ala Phe Ile Tyr His  
85 90 95

Ala Tyr Val Phe Leu Leu Val Phe Ser Cys Leu Val Leu Ser Val Phe  
100 105 110

Ser Thr Ile Lys Glu Tyr Glu Lys Ser Ser Glu Gly Ala Leu Tyr Ile

## SequencesSSCPre-file7August03.ST25.txt

115

120

125

Leu Glu Ile Val Thr Ile Val Val Phe Gly Val Glu Tyr Phe Val Arg  
 130 135 140

Ile Trp Ala Ala Gly Cys Cys Cys Arg Tyr Arg Gly Trp Arg Gly Arg  
 145 150 155 160

Leu Lys Phe Ala Arg Lys Pro Phe Cys Val Ile Asp Ile Met Val Leu  
 165 170 175

Ile Ala Ser Ile Ala Val Leu Ala Ala Gly Ser Gln Gly Asn Val Phe  
 180 185 190

Ala Thr Ser Ala Leu Arg Ser Leu Arg Phe Leu Gln Ile Leu Arg Met  
 195 200 205

Ile Arg Met Asp Arg Arg Gly Gly Thr Trp Lys Leu Leu Gly Ser Val  
 210 215 220

Val Tyr Ala His Ser Lys Glu Leu Val Thr Ala Trp Tyr Ile Gly Phe  
 225 230 235 240

Leu Cys Leu Ile Leu Ala Ser Phe Leu Val Tyr Leu Ala Glu Lys Gly  
 245 250 255

Glu Asn Asp His Phe Asp Thr Tyr Ala Asp Ala Leu Trp Trp Gly Leu  
 260 265 270

Ile Thr Leu Thr Thr Ile Gly Tyr Gly Asp Lys Tyr Pro Gln Thr Trp  
 275 280 285

Asn Gly Arg Leu Leu Ala Ala Thr Phe Thr Leu Ile Gly Val Ser Phe  
 290 295 300

Phe Ala Leu Pro Ala Gly Ile Leu Gly Ser Gly Phe Ala Leu Lys Val  
 305 310 315 320

Gln Glu Gln His Arg Gln Lys His Phe Glu Lys Arg Arg Asn Pro Ala  
 325 330 335

SequencesSSCPre-file7August03.ST25.txt

Ala Gly Leu Ile Gln Ser Ala Trp Arg Phe Tyr Ala Thr Asn Leu Ser  
340 345 350

Arg Thr Asp Leu His Ser Thr Trp Gln Tyr Tyr Glu Arg Thr Val Thr  
355 360 365

Val Pro Met Tyr Ser Ser Gln Thr Gln Thr Tyr Gly Ala Ser Arg Leu  
370 375 380

Ile Pro Pro Leu Asn Gln Leu Glu Leu Leu Arg Asn Leu Lys Ser Lys  
385 390 395 400

Ser Gly Leu Ala Phe Arg Lys Asp Pro Pro Pro Glu Pro Ser Pro Ser  
405 410 415

Gln Lys Val Ser Leu Lys Asp Arg Val Phe Ser Ser Pro  
420 425

<210> 75  
<211> 854  
<212> PRT  
<213> Homo sapiens

<400> 75

Met Val Gln Lys Ser Arg Asn Gly Gly Val Tyr Pro Gly Pro Ser Gly  
1 5 10 15

Glu Lys Lys Leu Lys Val Gly Phe Val Gly Leu Asp Pro Gly Ala Pro  
20 25 30

Asp Ser Thr Arg Asp Gly Ala Leu Leu Ile Ala Gly Ser Glu Ala Pro  
35 40 45

Lys Arg Gly Ser Ile Leu Ser Lys Pro Arg Ala Gly Gly Ala Gly Ala  
50 55 60

Gly Lys Pro Pro Lys Arg Asn Ala Phe Tyr Arg Lys Leu Gln Asn Phe  
65 70 75 80

Leu Tyr Asn Val Leu Glu Arg Pro Arg Gly Trp Ala Phe Ile Tyr His  
85 90 95

SequencesSSCPre-file7August03.ST25.txt

Ala Tyr Val Phe Leu Leu Val Phe Ser Cys Leu Val Leu Ser Val Phe  
100 105 110

Ser Thr Ile Lys Glu Tyr Glu Lys Ser Ser Glu Gly Ala Leu Tyr Ile  
115 120 125

Leu Glu Ile Val Thr Ile Val Val Phe Gly Val Glu Tyr Phe Val Arg  
130 135 140

Ile Trp Ala Ala Gly Cys Cys Cys Arg Tyr Arg Gly Trp Arg Gly Arg  
145 150 155 160

Leu Lys Phe Ala Arg Lys Pro Phe Cys Val Ile Asp Ile Met Val Leu  
165 170 175

Ile Ala Ser Ile Ala Val Leu Ala Ala Gly Ser Gln Gly Asn Val Phe  
180 185 190

Ala Thr Ser Ala Leu Arg Ser Leu Arg Phe Leu Gln Ile Leu Arg Met  
195 200 205

Ile Arg Met Asp Arg Arg Gly Gly Thr Trp Lys Leu Leu Gly Ser Val  
210 215 220

Val Tyr Ala His Ser Lys Glu Leu Val Thr Ala Trp Tyr Ile Gly Phe  
225 230 235 240

Leu Cys Leu Ile Leu Ala Ser Phe Leu Val Tyr Leu Ala Glu Lys Gly  
245 250 255

Glu Asn Asp His Phe Asp Thr Tyr Ala Asp Ala Leu Trp Trp Gly Leu  
260 265 270

Ile Thr Leu Thr Thr Ile Gly Tyr Gly Asp Lys Tyr Pro Gln Thr Trp  
275 280 285

Asn Gly Arg Leu Leu Ala Ala Thr Phe Thr Leu Ile Gly Val Ser Phe  
290 295 300

Phe Ala Leu Pro Ala Gly Ile Leu Gly Ser Gly Phe Ala Leu Lys Val  
305 310 315 320

SequencesSSCPre-file7August03.ST25.txt

Gln Glu Gln His Arg Gln Lys His Phe Glu Lys Arg Arg Asn Pro Ala  
325 330 335

Ala Gly Leu Ile Gln Ser Ala Trp Arg Phe Tyr Ala Thr Asn Leu Ser  
340 345 350

Arg Thr Asp Leu His Ser Thr Trp Gln Tyr Tyr Glu Arg Thr Val Thr  
355 360 365

Val Pro Met Tyr Ser Ser Gln Thr Gln Thr Tyr Gly Ala Ser Arg Leu  
370 375 380

Ile Pro Pro Leu Asn Gln Leu Glu Leu Leu Arg Asn Leu Lys Ser Lys  
385 390 395 400

Ser Gly Leu Ala Phe Arg Lys Asp Pro Pro Pro Glu Pro Ser Pro Ser  
405 410 415

Gln Lys Val Ser Leu Lys Asp Arg Val Phe Ser Ser Pro Arg Gly Val  
420 425 430

Ala Ala Lys Gly Lys Gly Ser Pro Gln Ala Gln Thr Val Arg Arg Ser  
435 440 445

Pro Ser Ala Asp Gln Ser Leu Glu Asp Ser Pro Ser Lys Val Pro Lys  
450 455 460

Ser Trp Ser Phe Gly Asp Arg Ser Arg Ala Arg Gln Ala Phe Arg Ile  
465 470 475 480

Lys Gly Ala Ala Ser Arg Gln Asn Ser Glu Glu Ala Ser Leu Pro Gly  
485 490 495

Glu Asp Ile Val Asp Asp Lys Ser Cys Pro Cys Glu Phe Val Thr Glu  
500 505 510

Asp Leu Thr Pro Gly Leu Lys Val Ser Ile Arg Ala Val Cys Val Met  
515 520 525

Arg Phe Leu Val Ser Lys Arg Lys Phe Lys Glu Ser Leu Arg Pro Tyr  
530 535 540

SequencesSSCPre-file7August03.ST25.txt

Asp Val Met Asp Val Ile Glu Gln Tyr Ser Ala Gly His Leu Asp Met  
545 550 555 560

Leu Ser Arg Ile Lys Ser Leu Gln Ser Ser Val Asp Gln Ile Val Gly  
565 570 575

Arg Gly Pro Ala Ile Thr Asp Lys Asp Arg Thr Lys Gly Pro Ala Glu  
580 585 590

Ala Glu Leu Pro Glu Asp Pro Ser Met Met Gly Arg Leu Gly Lys Val  
595 600 605

Glu Lys Gln Val Leu Ser Met Glu Lys Lys Leu Asp Phe Leu Val Asn  
610 615 620

Ile Tyr Met Gln Arg Met Gly Ile Pro Pro Thr Glu Thr Glu Ala Tyr  
625 630 635 640

Phe Gly Ala Lys Glu Pro Glu Pro Ala Pro Pro Tyr His Ser Pro Glu  
645 650 655

Asp Ser Arg Glu His Val Asp Arg His Gly Cys Ile Val Lys Ile Val  
660 665 670

Arg Ser Ser Ser Ser Thr Gly Gln Lys Asn Phe Ser Ala Pro Pro Ala  
675 680 685

Ala Pro Pro Val Gln Cys Pro Pro Ser Thr Ser Trp Gln Pro Gln Ser  
690 695 700

His Pro Arg Gln Gly His Gly Thr Ser Pro Val Gly Asp His Gly Ser  
705 710 715 720

Leu Val Arg Ile Pro Pro Pro Pro Ala His Glu Arg Ser Leu Ser Ala  
725 730 735

Tyr Gly Gly Gly Asn Arg Ala Ser Met Glu Phe Leu Arg Gln Glu Asp  
740 745 750

Thr Pro Gly Cys Arg Pro Pro Glu Gly Thr Leu Arg Asp Ser Asp Thr



SequencesSSCPre-file7August03.ST25.txt

755

760

765

Ser Ile Ser Ile Pro Ser Val Asp His Glu Glu Leu Glu Arg Ser Phe  
770 775 780

Ser Gly Phe Ser Ile Ser Gln Ser Lys Glu Asn Leu Asp Ala Leu Asn  
785 790 795 800

Ser Cys Tyr Ala Ala Val Ala Pro Cys Ala Lys Val Arg Pro Tyr Ile  
805 810 815

Ala Glu Gly Glu Ser Asp Thr Asp Ser Asp Leu Cys Thr Pro Cys Gly  
820 825 830

Pro Pro Pro Arg Ser Ala Thr Gly Glu Gly Pro Phe Gly Asp Val Gly  
835 840 845

Trp Ala Gly Pro Arg Lys  
850

<210> 76  
<211> 854  
<212> PRT  
<213> Homo sapiens  
<400> 76

Met Val Gln Lys Ser Arg Asn Gly Gly Val Tyr Pro Gly Pro Ser Gly  
1 5 10 15

Glu Lys Lys Leu Lys Val Gly Phe Val Gly Leu Asp Pro Gly Ala Pro  
20 25 30

Asp Ser Thr Arg Asp Gly Ala Leu Leu Ile Ala Gly Ser Glu Ala Pro  
35 40 45

Lys Arg Gly Ser Ile Leu Ser Lys Pro Arg Ala Gly Gly Ala Gly Ala  
50 55 60

Gly Lys Pro Pro Lys Arg Asn Ala Phe Tyr Arg Lys Leu Gln Asn Phe  
65 70 75 80

Leu Tyr Asn Val Leu Glu Arg Pro Arg Gly Trp Ala Phe Ile Tyr His

Ala	Tyr	Val	Phe	Leu	Leu	Val	Phe	Ser	Cys	Leu	Val	Leu	Ser	Val	Phe
			100					105					110		
Ser	Thr	Ile	Lys	Glu	Tyr	Glu	Lys	Ser	Ser	Glu	Gly	Ala	Leu	Tyr	Ile
		115					120					125			
Leu	Glu	Ile	Val	Thr	Ile	Val	Val	Phe	Gly	Val	Glu	Tyr	Phe	Val	Arg
	130					135					140				
Ile	Trp	Ala	Ala	Gly	Cys	Cys	Cys	Arg	Tyr	Arg	Gly	Trp	Arg	Gly	Arg
145					150					155					160
Leu	Lys	Phe	Ala	Arg	Lys	Pro	Phe	Cys	Val	Ile	Asp	Ile	Met	Val	Leu
			165						170					175	
Ile	Ala	Ser	Ile	Ala	Val	Leu	Ala	Ala	Gly	Ser	Gln	Gly	Asn	Val	Phe
			180					185					190		
Ala	Thr	Ser	Ala	Leu	Arg	Ser	Leu	Arg	Phe	Leu	Gln	Ile	Leu	Arg	Met
		195					200					205			
Ile	Arg	Met	Asp	Arg	Arg	Gly	Gly	Thr	Trp	Lys	Leu	Leu	Gly	Ser	Val
	210					215					220				
Val	Tyr	Ala	His	Ser	Lys	Glu	Leu	Val	Thr	Ala	Trp	Tyr	Ile	Gly	Phe
225					230					235					240
Leu	Cys	Leu	Ile	Leu	Ala	Ser	Phe	Leu	Val	Tyr	Leu	Ala	Glu	Lys	Gly
			245						250					255	
Glu	Asn	Asp	His	Phe	Asp	Thr	Tyr	Ala	Asp	Ala	Leu	Trp	Trp	Gly	Leu
			260					265					270		
Ile	Thr	Leu	Thr	Thr	Ile	Gly	Tyr	Gly	Asp	Lys	Tyr	Pro	Gln	Thr	Trp
		275					280					285			
Asn	Gly	Arg	Leu	Leu	Ala	Ala	Thr	Phe	Thr	Leu	Ile	Gly	Val	Ser	Phe
	290					295					300				

SequencesSSCPre-file7August03.ST25.txt

Phe Ala Leu Pro Ala Gly Ile Leu Gly Ser Gly Phe Ala Leu Lys Val  
305 310 315 320

Gln Glu Gln His Arg Gln Lys His Phe Glu Lys Arg Arg Asn Pro Ala  
325 330 335

Ala Gly Leu Ile Gln Ser Ala Trp Arg Phe Tyr Ala Thr Asn Leu Ser  
340 345 350

Arg Thr Asp Leu His Ser Thr Trp Gln Tyr Tyr Glu Arg Thr Val Thr  
355 360 365

Val Pro Met Tyr Ser Ser Gln Thr Gln Thr Tyr Gly Ala Ser Arg Leu  
370 375 380

Ile Pro Pro Leu Asn Gln Leu Glu Leu Leu Arg Asn Leu Lys Ser Lys  
385 390 395 400

Ser Gly Leu Ala Phe Arg Lys Asp Pro Pro Pro Glu Pro Ser Pro Ser  
405 410 415

Gln Lys Val Ser Leu Lys Asp Arg Val Phe Ser Ser Pro Arg Gly Val  
420 425 430

Ala Ala Lys Gly Lys Gly Ser Pro Gln Ala Gln Thr Val Arg Arg Ser  
435 440 445

Pro Ser Ala Asp Gln Ser Leu Glu Asp Ser Pro Ser Lys Val Pro Lys  
450 455 460

Ser Trp Ser Phe Gly Asp Arg Ser Arg Ala Arg Gln Ala Phe Arg Ile  
465 470 475 480

Lys Gly Ala Ala Ser Arg Gln Asn Ser Glu Glu Ala Ser Leu Pro Gly  
485 490 495

Glu Asp Ile Val Asp Asp Lys Ser Cys Pro Cys Glu Phe Val Thr Glu  
500 505 510

Asp Leu Thr Pro Gly Leu Lys Val Ser Ile Arg Ala Val Cys Val Met  
515 520 525

SequencesSSCPre-file7August03.ST25.txt

Arg Phe Leu Val Ser Lys Arg Lys Phe Lys Glu Ser Leu Arg Pro Tyr  
530 535 540

Asp Val Met Asp Val Ile Glu Gln Tyr Ser Ala Gly His Leu Asp Met  
545 550 555 560

Leu Ser Arg Ile Lys Ser Leu Gln Ser Arg Val Asp Gln Ile Val Gly  
565 570 575

Arg Gly Pro Ala Ile Thr Asp Lys Asp Arg Thr Lys Gly Pro Ala Glu  
580 585 590

Ala Glu Leu Pro Glu Asp Pro Ser Met Met Gly Arg Leu Gly Lys Val  
595 600 605

Glu Lys Gln Val Leu Ser Met Glu Lys Lys Arg Asp Phe Leu Val Asn  
610 615 620

Ile Tyr Met Gln Arg Met Gly Ile Pro Pro Thr Glu Thr Glu Ala Tyr  
625 630 635 640

Phe Gly Ala Lys Glu Pro Glu Pro Ala Pro Pro Tyr His Ser Pro Glu  
645 650 655

Asp Ser Arg Glu His Val Asp Arg His Gly Cys Ile Val Lys Ile Val  
660 665 670

Arg Ser Ser Ser Ser Thr Gly Gln Lys Asn Phe Ser Ala Pro Pro Ala  
675 680 685

Ala Pro Pro Val Gln Cys Pro Pro Ser Thr Ser Trp Gln Pro Gln Ser  
690 695 700

His Pro Arg Gln Gly His Gly Thr Ser Pro Val Gly Asp His Gly Ser  
705 710 715 720

Leu Val Arg Ile Pro Pro Pro Pro Ala His Glu Arg Ser Leu Ser Ala  
725 730 735

Tyr Gly Gly Gly Asn Arg Ala Ser Met Glu Phe Leu Arg Gln Glu Asp  
740 745 750

SequencesSSCPre-file7August03.ST25.txt

Thr Pro Gly Cys Arg Pro Pro Glu Gly Thr Leu Arg Asp Ser Asp Thr  
755 760 765

Ser Ile Ser Ile Pro Ser Val Asp His Glu Glu Leu Glu Arg Ser Phe  
770 775 780

Ser Gly Phe Ser Ile Ser Gln Ser Lys Glu Asn Leu Asp Ala Leu Asn  
785 790 795 800

Ser Cys Tyr Ala Ala Val Ala Pro Cys Ala Lys Val Arg Pro Tyr Ile  
805 810 815

Ala Glu Gly Glu Ser Asp Thr Asp Ser Asp Leu Cys Thr Pro Cys Gly  
820 825 830

Pro Pro Pro Arg Ser Ala Thr Gly Glu Gly Pro Phe Gly Asp Val Gly  
835 840 845

Trp Ala Gly Pro Arg Lys  
850